

# EBU5608 Product Development and Management

Topic 10 – Detail Design & Prototypes

©Paltalidis 2024

1




#### Agenda

- Phase 3 Detail Design
  - Aim
  - Control Documentation
  - Departmental responsibilities
- Prototype
  - Definitions: Prototype, Prototyping
  - Phases of prototypes
  - Uses of prototypes
  - Types of prototypes



EBU5608

2



<u>∙</u> Queen Mary Phase 3 – Detail Design Phase 3 includes • the complete specification of the o geometry (i.e. physical dimensions) o materials, and Today - Use of Prototype o tolerances of all the unique parts in the product, and the **identification** of all of the standard parts to be **purchased** from suppliers Two critical issues addressed in the detail design phase are See in Topic 11 production cost and and 12 for robust design (or performance) more details EBU5608



#### Control documentation



- The **output** of Phase 3 is the **control documentation** for the product
- The control documentation is:



- The drawings or computer files describing the geometry of each part to be made and its production tooling
- The process descriptions for the fabrication and assembly of the product
- The specifications of the parts to be purchased



EBU5608 5

5



#### Departmental responsibilities




- o Departmental responsibilities in this phase are
  - Marketing
    - Develop marketing plan
  - Design
    - Define part geometry
    - Choose materials
    - Assign tolerances
    - Complete industrial design control documentation

EBU5608


6


6



Design for X Topics

Design for Manufacturing
Design for Production
Design for Assembly
Design for Recycling/Disposal
Design for Life Cycle
Design for Environment







## What is a prototype?

- In some industries, a prototype is a smallscale model:
  - a miniature car
  - a miniature building or town

EBU5608 11

11



## What is a prototype / characteristics of a prototype?

Or, it can be (among other things):


- a series of screen sketches
- a storyboard, i.e. a cartoon-like series of scenes
- a Powerpoint slide show
- a video simulating the use of a system
- a lump of wood (e.g. iphone)
- a cardboard mock-up
- a piece of software with limited functionality written in the target language or in another language

EBU5608 12

12



#### What is a prototype?



- "an approximation of the product along one or more dimensions of interest"
- i.e.
  - Industrial designers produce **prototypes** of their concepts, such as models
  - o Engineers prototype a design
  - Software developers write **prototype** programs
- **Prototyping** is the **process** of developing such an approximation of the product

EBU5608 13

13



#### What is a prototyping?


**Prototyping** is the process of quickly putting together a **working mode**l (a prototype) in order to test various aspects of a design, illustrate ideas or features and gather early user feedback.- Wikipedia

**IEEE** defines **prototyping** as "A type of development in which emphasis is placed on developing prototypes early in the development process to permit early feedback and analysis in support of the development process."


EBU5608

14

14



16



©N.Paltalidis 2024

8




## **Beta Prototypes**


- Later (beta) prototypes are usually built with parts supplied by the intended **production** processes
  - but may **not** be assembled using the intended final assembly process
  - Beta prototypes are extensively evaluated **internally** and are also typically tested by **customers** in their own use environment
  - The **goal** for the beta prototypes is usually to answer questions about **performance** and **reliability** in order to identify necessary engineering changes for the final product


EBU5608 17

17



18







## **Uses of Prototypes**

- o There are four main uses of prototypes:
  - 1. Learning
    - Answering questions about performance or feasibility , such as
      - "Will it work?"
      - "How well does it meet the customer needs?"
    - o For example, a proof-of-concept model





EBU5608


21


21




#### Uses of Prototypes (cont.)

#### 2. Communication









o e.g. 3D physical models of style or function

EBU5608


22


22





24











## Physical prototype





27

- Physical prototypes are **tangible artefacts** created to approximate the product
- Aspects of the product of interest to the development team are actually **built** into an artefact for **testing** and **experimentation**
- Examples of physical prototypes include
  - models which look and feel like the product
  - proof-of-concept prototypes used to test an idea quickly
  - experimental **hardware** used to validate the functionality of a product


EBU5608 28


28







- -









54



## Physical vs. Analytical prototypes

#### Physical prototypes

- Tangible approximation of the product
- May exhibit unmodelled behaviour
- Some behaviour may be a consequence of the approximation
- Often best for communication

#### Analytical prototypes

- Mathematical model of the product
- Can only exhibit behaviour arising from explicitly modelled phenomena (However, behaviour cannot always be predicted)
- Some behaviour may be a consequence of the analytical method
- Often allow more experimental freedom than physical models

EBU5608 35

35



## Focused vs. Comprehensive prototypes

#### Focused prototypes

- Implement one or a few attributes of the product
- Answer specific questions about the product design
- Generally several are required

#### Comprehensive prototypes

- Implement many or all attributes of the product
- Offer opportunities for rigorous testing
- Often best for milestones and integration

EBU5608 36

36



#### Prototyping technologies

 There are many technologies for prototyping including high-speed machining, casting, moulding and extruding

Some are very **old** – e.g. clay models

Two **newer** ones are

- 3D CAD modelling and analysis
  - Allow easy, rapid changes
  - Can calculate dimensions accurately
  - o Can feed into manufacturing tools



- o also known a 3D printing
- allows very rapid production of physical prototypes

EBU5608 37

37





# Principles for choosing a Prototype type

- Analytical prototypes are in general more flexible than physical prototypes
- Physical prototypes are required to detect unanticipated phenomena
- Prototypes may reduce the risk of costly iterations
- Prototypes may expedite other development steps
  - Example: add a prototyping step in the part designmold design-molding process
- A prototype may restructure task dependencies


EBU5608 38

38





40











EBU5608

41

41



42




EBU5608 43

43





- The experimental plan includes:
  - the identification of the variables of the experiment
  - o the test protocol
  - an indication of what **measurements** will be performed
  - o a plan for **analysing** the resulting data



EBU5608 44

44





. .

Queen Mary Example of a prototype planning template				
Name of Prototype	· Ball Support			
Purpose (Communication, Learning, Integration, Milestones)	<ul> <li>What combination of spacing between ball supports an ball inertia yields the best trackball feel? (Learning)</li> <li>How much variation is there in users' preferences for fe (Learning)</li> </ul>			
Level of Approximation	<ul> <li>Ball surface material as planned for production design</li> <li>Support material as planned for production design</li> <li>Support contact geometry as planned for production design</li> </ul>			
	EBU5608	17		

Queen Mary Exam	ple of a prototype planning template	e
Name of Prototype	· Ball Support	
Purpose (Communication, Learning, Integration, Milestones)	<ul> <li>What combination of spacing between ball supports an ball inertia yields the best trackball feel? (Learning)</li> <li>How much variation is there in users' preferences for fe (Learning)</li> </ul>	
Level of Approximation	<ul> <li>Ball surface material as planned for production design</li> <li>Support material as planned for production design</li> <li>Support contact geometry as planned for production design</li> </ul>	
Outline of Test Plan	<ul> <li>Build two sets of five different spacings for ball support</li> <li>Test two balls with different inertias</li> <li>Test spacings of 12.75, 13.00, 13.25, 13.50, 13.75 mm for each of the two ball inertias</li> <li>Verify that all the spacings provide at least minimally acceptable performance</li> <li>Have at least 20 users rank order the prototypes according to feel</li> </ul>	
	EBU5608 4	48

48

Queen Mary Example of a prototype planning template				
Name of Prototype	· Ball Support			
Purpose (Communication, Learning, Integration, Milestones)	<ul> <li>What combination of spacing between ball supports and ball inertia yields the best trackball feel? (Learning)</li> <li>How much variation is there in users' preferences for feel? (Learning)</li> </ul>			
Level of Approximation	<ul> <li>Ball surface material as planned for production design</li> <li>Support material as planned for production design</li> <li>Support contact geometry as planned for production design</li> </ul>			
Outline of Test Plan	<ul> <li>Build two sets of five different spacings for ball support</li> <li>Test two balls with different inertias</li> <li>Test spacings of 12.75, 13.00, 13.25, 13.50, 13.75 mm for each of the two ball inertias</li> <li>Verify that all the spacings provide at least minimally acceptable performance</li> <li>Have at least 20 users rank order the prototypes according to feel</li> </ul>			
Schedule	12 August Parts available 12 August Parts assembled 20 August Tests completed 22 August FBU5608 Analysis of results completed			



## Prototyping strategy



- Use prototypes to reduce uncertainty
- Make models with a defined purpose
- Consider multiple forms of prototypes
- Choose the **timing** of prototype cycles
  - Many early models are used to validate concepts
  - Relatively few comprehensive models are necessary to test integration
- Plan time to learn from prototype cycles
  - Avoid the "hardware swamp" where you keep building different ways out of a problem without stopping to think

EBU5608 50

50




#### Summary

- Product development almost always requires the building and testing of prototypes.
- A prototype is an approximation of the product on one or more dimensions of interest.
- Prototypes are used for learning, communication, integration, and milestones.
- Prototypes can be usefully classified along two dimensions: (1) the degree to which they are physical as opposed to analytical and (2) the degree to which they are comprehensive as opposed to focused.
- Several principles are useful in guiding decisions about prototypes during product development.

EBU5608 51

51



52

