## Rajalakshmi Engineering College

Name: Jefrin J

Email: 241501077@rajalakshmi.edu.in

Roll no: 241501077 Phone: 8220148089

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 1\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

## 1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

## **Input Format**

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

**Output Format** 

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

```
Sample Test Case
   Input: 5
   78 89 34 51 67
   Output: 67 51 34 89 78
   Answer
   #include <stdio.h>
#include <stdlib.h>
   struct Node {
      int data:
      struct Node* next;
   };
   // You are using GCC
   void insertAtFront(struct Node** head, int value){
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      newNode->data = value:
      newNode->next = *head;
      *head = newNode;
   void printList(struct Node* head){
      struct Node* temp = head;
      while(temp!=NULL){
        printf("%d ",temp->data);
        temp = temp->next;
      printf("\n");
   int main(){
   struct Node* head = NULL;
```

```
24/501077
                                                      247501017
scanf("%d", &n);
       for (int i = 0; i < n; i++) {
         int activity;
         scanf("%d", &activity);
         insertAtFront(&head, activity);
       }
       printList(head);
       struct Node* current = head;
       while (current != NULL) {
         struct Node* temp = current;
                                                                                  241501017
                                                      24,150,1077
         current = current->next;
free(temp);
         free(temp);
       return 0;
                                                                          Marks: 10/10
    Status: Correct
```

241501011

241501011

247507077

247501077

241501077

241501011

241501077

241501077