
Objectif

Mettre en avant la capacité à configurer des tunnels sécurisés entre le siège et les agences d'un groupe.

Topologie




Router Configs

```
interface Ethernet0/0
 ip address 10.1.1.1 255.255.255.0
!
interface Ethernet0/1
 ip address 10.1.2.1 255.255.255.0
!
interface Ethernet0/2
 ip address 10.1.3.1 255.255.255.0
!
```

```
router ospf 1
 router-id 1.1.1.1
 network 10.1.1.0 0.0.0.255 area 0.0.0.0
 network 10.1.2.0 0.0.0.255 area 0.0.0.0
 network 10.1.3.0 0.0.0.255 area 0.0.0.0
!
```

Spoke1 Config

Physical Interface 5				
LAN (port3)	Physical Interface		192.168.1.1/255.255.255.0	PING
port1	Physical Interface		192.168.91.131/255.255.255.0	PING HTTPS SSH HTTP FMG-Access
port4	Physical Interface		0.0.0.0/0.0.0.0	
WAN (port2)	Physical Interface		10.1.1.2/255.255.255.0	PING
SPOKE1	Tunnel Interface		10.10.1.3/255.255.255.255	




Tunnel	Interface Binding	Status	
Hub-and-Spoke - FortiGate (Spoke) 1			
SPOKE1	WAN (port2)	Up	3

Name	Source	Destination	Schedule	Service	Action	NAT
LAN (port3) → SPOKE1 1						
vpn_SPOKE1_local_0	all	all	always	ALL	ACCEPT	Disabled
SPOKE1 → LAN (port3) 1						
vpn_SPOKE1_remote_0	all	SPOKE1_local	always	ALL	ACCEPT	Disabled
Implicit 1						
Implicit Deny	all	all	always	ALL	DENY	

Spoke2 Configs

Physical Interface 5				
LAN (port3)	Physical Interface		192.168.2.1/255.255.255.0	PING
port1	Physical Interface		192.168.91.133/255.255.255.0	PING HTTPS SSH HTTP FMG-Access
port4	Physical Interface		0.0.0.0/0.0.0.0	
WAN (port2)	Physical Interface		10.1.2.2/255.255.255.0	PING
SPOKE2	Tunnel Interface		10.10.1.4/255.255.255.255	




Tunnel	Interface Binding	Status
Hub-and-Spoke - FortiGate (Spoke) 1		
SPOKE1	WAN (port2)	Up

LAN (port3) → SPOKE2 1						
vpn_SPOKE2_local_0	all	all	always	ALL	ACCEPT	Disabled
SPOKE2 → LAN (port3) 1						
vpn_SPOKE2_remote_0	all	SPOKE2_local	always	ALL	ACCEPT	Disabled
Implicit 1						
Implicit Deny	all	all	always	ALL	DENY	

HUB Configs

Physical Interface 5					
	LAN (port3)	Physical Interface		192.168.3.1/255.255.255.0	PING
	port1	Physical Interface		192.168.91.139/255.255.255.0	PING HTTPS SSH HTTP FMG-Access
	port4	Physical Interface		0.0.0.0/0.0.0.0	
	WAN (port2)	Physical Interface		10.1.3.2/255.255.255.0	PING
	HUB	Tunnel Interface		10.10.1.1/255.255.255.255	



Tunnel	Interface Binding	Status
Hub-and-Spoke - FortiGate (Hub) 1		
HUB	WAN (port2)	2 dialup connection(s)

Name	Source	Destination	Schedule	Service	Action	NAT
HUB → LAN (port3) 2						
vpn_HUB_spoke2hub_0	all	HUB_local	always	ALL	ACCEPT	Disabled
vpn_HUB_spoke2spoke_0	all	all	always	ALL	ACCEPT	Disabled
Implicit 1						
Implicit Deny	all	all	always	ALL	DENY	