```
DECLARE

        CURSOR emp_cursor IS

                SELECT em.first_name ||' '|| em.last_name AS name,

                    (SELECT  COUNT(jhy.job_id)  FROM  JOB_HISTORY  jhy, JOBS jbs    WHERE
jhy.job_id= jbs.job_id)  AS cant_emp ,

                    jo.job_title,

                    ROUND(MONTHS_BETWEEN(TO_DATE(jb.start_date, 'DD/MM/YYYY')  as
antiguedad,

                        TO_DATE(jh.start_date, 'DD/MM/YYYY'))) AS
star_date,TO_DATE(jh.end_date, 'DD/MM/YYYY'))) AS date_end

                FROM EMPLOYEES em, JOBS jo , JOB_HISTORY jh

                WHERE em.employee_id = jh.employee_id


                 v_emp emp_cursor%ROWTYPE;
BEGIN

        FOR v_emp IN emp_cursor LOOP

                DBMS_OUTPUT.PUT_LINE('Nombre: ' || v_emp.name ||' cantidade de trabajos'||
v_emp.cant_emp||' '||

                        'Antigüedad: ' || v_emp.ant||' '|| 'fecha de ingreso ' ||
v_emp.star_date||' '|| 'fecha de ingreso ' || v_emp.date_end);

        END LOOP;
END;
```