

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

Error que empieza en la línea: 11 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du

For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the entry.

Error que empieza en la línea: 12 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id) values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined by a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the entry.

Error que empieza en la línea: 13 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id) values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined by a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the entry.

Error que empieza en la línea: 14 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id) values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined by a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the entry.

Error que empieza en la línea: 15 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

```
Error que empieza en la línea: 16 del comando :
```

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

```
Error que empieza en la línea: 17 del comando :
```

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

```
Error que empieza en la línea: 18 del comando :
```

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
```

this message if a duplicate entry exists at a differen
*Action: Either remove the unique restriction or do not insert

1 fila insertadas.

Error que empieza en la línea: 20 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 21 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 22 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 23 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 24 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 25 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 26 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.

For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the entry.

Error que empieza en la línea: 27 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
entry. For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the entry.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

Error que empieza en la línea: 38 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location.

*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 39 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location.

*Action: Either remove the unique restriction or do not insert the duplicate.

1 fila insertadas.

Error que empieza en la línea: 41 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 42 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 43 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 44 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 45 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 46 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 47 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 48 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.

For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert
1 fila insertadas.

Error que empieza en la línea: 50 del comando :
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
*Cause: An UPDATE or INSERT statement attempted to insert a duplicate entry.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 51 del comando :
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
*Cause: An UPDATE or INSERT statement attempted to insert a duplicate entry.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 52 del comando :
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
*Cause: An UPDATE or INSERT statement attempted to insert a duplicate entry.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 53 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 54 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 55 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 56 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 57 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

1 fila insertadas.

Error que empieza en la línea: 59 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 60 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

this message if a duplicate entry exists at a differen
*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 61 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 62 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 63 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 64 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

1 fila insertadas.

Error que empieza en la línea: 79 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 80 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 81 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

1 fila insertadas.

Error que empieza en la línea: 83 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 84 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is defined with a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 85 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique restriction.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 86 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique restriction.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 87 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique restriction.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 88 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique restriction.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 89 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

Error que empieza en la línea: 90 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

1 fila insertadas.

Error que empieza en la línea: 92 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a duplicate
              For Trusted Oracle configured in DBMS MAC mode, you may receive
              this message if a duplicate entry exists at a different time.
```

```
*Action:      Either remove the unique restriction or do not insert the data.
```

Error que empieza en la línea: 93 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
```

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 94 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 95 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 96 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated

00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 97 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 98 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 99 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 100 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 101 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 102 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 103 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
values (1,1,1);
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
ORA-00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 104 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a du
              For Trusted Oracle configured in DBMS MAC mode, you ma
              this message if a duplicate entry exists at a differen
```

```
*Action:     Either remove the unique restriction or do not insert
```

Error que empieza en la línea: 105 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a du
              For Trusted Oracle configured in DBMS MAC mode, you ma
              this message if a duplicate entry exists at a differen
```

```
*Action:     Either remove the unique restriction or do not insert
```

Error que empieza en la línea: 106 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a du
              For Trusted Oracle configured in DBMS MAC mode, you ma
              this message if a duplicate entry exists at a differen
```

```
*Action:     Either remove the unique restriction or do not insert
```

Error que empieza en la línea: 107 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -
```

```
Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"
```

```
*Cause:      An UPDATE or INSERT statement attempted to insert a du
              For Trusted Oracle configured in DBMS MAC mode, you ma
```

this message if a duplicate entry exists at a differen
*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 108 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

1 fila insertadas.

Error que empieza en la línea: 110 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 111 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a du
For Trusted Oracle configured in DBMS MAC mode, you ma
this message if a duplicate entry exists at a differen

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 112 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location.

*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 113 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location.

*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 114 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location.

*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 115 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 116 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 117 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate.
1 fila insertadas.

Error que empieza en la línea: 119 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 120 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 121 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 122 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate
For Trusted Oracle configured in DBMS MAC mode, you may receive
this message if a duplicate entry exists at a different location

*Action: Either remove the unique restriction or do not insert

Error que empieza en la línea: 123 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_i
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 124 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 125 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 126 del comando :

insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 127 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a primary or unique constraint. For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 128 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a primary or unique constraint. For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 129 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a primary or unique constraint. For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 130 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 131 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 132 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 133 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
Informe de error -
```

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that has a unique constraint.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.
*Action: Either remove the unique restriction or do not insert the duplicate value.

Error que empieza en la línea: 134 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-00001: unique constraint (JESSICA.PK_DC) violated
00001. 00000 - "unique constraint (%s.%s) violated"

*Cause: An UPDATE or INSERT statement attempted to insert a duplicate value for a column that is part of a primary key.
For Trusted Oracle configured in DBMS MAC mode, you may receive this message if a duplicate entry exists at a different time.

*Action: Either remove the unique restriction or do not insert the duplicate.

Error que empieza en la línea: 135 del comando :

```
insert into distribucion_cerveza (dis_cer_distribucion,ce_id,pc_id)
```

Informe de error -

Error SQL: ORA-02291: integrity constraint (JESSICA.FK_DC_PRESENT) violated
02291. 00000 - "integrity constraint (%s.%s) violated - parent key not found"

*Cause: A foreign key value has no matching primary key value.

*Action: Delete the foreign key or add a matching primary key.

Error que empieza en la línea: 135 del comando :

Informe de error -

Comando desconocido

Error Adicional: el comando original contenía "Unicode u200B"