





# **UVOD**

### 1. Korisceno:


- HTML
- CSS
- JacaScript
- Ajax
- PHP
- Bootstrap

### 2. Funkcionalnosti:

- Dinamicki ispisani meniji, slajder, proizvodi, recepti...
- Filtriranje klikom na odredjenu kategoriju koja se proverava iz baze podataka
- Klikom na jelo izlazi blok u kome je slika, spisak sastojaka I recept
- Registracija
- Login
- Logout
- Prikazivanje odredjenih stvari u zavisnosti koj je korisnik ulogovan, da li je admin, korisnik, koj mu je bmi, anketa, prikaz ankete ako nije odgovorio I prikaz da je odg ako je odgovorio

- Admin panel-Brisanje, updatovanje I insertovanje nekih podataka, statistika ankete
- Pretraga
- Svi podaci izvuceni iz baze podataka

### 3. Dizajn baze



#### 4. Kod

### • Index.php

```
<?php
//ukljucivanje head i ostalog pocetnog dela, na svakoj stranici
   include "pages/header.php"; ?>
   <?php
   session_start();
   //ukljucivanje dinamicki ispisanog menija
   include "pages/meni.php";
   //ukljucivanje konekcija
   include "konekcija/konekcija.php";
   if($konekcija){
//podaci iz baze za dinamicki ispis slajdera
   $upit8="SELECT * FROM slika s INNER JOIN slajder sl ON s.idslika
=sl.idslika";
   $rezultat8=$konekcija->query($upit8);
   $rez8=$rezultat8->fetchAll();
   else{
       echo("Konekcija nije ok");
   <!-- Start slides -->
   <div id="slides" class="cover-slides">
       <?php foreach($rez8 as $red8){ ?>
           <img src="images/<?=$red8->src?>.jpg" alt="<?=$red8-</pre>
>alt?>">
               <div class="container">
                   <div class="row">
                      <div class="col-md-12">
                          <h1 class="m-b-
20"><strong>Welcome To <br> Live Dinner</strong></h1>
                          40">Search for teasty food and calculate your meals.
```

```
- Ukoliko je korisnik ulogovan ne pokazivati dugme za registraciju -
                             <?php if(!isset($ SESSION['uloga'])){ e</pre>
cho( "
                            <a class='btn btn-lg btn-circle btn-
outline-new-
white' href='registration.php'>Registration</a>");}?>
                        </div>
                    </div>
                </div>
             <?php } ?>
        <div class="slides-navigation">
            <a href="#" class="next"><i class="fa fa-angle-</pre>
right" aria-hidden="true"></i></a>
            <a href="#" class="prev"><i class="fa fa-angle-</pre>
left" aria-hidden="true"></i></a>
        </div>
    </div>
    <!-- End slides -->
    <!-- Start About -->
    <div class="about-section-box">
        <div class="container">
            <div class="row">
                <div class="col-lg-6 col-md-6 col-sm-12 text-
center">
                    <div class="inner-column">
                        <h1>Welcome To <span>Live Dinner </span></h1
                        <h4>Little Story</h4>
                        All humans have to eat food for growth an
d maintenance of a healthy body, but we humans have different nutrit
ion requirements as infants, children (kids), teenagers, young adult
s, adults, and seniors. For example, infants may require feeding eve
ry 4 hours until they gradually age and begin to take in more solid
foods. Eventually they develop into the more normal pattern of eatin
g three times per day as young kids. However, as most parents know,
kids, teenagers, and young adults often snack between meals.
                        Snacking is often not limited to these age g
roups because adults and seniors often do the same.
                        <a class="btn btn-lg btn-circle btn-outline-
new-white" href="#">Reservation</a>
```

```
</div>
                </div>
                <div class="col-lg-6 col-md-6 col-sm-12">
                    <img src="images/about-</pre>
img.jpg" alt="" class="img-fluid">
                </div>
            </div>
        </div>
    </div>
    <!-- End About -->
    <!-- Start QT -->
    <div class="qt-box qt-background">
        <div class="container">
            <div class="row">
                <div class="col-md-8 ml-auto mr-auto text-center">
                    " If you're not the one cooking, stay out of
 the way and compliment the chef. "
                    <span class="lead">Michael Strahan</span>
                </div>
            </div>
        </div>
    </div>
    <!-- End QT -->
    <!-- Start Menu -->
    <?php
if($konekcija){
    <div class="menu-box">
        <div class="container">
            <div class="row">
            <form >
      <input type="text" placeholder="Search.." name="search" id="pr</pre>
etrazi">
      <button type="submit" id="submitpr"> Search</button>
    </form>
                <div class="col-lg-12">
                    <div class="heading-title text-center">
                        <h2>Food</h2>
```

```
Calculate your meals
                     </div>
                 </div>
             </div>
             <div class="row inner-menu-box">
                 <div class="col-3">
                     <div class="nav flex-column nav-pills" id="v-</pre>
pills-tab" role="tablist" aria-orientation="vertical">
                         <a class="nav-link kat" id="v-pills-home-</pre>
tab" data-toggle="pill" href="#v-pills-home" role="tab" aria-
controls="v-pills-home" aria-selected="true" name="all">All</a>
                         <a class="nav-link kat " id="v-pills-</pre>
profile-tab" data-toggle="pill" href="#v-pills-
profile" role="tab" aria-controls="v-pills-profile" aria-
selected="false" name="drink">Drinks</a>
                         <a class="nav-link kat " id="v-pills-</pre>
messages-tab" data-toggle="pill" href="#v-pills-
messages" role="tab" aria-controls="v-pills-messages" aria-
selected="false" name="lunch">Lunch</</a>
                         <a class="nav-link kat" id="v-pills-</pre>
settings-tab" data-toggle="pill" href="#v-pills-
settings" role="tab" aria-controls="v-pills-settings" aria-
selected="false" name="dinner">Dinner</a>
                     </div>
                 </div>
                 <div class="col-9">
                     <div class="tab-content" id="v-pills-</pre>
tabContent">
                         <div class="tab-
pane fade show active "id="v-pills-home" role="tabpanel" aria-
labelledby="v-pills-home-tab">
                             <div class="row" id="proizvodi">
                             <?php
//ukljucivanje fajla gde se nalze upiti koji se ponavljaji
include "php/funkcije.php";
//dinamicki ispis hrane
ispis();
                                      </div>
```

```
</div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- End Menu -->
    <!-- Start Customer Reviews -->
    <div class="customer-reviews-box">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="heading-title text-center">
                        <h2>Customer Reviews</h2>
                        Lorem Ipsum is simply dummy text of the p
rinting and typesetting
                    </div>
                </div>
            </div>
            <div class="row">
                <div class="col-md-8 mr-auto ml-auto text-center">
                    <div id="reviews" class="carousel slide" data-</pre>
ride="carousel">
                        <div class="carousel-inner mt-4">
                            <div class="carousel-item text-</pre>
center active">
                                <div class="img-box p-
1 border rounded-circle m-auto">
                                    <img class="d-block w-</pre>
100 rounded-circle" src="images/quotations-button.png" alt="">
                                </div>
                                <h5 class="mt-4 mb-
0"><strong class="text-warning text-
uppercase">Paul Mitchel</strong></h5>
                                <h6 class="text-dark m-
0">Web Developer</h6>
                                3">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam eu s
```

```
em tempor, varius quam at, luctus dui. Mauris magna metus, dapibus n
ec turpis vel, semper malesuada ante. Idac bibendum scelerisque non
non purus. Suspendisse varius nibh non aliquet.
                            </div>
                            <div class="carousel-item text-center">
                                <div class="img-box p-</pre>
1 border rounded-circle m-auto">
                                    <img class="d-block w-</pre>
100 rounded-circle" src="images/quotations-button.png" alt="">
                                </div>
                                <h5 class="mt-4 mb-
0"><strong class="text-warning text-
uppercase">Steve Fonsi</strong></h5>
                                <h6 class="text-dark m-
0">Web Designer</h6>
                                3">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam eu s
em tempor, varius quam at, luctus dui. Mauris magna metus, dapibus n
ec turpis vel, semper malesuada ante. Idac bibendum scelerisque non
non purus. Suspendisse varius nibh non aliquet.
                            </div>
                            <div class="carousel-item text-center">
                                <div class="img-box p-</pre>
1 border rounded-circle m-auto">
                                    <img class="d-block w-</pre>
100 rounded-circle" src="images/quotations-button.png" alt="">
                                </div>
                                <h5 class="mt-4 mb-
0"><strong class="text-warning text-
uppercase">Daniel vebar</strong></h5>
                                <h6 class="text-dark m-
0">Seo Analyst</h6>
                                3">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam eu s
em tempor, varius quam at, luctus dui. Mauris magna metus, dapibus n
ec turpis vel, semper malesuada ante. Idac bibendum scelerisque non
non purus. Suspendisse varius nibh non aliquet.
                            </div>
                        </div>
                        <a class="carousel-control-</pre>
prev" href="#reviews" role="button" data-slide="prev">
                            <i class="fa fa-angle-left" aria-</pre>
hidden="true"></i>
                            <span class="sr-only">Previous</span>
                        </a>
```

```
<a class="carousel-control-
next" href="#reviews" role="button" data-slide="next">
                           <i class="fa fa-angle-right" aria-</pre>
hidden="true"></i>
                           <span class="sr-only">Next</span>
                       </a>
                   </div>
               </div>
           </div>
       </div>
    </div>
    <!-- End Customer Reviews -->
    <!-- Start Contact info -->
    <div class="contact-imfo-box">
       <div class="container">
           <div class="row">
               <div class="col-md-4 arrow-right">
                   <i class="fa fa-volume-control-phone"></i></i>
                   <div class="overflow-hidden">
                       <h4>Phone</h4>
                       +01 123-456-4590
                       </div>
               </div>
               <div class="col-md-4 arrow-right">
                   <i class="fa fa-envelope"></i></i>
                   <div class="overflow-hidden">
                       <h4>Email</h4>
                       yourmail@gmail.com
                       </div>
               </div>
               <div class="col-md-4">
                   <i class="fa fa-map-marker"></i></i>
                   <div class="overflow-hidden">
                       <h4>Location</h4>
                       800, Lorem Street, US
                       </div>
               </div>
           </div>
```

• About.php

```
<?php
   include "pages/header.php"; ?>
   <?php
   include "pages/meni.php";
   <div class="all-page-title page-breadcrumb">
       <div class="container text-center">
            <div class="row">
                <div class="col-lg-12">
                    <h1>About Us</h1>
                </div>
            </div>
       </div>
   </div>
   <!-- End header -->
   <!-- Start About -->
   <div class="about-section-box">
       <div class="container">
           <div class="row">
                <div class="col-lg-6 col-md-6 text-center">
                    <div class="inner-column">
                        <h1>Welcome To <span>Live Dinner Restaurant</span></h1>
                        <h4>Little Story</h4>
```

All humans have to eat food for growth and maintenance of a healthy body, but we humans have different nutrition requirements as infant s, children (kids), teenagers, young adults, adults, and seniors. For example, in fants may require feeding every 4 hours until they gradually age and begin to tak e in more solid foods. Eventually they develop into the more normal pattern of ea ting three times per day as young kids. However, as most parents know, kids, teen agers, and young adults often snack between meals.

Snacking is often not limited to these age groups because adults and seniors often do the same.

Eat three healthy meals a day (breakfast, lunch, and d inner); it is important to remember that dinner does not have to be the largest m eal.

The bulk of food consumption should consist of healthy foods, such as fruits, veg etables, whole grains, and fat-free or low-fat milk products.

Incorporate lean meats, poultry, fish, beans, eggs, and nuts (with emphasis on be ans and nuts) into a healthy diet.

Choose foods that are low in saturated fats, trans fats, cholesterol, salt (sodiu m), and added sugars; look at the labels because the first listed items on the labels comprise the highest concentrations of ingredients.

Control portion sizes; eat the smallest portion that can satisfy hunger and then stop eating.

Healthy snacks are OK in moderation and should consist of items like fruit, whole grains, or nuts to satisfy hunger and not cause excessive weight gain

```
<div class="menu-box">
        <div class="container">
            <div class="row">
            <form >
      <input type="text" placeholder="Search.." name="search" id="pretrazi">
      <button type="submit" id="submitpr"> Search</button>
    </form>
                <div class="col-lg-12">
                    <div class="heading-title text-center">
                        <h2>Food</h2>
                         Calculate your meals
                    </div>
                </div>
            </div>
            <div class="row inner-menu-box">
                <div class="col-3">
                    <div class="nav flex-column nav-pills" id="v-pills-</pre>
tab" role="tablist" aria-orientation="vertical">
                        <a class="nav-link kat" id="v-pills-home-tab" data-</pre>
toggle="pill" href="#v-pills-home" role="tab" aria-controls="v-pills-home" aria-
selected="true" name="all">All</a>
                        <a class="nav-link kat " id="v-pills-profile-tab" data-</pre>
toggle="pill" href="#v-pills-profile" role="tab" aria-controls="v-pills-
profile" aria-selected="false" name="drink">Drinks</a>
                        <a class="nav-link kat " id="v-pills-messages-tab" data-</pre>
toggle="pill" href="#v-pills-messages" role="tab" aria-controls="v-pills-
messages" aria-selected="false" name="lunch">Lunch</</a>
                        <a class="nav-link kat" id="v-pills-settings-tab" data-</pre>
toggle="pill" href="#v-pills-settings" role="tab" aria-controls="v-pills-
settings" aria-selected="false" name="dinner">Dinner</a>
                    </div>
                </div>
                <div class="col-9">
                    <div class="tab-content" id="v-pills-tabContent">
                        <div class="tab-pane fade show active" id="v-pills-</pre>
home" role="tabpanel" aria-labelledby="v-pills-home-tab">
                             <div class="row" id="proizvodi">
                            <?php
//ispis hrane
include "php/funkcije.php";
ispis();
```

```
</div>
                          </div>
                      </div>
                  </div>
              </div>
           </div>
       </div>
   </div>
</div>
<!-- Start Contact info -->
<div class="contact-imfo-box">
   <div class="container">
       <div class="row">
           <div class="col-md-4 arrow-right">
               <i class="fa fa-volume-control-phone"></i></i>
               <div class="overflow-hidden">
                   <h4>Phone</h4>
                   +01 123-456-4590
                   </div>
           </div>
           <div class="col-md-4 arrow-right">
               <i class="fa fa-envelope"></i></i>
               <div class="overflow-hidden">
                   <h4>Email</h4>
                  yourmail@gmail.com
                   </div>
           </div>
           <div class="col-md-4">
               <i class="fa fa-map-marker"></i></i>
               <div class="overflow-hidden">
                   <h4>Location</h4>
                   800, Lorem Street, US
                   </div>
```

```
</div>
          </div>
      </div>
   </div>
   <!-- End Contact info -->
   <!-- Start Footer -->
   <footer class="footer-area bg-f">
      <div class="container">
          <div class="row">
             <div class="col-lg-3 col-md-6">
                 <h3>About Us</h3>
                 Integer cursus scelerisque ipsum id efficitur. Donec a dui
fringilla, gravida lorem ac, semper magna. Aenean rhoncus ac lectus a interdum.
Vivamus semper posuere dui.
             </div>
             <div class="col-lg-3 col-md-6">
                 <h3>Subscribe</h3>
                 <div class="subscribe form">
                    <form class="subscribe form">
                        <input name="EMAIL" id="subs-</pre>
email" class="form_input" placeholder="Email Address..." type="email">
                        <button type="submit" class="submit">SUBSCRIBE</butto</pre>
                        <div class="clearfix"></div>
                    </form>
                 </div>
                 <a href="#"><i class="fa fa-</pre>
facebook" aria-hidden="true"></i></i></a>
                    <a href="#"><i class="fa fa-</pre>
twitter" aria-hidden="true"></i></a>
                    <a href="#"><i class="fa fa-</pre>
linkedin" aria-hidden="true"></i></i></a>
                     <a href="#"><i class="fa fa-</pre>
google-plus" aria-hidden="true"></i></i></a>
                    <a href="#"><i class="fa fa-</pre>
instagram" aria-hidden="true"></i></a>
                 </div>
             <div class="col-lg-3 col-md-6">
                 <h3>Contact information</h3>
                 Ipsum Street, Lorem Tower, MO, Columbia, 5080
00
                 <a href="#">+01 2000 800 9999</a>
```

```
<a href="#"> info@admin.com</a>
              </div>
              <div class="col-lg-3 col-md-6">
                  <h3>Opening hours</h3>
                  <span class="text-color">Monday: </span>Closed
                  <span class="text-color">Tue-Wed :</span> 9:Am - 10PM
                  <span class="text-color">Thu-Fri :</span> 9:Am - 10PM
                  <span class="text-color">Sat-Sun :</span> 5:PM - 10PM
              </div>
           </div>
       </div>
       <div class="copyright">
           <div class="container">
              <div class="row">
                  <div class="col-lg-12">
                      name">All Rights Reserved. © 2018 <a href="#">Live Dinner Restaurant</a> Des
ign By :
                  <a href="https://html.design/">html design</a>
                  </div>
              </div>
           </div>
       </div>
       <?php
   include "pages/footer.php";
```

Registration.php

```
<?php

session_start();
if(isset($_SESSION["uloga"])){
    echo("Vec ste registrovani");
    header("Location:redirekt.php");}
    include "pages/header.php"; ?>
    <?php
    include "pages/meni.php";</pre>
```

```
<div class="contact-box" style:"marginTop:100px">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="heading-title text-center">
                         <h2>Registracija</h2>
                         Be healhy and enyoj in food 
                     </div>
                </div>
            </div>
            <div class="row">
                <div class="col-lg-12">
                    <form id="contactForm" >
                         <div class="row">
                             <div class="col-md-12">
                                 <div class="form-group">
                                     <input type="text" class="form-</pre>
control" id="name" name="name" placeholder="Your Name" >
                                     <div class="help-block with-</pre>
errors Imegr" id="Imegr"></div>
                                 </div>
                             </div>
                             <div class="col-md-12">
                                 <div class="form-group">
                                     <input type="text" class="form-</pre>
control" id="lastname" name="name" placeholder="Your Lastname" >
                                     <div class="help-block with-</pre>
errors Prezimegr" id="Prezimegr"></div>
                                 </div>
                             </div>
                             <div class="col-md-12">
                                 <div class="form-group">
                                     <input type="text" placeholder="Your Email" i</pre>
d="email" class="form-control" name="name" >
                                     <div class="help-block with-</pre>
errors Mejlgr" id="Mejlgr"></div>
                                 </div>
                             </div>
```

```
<div class="col-md-12">
                                  <div class="form-group">
                                      <input type="text" placeholder="Your username</pre>
 id="username" class="form-control" name="name" >
                                      <div class="help-block with-</pre>
errors Usernamegr" id="Usernamegr"></div>
                                  </div>
                             </div>
                              <div class="col-md-12">
                                  <div class="form-group">
                                      <input type="password" placeholder="Your pass</pre>
word" id="password" class="form-control" name="name" >
                                      <div class="help-block with-</pre>
errors Passwordgr" id="Passwordgr"></div>
                                  </div>
                             </div>
                             <div class="col-md-12">
                                  <div class="form-group">
                                      <input type="password" placeholder="Your pass</pre>
word again" id="password2" class="form-control" name="name" >
                                      <div class="help-block with-</pre>
errors Password2gr" id="Password2gr"></div>
                                  </div>
                             </div>
                            <div class="col-md-12">
                                  <div class="form-group">
                                      <input type="text" placeholder="Your BMI" id=</pre>
'bmi" class="form-control" name="name" >
                                      <div class="help-block with-</pre>
errors Bmigr" id="Bmigr"></div>
                                  </div>
                              </div>
                              <div class="col-md-12">
                                      <div class="help-block with-errors"></div>
                                  </div>
                             </div>
                              <div class="col-md-12">
                                  <div class="submit-button text-center">
                                      <button class="btn btn-</pre>
common" id="submitr" type="submit">Register</button>
```

• Uspesnaregistracija.php

```
* <?php

* //$dugme=$_POST["dugmeP"];

* if(isset($_POST["dugmeP"])){

* http_response_code(200);

* $ime= $_POST["imeP"];

* $prezime=$_POST["prezimeP"];

* $usernamep=$_POST["prezimeP"];

* $usernamep=$_POST["usernameP"];

* $mej1=$_POST["mej1P"];

* $password=$_POST["passwordP"];

* $password2=$_POST["password2P"];

* $bmi=$_POST["bmiP"];

* $bmi=$_POST["bmiP"];

* $password2=$_POST["bmiP"];

* $password2=$_POST["b
```

```
reIme = "/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/";
        rePrezime = "/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/";
        $reUsername = "/^[A-Za-z0-9]+(?:[ _-][A-Za-z0-9]+)*$/";
        $rePassword="/^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&])[A-Za-
z\d@$!%*#?&]{8,}$/";
        reMejl="/^[a-z][a-z\d_\.\-]+\@[a-z\d]+(\.[a-z]{2,4})+$/";
        percolong = \frac{(0|[1-9])d^*}{(.)d^+}?
        $greske=array();
        if($ime == ""){
            array_push($greske, "ime nije ok");
        else{
            if(!preg_match($reIme, $ime)){
              array_push($greske, "ime nije ok");
        if($prezime == ""){
            arrey_push($greske, "prezime nije ok");
        else{
            if(!preg_match($rePrezime, $prezime)){
                array_push($greske, "prezime nije ok");
        if($mejl == ""){
            array_push($greske, "mail nije ok");
```

```
else{
   if(!preg_match($reMejl, $mejl)){
        array_push($greske, "mail nije ok");
if($usernamep == ""){
   array_push($greske, "username nije ok");
else{
   if(!preg_match($reUsername, $usernamep)){
        array_push($greske, "username nije ok");
if($password == ""){
   array_push($greske, "password nije ok");
else{
    if(!preg_match($rePassword, $password)){
        array_push($greske, "password nije ok");
if($password2 == ""){
   array_push($greske, "password2 nije ok");
else{
    if($password2!=$password){
```

```
array_push($greske, "password2 nije ok");
        if(!preg_match($reBmi, $bmi)){
            array_push($greske, "bmi nije ok");
        if(count($greske)==0){
            echo("Sve ok");
            include("../konekcija/konekcija.php");
            if($konekcija){
                echo("Konekcija je ok");
               // $upit2="insert into korisnik(ime,prezime,mejl,username,p
assword) values ($ime, $prezime, $mejl, $username, $password)";
                    //$konekcija->query($upit2);
       try{
        $password=$ POST["passwordP"];
        $passwordiz=md5($password);
      $usernamee=addslashes($usernamep);
      $mejll=addslashes($mejl);
      $status=0;
        $vr=2;
        $broj=md5(rand(1, 1000));
                $upit=$konekcija-
>prepare("insert into korisnik(ime,prezime,mejl,username,password,bmi,idvr
korisnika, status, broj) values(:ime, :prezime, :mejl, :usernamep, :passwor
d, :bmi, :idvrsta,:status, :broj)");
                $upit->bindParam(':ime', $ime);
                $upit->bindParam(':prezime', $prezime);
                $upit->bindParam(':mejl', $mejl);
                $upit->bindParam(':usernamep', $usernamep);
                $upit->bindParam(':password', $passwordiz);
                $upit->bindParam(':bmi', $bmi);
                $upit->bindParam(':idvrsta', $vr);
```

```
$upit->bindParam(':status', $status);
                $upit->bindParam(':broj', $broj);
                $upit->execute();
                $to=$mejl;
                $subject='Verification email';
                $message="Click in link to verificate your email www.live-
dinner/verifikacija.php?broj=$broj&mejl=$mejl";
                mail ( string $to , string $subject , string $message );
            catch(PDOException $e){
                http_response_code(500);
                echo $e->getMessage();
                header("Content-type: application/json");
                //$response['odgovor'] = 'Everything went better than expe
                $message="Llalaal";
                echo json_encode(['message' => $message]);
            }}
        else{
            echo("Nije ok");
else{
    http_response_code(404);
//echo($ime." ".$prezime." ".$username." ".$mejl." ".$password." ".$passwo
rd2)
```

```
• ?>
```

• Verifikacija.php

```
<?php include "konekcija/konekcija.php";</pre>
if(isset($_GET['broj'])){
    $broj=$_GET['broj'];
    $mejl=$_GET['mejl'];
    $upit="SELECT * FROM korisnik WHERE broj=$broj AND email=$mejl";
    $rezultat=$konekcija->query($upit);
    $rez=$rezultat->fetchAll();
    if($rez->rowCount()==1){
        $status=1;
        $upit2=prepare("UPDATE korisnik SET status=:status WHERE broj=$broj AND e
mail=$mejl");
        $upit2->bindParam(':status', $status);
        $upit2->execute();
    else{
        http_response_code(500);
else{
    http_response_code(404);
```

```
}
?>
```

### • Login.php

```
<?php
session_start();
if(isset($_SESSION["uloga"])){
    header("Location:redirekt.php");
    include "pages/header.php"; ?>
    <?php
    include "pages/meni.php";
    <div class="contact-box" style:"marginTop:100px">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="heading-title text-center">
                        <h2>Log in</h2>
                        Budite zdravi i uzivajte u hrani
                    </div>
                </div>
            </div>
            <div class="row">
                <div class="col-lg-12">
                    <form id="contactForm">
                        <div class="row">
                            <div class="col-md-12">
                                <div class="form-group">
                                    <input type="text" class="form-</pre>
control" id="username" name="username" placeholder="Your username" >
```

```
<div class="help-block with-</pre>
errors Usernamegr" id="Usernamegr"></div>
                                 </div>
                             </div>
                             <div class="col-md-12">
                                 <div class="form-group">
                                     <input type="password" placeholder="Yo</pre>
ur password" id="password" class="form-control" name="name" >
                                     <div class="help-block with-</pre>
errors Passwordgr" id="Passwordgr"></div>
                                 </div>
                             </div>
                             <div class="col-md-12">
                                     <div class="help-block with-</pre>
errors"></div>
                                 </div>
                             </div>
                             <div class="col-md-12">
                                 <div class="submit-button text-center">
                                     <button class="btn btn-</pre>
common" id="submitlogovanje" type="submit">Log in</button>
                                     <div id="msgSubmit" class="h3 text-
center hidden"></div>
                                     <div class="clearfix"></div>
                                 </div>
                             </div>
                         </div>
                     </form>
                </div>
            </div>
        </div>
    </div>
<?php
    include "pages/footer.php";
```

• Proveralogovanje.php

```
<?php
session_start();
if(isset($_POST["dugmeP"])){
   $usernamep=$ POST["usernameP"];
    $passwordp=$_POST["passwordP"];
    $reUsername = "/^[A-Za-z0-9]+(?:[ _-][A-Za-z0-9]+)*$/";
   $rePassword="/^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&])[A-Za-
z\d@$!%*#?&]{8,}$/";
   $greske=array();
   if($usernamep == ""){
       array_push($greske, "username nije ok");
   else{
        if(!preg_match($reUsername, $usernamep)){
            array_push($greske, "username nije ok");
   if($passwordp == ""){
       array_push($greske, "password nije ok");
   else{
        if(!preg match($rePassword, $passwordp)){
            array_push($greske, "password nije ok");
   if(count($greske)==0){
        include("../konekcija/konekcija.php");
```

```
if($konekcija){
            //echo("Konekcija je ok");
   try{
      $passwordpp=md5($passwordp);
       $upit="SELECT * from korisnik WHERE username='".$usernamep."' AND
password='".$passwordpp."'";
           $rezultat= $konekcija->query($upit);
           if($rezultat->rowCount()==1){
                $red = $rezultat ->fetch();
                $uloga=$red->idvrkorisnika;
                $korisnik=$red->idkorisnik;
                $imeses=$red->ime;
                $mailses=$red->mejl;
                $statusses=$red->status;
                $_SESSION['uloga']=$uloga;
                $ SESSION['korisnik']=$korisnik;
                $_SESSION['ime']=$imeses;
                $_SESSION['mejl']=$mailses;
                $_SESSION['status']=$statusses;
                //var_dump($imeses);
                header("Location:../redirekt.php");
```

```
return true;
              // echo ($uloga);
            else{
               // echo $rezultat->rowCount();
        catch(PDOException $e){
            http_response_code(500);
           // echo $e->getMessage();
            header("Content-type: application/json");
            //$response['odgovor'] = 'Everything went better than expected
            $message="Llalaal";
           // echo json_encode(['message' => $message]);
        }}
    else{
       // echo("Nije ok");
else{
http_response_code(404);
```

```
• ?>
```

### • Redirekt.php

```
<?php
session start();
//Ako je kliknuto na dugme za login
if(isset($_SESSION["uloga"])) {
//Ako je verifikovan mejl
   if($_SESSION['status']==1){
//Ako je admin
      if($_SESSION["uloga"]=="1") {
         header('Location:admin/template/pages/tables/basic-table.php');
         else if($_SESSION['uloga']=="2") {
            //$korisnik=$_SESSION["korisnik"];
         //var_dump($korisnik);
         include('korisnik.php');
   else{
     //Ako nije verifikovan mejl
      unset($_SESSION['uloga']);
unset($_SESSION['korisnik']);
unset($_SESSION['ime']);
unset($_SESSION['mejl']);
unset($_SESSION['status']);
```

```
• }
• else{
• echo "Neiste verifikovali mejl.<br>
• echo "Nemate pravo pristupa ovoj stranici jer niste ulogovani.<br>
• a href='index.php'>Logovanje</a>";
• }
• ?>
• ?>
• ?>
```

## • Korisnik.php

```
$upit2="SELECT * FROM korisnik_odgovor ko INNER JOIN odgovor o ON ko.idod
govor=o.idodgovor WHERE ko.idkorisnik="".$korisnik."";
        $rezultat2=$konekcija->query($upit2);
        $rez2=$rezultat2->fetchAll();
        $upit3="SELECT * FROM odgovor o INNER JOIN anketa a ON o.idanketa=a.idank
eta ";
        $rezultat3=$konekcija->query($upit3);
        $rez3=$rezultat3->fetchAll();
        //var dump($rez3);
        $upit4="SELECT * FROM anketa a ";
        $rezultat4=$konekcija->query($upit4);
        $rez4=$rezultat4->fetchAll();
        foreach($rez as $red){
            $userispis=$red->username;
            $ueser=stripslashes($userispis);
<div class="about-section-box">
        <div class="container">
            <div class="row">
                <div class="col-lg-6 col-md-6 text-center">
                    <div class="inner-column">
                        <h1>Welcome To <span>Live Dinner </span></h1>
                        <h1><?=$red->ime?>-<?=$ueser?></h1>
        </br>
                        <h4>Your BMI is <span style="color:#d65106"><?=$red-
>bmi?></span> which means you have a
                        <?php if($red->bmi<20){</pre>
                            echo("underweight body weight");
                        else if($red->bmi>=20&&$red->bmi<=25){
```

```
echo("normal body weight");
                        else if($red->bmi>=26&&$red->bmi<=30){
                            echo("over weight");}
                            else if($red->bmi>=31&&$red->bmi<=35){
                                echo("obese body weight");}
                                else if($red->bmi>=35){
                                    echo("extremely obese body weight");}
                        </h4>
Good health is not just the absence of disease or illness, it is a state of compl
ete physical, mental and social well-being.
This means eating a balanced diet, getting regular exercise, avoiding tobacco and
drugs and getting plenty of rest.
Our bodies are like machines that require a balance of protein, carbohydrates, fa
t, vitamins, minerals and water to stay in good working order.
Get the balance wrong and your health will suffer.
A balanced diet means eating only as many calories as you use during the day.
Any excess will be stored as fat if you eat more than you burn off.
                    </div>
                </div>
                <div class="col-lg-6 col-md-6">
                    <img src="images/profil.jpg" alt="" class="img-fluid">
                </div>
                <?php if($rezultat2->rowCount()==0){
                    foreach($rez4 as $red4){
```

```
//Ako nije odgovoreno na anketu prikazi je
                  echo("<div class='col-lg-6 col-md-6 text-center'>
                   $red4->pitanje
                  <form>");}
                    foreach($rez3 as $red3){
                    echo ("
               <label> $red3->odgovor </label> <input type='radio' value='$red3-</pre>
>idodgovor' name='anketa'>
               ");}
               echo("<button id='dugmean' value=$red4->idanketa> Send </button>
               <form>
               </div>");
                else if($rezultat2->rowCount()==1){
                   //Ako je odgovoreno na anketu prikazi obavestenje za to
                echo(" <div class='col-lg-12 col-md-
12'> There are no new polls. Thanks for your reply </div>");
                }?>
                <div class="col-md-12">
                    <div class="inner-pt">
                        Recommended food for you 
                        <div class="row" id="proizvodi">
                        <?php
                        include "php/funkcije.php";
                        if($red->bmi<20){</pre>
                            ispisPreporuceno("gojenje");
```

```
else if($red->bmi>=20&&$red->bmi<=25){</pre>
                             ispisPreporuceno("odrzavanje");
                         else if($red->bmi>=26&&$red->bmi<=30){</pre>
                             ispisPreporuceno("mrsavljenje");
                             ispisPreporuceno("odrzavanje");
                             else if($red->bmi>=31&&$red->bmi<=35){</pre>
                                  ispisPreporuceno("mrsavljenje");}
                                 else if($red->bmi>=35){
                                      ispisPreporuceno("mrsavljenje");}
                         </div>
                     </div>
                 </div>
            </div>
        </div>
    </div>
<?php
```

```
<?php
include "pages/footer.php";
?>
```

### Anketa.php

```
<?php
session_start();
include "konekcija/konekcija.php";
if(isset($_POST["idodgovorP"])){
    $idodgovor=$_POST["idodgovorP"];
    $idkorisnik=$_SESSION["korisnik"];
   $idkorisnikk= (int) $idkorisnik;
    $idodgovorr=(int) $idodgovor;
    var_dump($idodgovorr);
    var_dump($idkorisnikk);
    if($konekcija){
        try{
        $upit=$konekcija-
>prepare("INSERT INTO korisnik_odgovor (idodgovor, idkorisnik) VALUES(:ido
dgovor, :idkorisnik)");
       $upit->bindParam(":idodgovor", $idodgovorr);
        $upit->bindParam(":idkorisnik", $idkorisnikk);
        //$rezultat=$konekcija->query($upit);
        $upit->execute();
        catch(PDOException $e){
            http_response_code(500);
            echo $e->getMessage();
```

```
header("Content-type: application/json");
            //$response['odgovor'] = 'Everything went better than expected
            $message="Llalaal";
            echo json_encode(['message' => $message]);
    else{
        echo("Nije dobra konekcija");
else{
    http_response_code(404);
```

# • Admin-panel

```
session_start();
```

```
include "../../../konekcija/konekcija.php";
if($konekcija){
  //Izvlacenje podataka za tabele za update, insert i delete
  $upit="SELECT * FROM korisnik k INNER JOIN slika s ON k.idslika=s.idslik
  $rezultat=$konekcija->query($upit);
  $rez=$rezultat->fetchAll();
  $upit2="SELECT *FROM poruke p INNER JOIN korisnik k ON p.idkorisnik=k.id
korisnik ";
  $rezultat2=$konekcija->query($upit2);
  $rez2=$rezultat2->fetchAll();
  $upit3="SELECT * FROM jelo j INNER JOIN slika s ON j.idslika=s.idslika";
  $rezultat3=$konekcija->query($upit3);
  $rez3=$rezultat3->fetchAll();
  $korisnik2=$_SESSION["korisnik"];
  $upit4="SELECT * FROM korisnik k INNER JOIN slika s ON k.idslika=s.idsli
ka WHERE k.idkorisnik='".$korisnik2."'";
  $rezultat4=$konekcija->query($upit4);
  $rez4=$rezultat4->fetchAll();
//Izvlacenje ukupnog br odgovora
  $upit5="SELECT count(idkorisnikodgovor) as broj FROM korisnik_odgovor";
  $rezultat5=$konekcija->query($upit5);
  $rez5=$rezultat5->fetch();
  $brojglasalih=$rez5->broj;
//Izvlacenje pojedinacnih odgovora
  $upit6="SELECT o.odgovor as odgovori, COUNT(ko.idodgovor) as odgovorcic
FROM korisnik odgovor ko INNER JOIN odgovor o ON ko.idodgovor=o.idodgovor
GROUP BY ko.idodgovor";
  $rezultat6=$konekcija->query($upit6);
  $rez6=$rezultat6->fetchAll();
<!DOCTYPE html>
```

```
<html lang="en">
 <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1, shrink-to-fit=no">
    <title>Corona Admin</title>
    <!-- plugins:css -->
    <link rel="stylesheet" href="../../assets/vendors/mdi/css/materialdesi</pre>
gnicons.min.css">
    <link rel="stylesheet" href="../../assets/vendors/css/vendor.bundle.ba</pre>
se.css">
   <!-- endinject -->
   <!-- Plugin css for this page -->
    <!-- End plugin css for this page -->
    <!-- inject:css -->
    <!-- endinject -->
   <!-- Layout styles -->
   <link rel="stylesheet" href="../../assets/css/style.css">
   <!-- End layout styles -->
    <link rel="shortcut icon" href="../../assets/images/favicon.png" />
  </head>
 <body>
    <div class="container-scroller">
      <!-- partial:../../partials/_sidebar.html -->
      <nav class="sidebar sidebar-offcanvas" id="sidebar">
        <div class="sidebar-brand-wrapper d-none d-lg-flex align-items-</pre>
center justify-content-center fixed-top">
          <a class="sidebar-brand brand-</pre>
logo" href="../../../index.php"><h3>Live-dinner</h3></a>
          <a class="sidebar-brand brand-logo-</pre>
mini" href="../../../index.php"><h3>L</h3></a>
       </div>
        <div class="profile-desc">
             <div class="profile-pic">
                <div class="count-indicator">
                  <?php foreach($rez4 as $red4) {</pre>
                    echo("<img class='img-xs rounded-
circle ' src=' ../../../images/$red4->src.jpg' alt='$red4->alt'");
                  <span class="count bg-success"></span>
```

```
<div class="profile-name">
               <?php foreach($rez4 as $red4) {</pre>
                echo( "<h5 class='mb-0 font-weight-normal'>$red4-
>ime $red4->prezime-$red4->username</h5>");}?>
               </div>
             </div>
         <a class="nav-link" href="../../../index.php">
             <span class="menu-icon">
               <i class="mdi mdi-speedometer"></i></i>
             </span>
             <span class="menu-title">Home</span>
         <a class="nav-link" href="../../../korisnik.php">
             <span class="menu-icon">
               <i class="mdi mdi-playlist-play"></i></i>
             </span>
             <span class="menu-title">Profile<span>
           </a>
         </nav>
     <!-- partial -->
     <div class="container-fluid page-body-wrapper">
       <!-- partial:../../partials/ navbar.html -->
       <nav class="navbar p-0 fixed-top d-flex flex-row">
         <div class="navbar-brand-wrapper d-flex d-lg-none align-items-</pre>
center justify-content-center">
           <a class="navbar-brand brand-logo-</pre>
mini" href="../../index.php"><img src="../../assets/images/logo-</pre>
mini.svg" alt="logo" /></a>
        </div>
```

```
<div class="navbar-menu-wrapper flex-grow d-flex align-items-</pre>
stretch">
           <button class="navbar-toggler navbar-toggler align-self-</pre>
center" type="button" data-toggle="minimize">
            <span class="mdi mdi-menu"></span>
           </button>
          <a class="nav-link btn btn-success create-new-
button" id="createbuttonDropdown" data-toggle="dropdown" aria-
expanded="false" href="#">+ Create New Project</a>
              <div class="dropdown-menu dropdown-menu-right navbar-</pre>
dropdown preview-list" aria-labelledby="createbuttonDropdown">
                <h6 class="p-3 mb-0">Projects</h6>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item preview-item">
                  <div class="preview-thumbnail">
                    <div class="preview-icon bg-dark rounded-circle">
                      <i class="mdi mdi-file-outline text-primary"></i></i>
                    </div>
                  </div>
                  <div class="preview-item-content">
                    1">Software Development
                  </div>
                </a>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item preview-item">
                  <div class="preview-thumbnail">
                    <div class="preview-icon bg-dark rounded-circle">
                      <i class="mdi mdi-web text-info"></i></i>
                    </div>
                  </div>
                  <div class="preview-item-content">
                    1">UI Development
                  </div>
                </a>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item preview-item">
                  <div class="preview-thumbnail">
                    <div class="preview-icon bg-dark rounded-circle">
                      <i class="mdi mdi-layers text-danger"></i></i>
                    </div>
```

```
</div>
                 <div class="preview-item-content">
                  1">Software Testing
                 </div>
               </a>
               <div class="dropdown-divider"></div>
               See all projects
             </div>
           <a class="nav-link" id="profileDropdown" href="#" data-</pre>
toggle="dropdown">
               <div class="navbar-profile">
               <?php foreach($rez4 as $red4) {</pre>
                 echo("<img class='img-xs rounded-
circle ' src=' ../../../images/$red4->src.jpg' alt='$red4->alt'");
                echo( "
name'>$red4->ime $red4->prezime-$red4->username " );}?>
                 <i class="mdi mdi-menu-down d-none d-sm-block"></i></i>
               </div>
             <div class="dropdown-menu dropdown-menu-right navbar-</pre>
dropdown preview-list" aria-labelledby="profileDropdown">
               <div class="dropdown-divider"></div>
               <a class="dropdown-item preview-item">
               <div class="preview-thumbnail">
                <div class="preview-item-content">
                1"> <a href="../../../logout.php">Log out</a>
                </div>
               </a>
           <button class="navbar-toggler navbar-toggler-right d-lg-</pre>
none align-self-center" type="button" data-toggle="offcanvas">
           <span class="mdi mdi-format-line-spacing"></span>
          </button>
        </div>
```

```
</nav>
      <!-- partial -->
     <div class="main-panel">
       <div class="content-wrapper">
         <div class="page-header">
          <h3 class="page-title"> Basic Tables </h3>
          <nav aria-label="breadcrumb">
            <a href="#">Tables</a>
             current="page">Basic tables
            </nav>
        </div>
         <div class="row">
          <div class="col-lg-12 grid-margin stretch-card">
           <div class="card">
             <div class="card-body">
              <h4 class="card-title">Messages</h4>
              <div class="table-responsive">
                >
                     User
                     Message
                     Date
                     </thead>
                  <?php foreach($rez2 as $red){</pre>
                  echo ( "
                   $red->username
                     $red->poruka
                     $red->datum
                     <tase='badge badge-
danger'><a href='../../../obrisi.php?id=$red-</pre>
>idporuka' id='obrisi'>Delete</a></label>
```

```
");
                        </div>
                  </div>
                </div>
              </div>
              <div class="col-lg-12 grid-margin stretch-card">
                <div class="card">
                  <div class="card-body">
                    <h4 class="card-title">Users</h4>
                    <button class='badge badge-</pre>
danger' type="button" class="btn btn-primary" data-toggle="modal" data-
target="#exampleModal" data-
whatever="@getbootstrap" style="border:none">Insert</button>
<div class="modal fade" id="exampleModal" tabindex="-</pre>
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
 <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Insert</h5>
        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <form>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Name:</label>
            <input type="text" class="form-control" id="name">
            <div class="help-block with-</pre>
errors Imegr" id="Imegr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Lastname:</label>
            <input type="text" class="form-control" id="lastname">
```

```
<div class="help-block with-</pre>
errors Imegr" id="Prezimegr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Mail:</label>
            <input type="text" class="form-control" id="email">
            <div class="help-block with-</pre>
errors Imegr" id="Mejlgr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Username:</label>
            <input type="text" class="form-control" id="username">
            <div class="help-block with-</pre>
errors Imegr" id="Usernamegr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Password:</label>
            <input type="text" class="form-control" id="password">
            <div class="help-block with-</pre>
errors Imegr" id="Passwordgr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Password again:</label>
            <input type="text" class="form-control" id="password2">
            <div class="help-block with-</pre>
errors Imegr" id="Password2gr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Bmi:</label>
            <input type="text" class="form-control" id="bmi">
            <div class="help-block with-</pre>
errors Imegr" id="Bmigr" style="color:red"></div>
          </div>
        </form>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal" >Close</button>
        <button type="button" class="btn btn-</pre>
primary" id="submitr">Insert</button>
```

```
</div>
   </div>
 </div>
</div>
               <div class="table-responsive">
                  User 
                       First name 
                       Bmi 
                       Mail 
                    </thead>
                   <?php foreach($rez as $red){</pre>
                    echo( "
                    <img src='../../../images/$red-</pre>
>src.jpg' alt='$red->alt' />
                      $red->ime
                      <div class='progress'>
                         <div class='progress-bar bg-</pre>
success' role='progressbar' style='width:$red->bmi%' aria-valuenow='$red-
>bmi' aria-valuemin='0' aria-valuemax='100'></div>
                       </div>
                       $red->mejl 
                      <label class='badge badge-
danger'><a id='obrisi'>Delete</a></label>
```

```
");}?>
                        </div>
                  </div>
                </div>
              </div>
              <div class="col-lg-12 grid-margin stretch-card">
                <div class="card">
                  <div class="card-body">
                    <h4 class="card-title">Food</h4>
                    <button class='badge badge-</pre>
danger' type="button" class="btn btn-primary" data-toggle="modal" data-
target="#exampleModal2" data-
whatever="@getbootstrap" style="border:none">Insert</button>
<div class="modal fade" id="exampleModal2" tabindex="-</pre>
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">New message</h5>
        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <form>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Name:</label>
            <input type="text" class="form-control" id="namess">
            <div class="help-block with-</pre>
errors Imegr" id="Imegrr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Protein:</label>
            <input type="text" class="form-control" id="proteinii">
            <div class="help-block with-</pre>
errors Imegr" id="Proteinigrr" style="color:red"></div>
         </div>
```

```
<div class="form-group">
           <label for="recipient-name" class="col-form-</pre>
label">Fat:</label>
           <input type="text" class="form-control" id="mastii">
           <div class="help-block with-</pre>
errors Imegr" id="Mastigrr" style="color:red"></div>
         </div>
         <div class="form-group">
           <label for="recipient-name" class="col-form-</pre>
label">Carbohydrates:</label>
           <input type="text" class="form-control" id="uhh">
           <div class="help-block with-</pre>
errors Imegr" id="Uhgrr" style="color:red"></div>
         </div>
       </form>
     </div>
     <div class="modal-footer">
       <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Close</button>
       <button type="button" class="btn btn-</pre>
primary" id="submitfood">Insert</button>
     </div>
   </div>
 </div>
</div>
                  <div class="table-responsive">
                     <thead>
                        >
                           Image 
                           Name 
                           Protein 
                           Fat 
                           Carbonate 
                        </thead>
                      <?php
                        foreach($rez3 as $red){
```

```
echo(" 
                           <img src='../../../images/$red-
>src.jpg' alt='$red->alt' /> 
                           <div class='form-group'>
                          <label for='recipient-name' class='col-form-</pre>
label' ></label>
                          <input type='text' class='form-control $red-</pre>
>ime$red->idjelo'value='$red->ime' id='ime.$red->idjelo' >
                        </div> 
                          <div class='form-group'>
                          <label for='recipient-name' class='col-form-</pre>
label'></label>
                          <input type='text' class='form-control $red-</pre>
>ime$red->idjelo' value='$red->proteini' id='proteini.$red->idjelo'>
                        </div>
                           <div class='form-group'>
                          <label for='recipient-name' class='col-form-</pre>
label'></label>
                          <input type='text' class='form-control $red-</pre>
>ime$red->idjelo' value='$red->masti' id='masti.$red->idjelo'>
                        </div> 
                          <div class='form-group'>
                          <label for='recipient-name' class='col-form-</pre>
label'></label>
                          <input type='text' class='form-control $red-</pre>
>ime$red->idjelo' value='$red->uh' id='uh.$red->idjelo'>
                        </div> 
                          <button class='badge badge-
danger update $red->ime$red->idjelo' type='button' value='$red-
>idjelo' data-id='$red->idjelo' data-naziv='$red->ime' data-
proteini='$red->proteini' data-masti='$red->masti' data-uh='$red-
>uh' style='border:none'>Update</button> 
                          <button class='badge badge-
");}?>
                      </div>
                </div>
               </div>
```

```
</div>
              <div class="modal fade" id="exampleModal2" tabindex="-</pre>
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Update</h5>
        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <form>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label" >Name:</label>
            <input type="text" class="form-control" id="names">
            <div class="help-block with-</pre>
errors Imegr" id="Imegr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Description:</label>
            <input type="text" class="form-control" id="description">
            <div class="help-block with-</pre>
errors Imegr" id="Opisgr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label" value=<?= $ SESSION["idjelo"]?>>Proteins:</label>
            <input type="text" class="form-control" id="proteini">
            <div class="help-block with-</pre>
errors Imegr" id="Proteinigr" style="color:red"></div>
          </div>
          <div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Fat:</label>
            <input type="text" class="form-control" id="masti">
            <div class="help-block with-</pre>
errors Imegr" id="Mastigr" style="color:red"></div>
          </div>
```

```
<div class="form-group">
            <label for="recipient-name" class="col-form-</pre>
label">Carbonate:</label>
            <input type="text" class="form-control" id="uh">
            <div class="help-block with-</pre>
errors Imegr" id="Uhgr" style="color:red"></div>
          </div>
        </form>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal" >Close</button>
        <button type="button" class="btn btn-</pre>
primary" id="submitu">Insert</button>
      </div>
    </div>
  </div>
</div>
<div class="col-lg-12 grid-margin stretch-card">
<h1> Result of poll: <h1> </br>
      <?php
//Prikaz rezultata ankete
foreach($rez6 as $red6){
  $posto=$red6->odgovorcic/$brojglasalih*100;
  echo(" For answer $red6-
>odgovori voted $posto % of users</br>");
       </div> </br>
          <!-- content-wrapper ends -->
          <footer class="footer">
```

```
<div class="d-sm-flex justify-content-center justify-content-</pre>
sm-between">
              <span class="text-muted d-block text-center text-sm-left d-</pre>
sm-inline-block">Copyright @ bootstrapdash.com 2020</span>
              <span class="float-none float-sm-right d-block mt-1 mt-sm-</pre>
0 text-center"> Free <a href="https://www.bootstrapdash.com/bootstrap-</pre>
template/" target="_blank">Bootstrap admin templates</a> from Bootstrapdas
h.com</span>
            </div>
          </footer>
          <!-- partial -->
        </div>
        <!-- main-panel ends -->
      </div>
      <!-- page-body-wrapper ends -->
    </div>
    <!-- container-scroller -->
    <!-- plugins:js -->
    <script src="../../assets/vendors/js/vendor.bundle.base.js"></script>
    <!-- endinject -->
    <!-- Plugin js for this page -->
    <!-- End plugin js for this page -->
    <!-- inject:js -->
    <script src="../../assets/js/off-canvas.js"></script>
    <script src="../../assets/js/hoverable-collapse.js"></script>
    <script src="../../assets/js/misc.js"></script>
    <script src="../../assets/js/settings.js"></script>
    <script src="../../assets/js/todolist.js"></script>
    <script src="../../../js/main.js"></script>
    <!-- endinject -->
    <!-- Custom js for this page -->
    <!-- End custom js for this page -->
  </body>
</html>
<?php }?>
```

### Obrisijelo.php

### • Obrisi.php

```
    <?php

    //brisanje poruka, ovde je manja provera jer nisu toliko bitni podaci
    header("Location:admin/template/pages/tables/basic-table.php");
    include "konekcija/konekcija.php";
    $id=$_GET['id'];
    var_dump($id);

    $upit4=$konekcija->prepare("DELETE from poruke WHERE idporuka=:id");
    $upit4->bindParam(":id", $id);
    $upit4->execute();
}
```

• ?>

## Updatovanjejelo.php

```
<?php
//provera kada se updatuje jelo
session_start();
$proteini=$_POST["proteiniP"];
    $masti=$_POST["mastiP"];
   var_dump($masti);
    $uh=$_POST["uhP"];;
    $id=$_POST["idP"];;
    $naziv=$_POST["imeP"];
    reNaziv = "/^[A-Z][a-z]{2,14}(\s[a-z]{2,14})*$/";
    $reGramaza="/^(0|[1-9]\d*)(.\d+)?$/";
    $greske=array();
    if($naziv == ""){
        array_push($greske, "ime nije ok");
    if($proteini == ""){
        array_push($greske, "mejlnije ok");
    else{
        if(!preg_match($reGramaza, $proteini)){
            array_push($greske, "mejl nije ok");
```

```
if($masti == ""){
    array_push($greske, "poruka nije ok");
else{
     if(!preg_match($reGramaza, $masti)){
        array_push($greske, "poruka nije ok");
if($uh == ""){
    array_push($greske, "poruka nije ok");
else{
     if(!preg_match($reGramaza, $uh)){
        array_push($greske, "poruka nije ok");
if(count($greske)==0){
     echo("Sve ok");
    include("../konekcija/konekcija.php");
    if($konekcija){
        echo("Konekcija je ok");
try{
// var_dump($korisnik);
```

```
$upit=$konekcija-
>prepare("UPDATE jelo SET ime=:ime, proteini=:proteini, masti=:masti, uh=:
uh WHERE idjelo='".$id."' ");
                $upit->bindParam(':ime', $naziv);
                $upit->bindParam(':proteini', $proteini);
                $upit->bindParam(':masti', $masti);
                $upit->bindParam(':uh', $uh);
               $upit->execute();
        catch(PDOException $e){
           http response code(500);
            echo $e->getMessage();
            header("Content-type: application/json");
           //$response['odgovor'] = 'Everything went better than expected
           $message="Llalaal";
            echo json_encode(['message' => $message]);
        }}}
   else{
        echo("Nije ok");
      var_dump($greske);
```

```
• ?>
```

• Insertovanjejelo.php

```
<?php
//provera kada se jelo insertuje na admin panelu

@session_start();

if(isset($_POST["dugmeP"])){

$proteini=$_POST["proteiniP"];
    $masti=$_POST["mastiP"];
    var_dump($masti);
    $uh=$_POST["uhP"];

    $naziv=$_POST["imeP"];

    $reNaziv = "/^[A-Z][a-z]{2,14}(\s[a-z]{2,14})*$/";

$reGramaza="/^(0|[1-9]\d*)(.\d+)?$/";

$greske=array();
</pre>
```

```
if($naziv == ""){
    array_push($greske, "ime nije ok");
if($proteini == ""){
    array_push($greske, "mejlnije ok");
else{
   if(!preg_match($reGramaza, $proteini)){
        array_push($greske, "mejl nije ok");
if($masti == ""){
    array_push($greske, "poruka nije ok");
else{
    if(!preg_match($reGramaza, $masti)){
        array_push($greske, "poruka nije ok");
}
if($uh == ""){
    array_push($greske, "poruka nije ok");
else{
    if(!preg_match($reGramaza, $uh)){
        array_push($greske, "poruka nije ok");
```

```
if(count($greske)==0){
        echo("Sve ok");
       include("../konekcija/konekcija.php");
       if($konekcija){
            echo("Konekcija je ok");
  try{
  // var_dump($korisnik);
        $upit=$konekcija-
>prepare("INSERT INTO jelo (ime, proteini, masti, uh) VALUES(:ime,:proteini,:mas
ti,:uh) ");
                $upit->bindParam(':ime', $naziv);
                $upit->bindParam(':proteini', $proteini);
                $upit->bindParam(':masti', $masti);
                $upit->bindParam(':uh', $uh);
               $upit->execute();
        catch(PDOException $e){
```

```
http_response_code(500);
        echo $e->getMessage();
        header("Content-type: application/json");
        //$response['odgovor'] = 'Everything went better than expected.';
        $message="Llalaal";
        echo json_encode(['message' => $message]);
   }}}
else{
    echo("Nije ok");
  var_dump($greske);
}}
else{
   http_response_code(404);
```

# 1. Logout.php

```
<?php
```

```
ob_start();
session_start();
unset($_SESSION['uloga']);
unset($_SESSION['korisnik']);
unset($_SESSION['ime']);
unset($_SESSION['mejl']);
unset($_SESSION['status']);
header("Location: index.php");
```

## 2. Contact.php

```
3. <?php
4. session_start();
5.
6.
       include "pages/header.php"; ?>
7.
8.
       <?php
9.
       include "pages/meni.php";
10.
       include "konekcija/konekcija.php";
11.
12.
13.
       if(isset($_SESSION['ime'])){
14.
15.
       $imese=$_SESSION['ime'];
16.
       $mailse=$_SESSION['mejl'];
17.
18.
19.
       //var dump($imese);
20.
21.
22.
23.
24.
25.
26.
       <!-- Start All Pages -->
27.
       <div class="all-page-title page-breadcrumb">
```

```
28.
           <div class="container text-center">
29.
               <div class="row">
30.
                    <div class="col-lg-12">
31.
                        <h1>Contact</h1>
32.
                   </div>
33.
               </div>
34.
           </div>
35.
       </div>
36.
       <!-- End All Pages -->
37.
38.
       <!-- Start Contact -->
39.
       <div class="map-full"></div>
40.
       <div class="contact-box">
41.
           <div class="container">
42.
               <div class="row">
43.
                    <div class="col-lg-12">
44.
                        <div class="heading-title text-center">
45.
                            <h2>Contact</h2>
46.
                            Lorem Ipsum is simply dummy text of the printin
   g and typesetting
47.
                        </div>
48.
                   </div>
49.
               </div>
               <div class="row">
50.
51.
                   <div class="col-lg-12">
52.
                        <form id="contactForm">
53.
                            <div class="row">
54.
                                <div class="col-md-12">
55.
                                    <div class="form-group">
56.
                                         <input type="text" class="form-</pre>
   control" id="ime" name="name" placeholder="Your Name" required data-
   error="Please enter your name" value=<?=$imese?>>
57.
                                        <div class="help-block with-</pre>
   errors" id="Imegr"></div>
58.
                                    </div>
59.
                                </div>
60.
                                <div class="col-md-12">
61.
                                    <div class="form-group">
                                        <input type="text" placeholder="Your E</pre>
62.
   mail" id="mejl" class="form-control" name="name" value=<?=$mailse?> >
63.
                                        <div class="help-block with-</pre>
   errors" id="Mejlgr"></div>
64.
                                    </div>
                                </div>
65.
66.
```

```
67.
                               <div class="col-md-12">
68.
                                   <div class="form-group">
69.
                                       <textarea class="form-
   control" id="poruka" placeholder="Your Message" rows="4" data-
   error="Write your message"></textarea>
70.
                                       <div class="help-block with-</pre>
   errors" id="Porukagr"></div>
71.
                                   </div>
72.
                                   <div class="submit-button text-center">
73.
                                       <button class="btn btn-</pre>
   common" id="submitk" type="submit">Send Message</button>
74.
                                       <div id="msgSubmit" class="h3 text-</pre>
   center hidden"></div>
                                       <div class="clearfix"></div>
75.
76.
                                   </div>
77.
                               </div>
78.
                           </div>
79.
                       </form>
80.
                   </div>
81.
               </div>
82.
           </div>
83.
      </div>
       <!-- End Contact -->
84.
85.
       <!-- Start Contact info -->
86.
       <div class="contact-imfo-box">
87.
88.
           <div class="container">
89.
               <div class="row">
90.
                   <div class="col-md-4 arrow-right">
91.
                       <i class="fa fa-volume-control-phone"></i></i>
92.
                       <div class="overflow-hidden">
93.
                           <h4>Phone</h4>
94.
                           +01 123-456-4590
95.
96.
                           97.
                       </div>
98.
                   </div>
99.
                   <div class="col-md-4 arrow-right">
100.
                             <i class="fa fa-envelope"></i></i>
                              <div class="overflow-hidden">
101.
                                  <h4>Email</h4>
102.
103.
                                 104.
                                      yourmail@gmail.com
105.
                                 </div>
106.
```

```
107.
                          </div>
108.
                          <div class="col-md-4">
109.
                              <i class="fa fa-map-marker"></i></i>
110.
                              <div class="overflow-hidden">
111.
                                  <h4>Location</h4>
112.
                                  113.
                                      800, Lorem Street, US
114.
                                  115.
                              </div>
116.
                          </div>
                     </div>
117.
118.
                 </div>
119.
             </div>
120.
             <!-- End Contact info -->
121.
122.
             <!-- Start Footer -->
123.
             <?php
124.
             include "pages/footer.php";
125.
126.
127.
128.
         else{
129.
             echo "Morate biti ulogovani da biste poslali poruku </br>
130.
             <a href='index.php'> Home </a>";
131.
         }
132.
133.
134.
135.
             <script>
136.
                 $('.map-full').mapify({
137.
                     points: [
138.
                          {
139.
                              lat: 40.7143528,
140.
                              lng: -74.0059731,
141.
                              marker: true,
142.
                              title: 'Marker title',
143.
                              infoWindow: 'Live Dinner Restaurant'
144.
145.
146.
                 });
147.
             </script>
148.
         </body>
149.
         </html>
```

## Uspesnaporuka.php

```
150.
          <?php
151.
         //provera poslate poruke
152.
153.
         session_start();
154.
155.
         if(isset($_POST["dugmeP"])){
156.
              $ime=$_POST["imeP"];
157.
158.
              $mejl=$_POST["mejlP"];
159.
              $poruka=$_POST["porukaP"];
160.
161.
              reIme = "/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/";
162.
              preMejl="/^[a-z][a-z\d_\.\-]+\@[a-z\d]+(\.[a-z]{2,4})+$/";
163.
              $rePoruka="/^[A-Za-z0-9.,\s]{5,1000}$/";
164.
165.
              $greske=array();
166.
              if($ime == ""){
167.
168.
169.
170.
171.
                  array_push($greske, "ime nije ok");
172.
              else{
173.
174.
                  if(!preg_match($reIme, $ime)){
175.
176.
177.
                      array_push($greske, "ime nije ok");
178.
                  }
179.
180.
              if($mej1 == ""){
181.
182.
183.
                  array_push($greske, "mejlnije ok");
184.
185.
              else{
186.
                  if(!preg_match($reMejl, $mejl)){
187.
188.
189.
                      array_push($greske, "mejl nije ok");
190.
```

```
191.
192.
193.
              if($poruka == ""){
194.
195.
196.
                  array_push($greske, "poruka nije ok");
197.
              else{
198.
199.
                  if(!preg match($rePoruka, $poruka)){
200.
201.
                      array_push($greske, "poruka nije ok");
202.
203.
204.
205.
206.
              if(count($greske)==0){
207.
208.
                  echo("Sve ok");
209.
                  include("../konekcija/konekcija.php");
210.
211.
                  if($konekcija){
212.
                      echo("Konekcija je ok");
213.
214.
215.
            try{
216.
217.
             $korisnik=$_SESSION["korisnik"];
218.
219.
            // var dump($korisnik);
220.
221.
222.
223.
224.
225.
226.
227.
                  $upit=$konekcija-
   >prepare("INSERT into poruke (poruka, idkorisnik) values(:poruka, :korisni
   k)");
228.
229.
230.
231.
232.
                          $upit->bindParam(':poruka', $poruka);
233.
```

```
234.
                          $upit->bindParam(':korisnik', $korisnik);
235.
                          $upit->execute();
236.
237.
238.
239.
                 catch(PDOException $e){
240.
                      http_response_code(500);
241.
                      echo $e->getMessage();
242.
                      header("Content-type: application/json");
                     //$response['odgovor'] = 'Everything went better than ex
243.
  pected.';
244.
                      $message="Llalaal";
                      echo json_encode(['message' => $message]);
245.
246.
247.
248.
249.
250.
                 }}
251.
252.
             else{
253.
254.
                 echo("Nije ok");
255.
256.
257.
258.
         else{
259.
         http_response_code(404);
260.
261.
262.
263.
```

# • Pretraga.php

```
264. <?php
265.
```

```
header("Content-type:application/json");
266.
267.
268.
          include "php/funkcije.php";
269.
          include "konekcija/konekcija.php";
270.
         $vrednostt=$ POST["vrednostP"];
271.
272.
         //$vrrednost=strlower($vrednostt);
273.
         $vrednosti="";
274.
275.
         $vrednost=strtolower($vrednostt);
276.
277.
         try{
278.
279.
              $vrednosti=pretrazi($vrednost);
280.
            echo json_encode($vrednosti);
281.
282.
283.
284.
285.
         catch(PDOExceptiom $e){
286.
287.
              echo $e->getMessage();
288.
          }
289.
290.
```

## • Filtriranje.php

```
291.
          <?php
292.
          //filtriranje i vracanje ajaxu
293.
294.
         header("Content-type:application/json");
295.
296.
          include "php/funkcije.php";
297.
298.
         $kategoriju=$_POST["kategorijaP"];
299.
300.
         $kategorije="";
301.
302.
              try{
303.
                  //var dump($kategoriju);
304.
```

```
305.
306.
                 if($kategoriju=="all"){
307.
308.
309.
310.
311.
                 $kategorije= ispisfiltsve();
312.
313.
                   echo json_encode($kategorije);
314.
315.
316.
317.
318.
319.
320.
321.
322.
323.
                 else {
324.
325.
                      $kategorije=ispisfilt($kategoriju);
326.
                   echo json_encode($kategorije);
327.
328.
329.
330.
331.
332.
333.
334.
335.
336.
337.
              catch(PDOExceptiom $e){
338.
                 echo $e->getMessage();
339.
340.
341.
342.
343.
344.
```

#### Funkcije.php

```
<?php
function ispis (){
     include "konekcija/konekcija.php";
//ispis hrane i sastojaka
$upit3="SELECT * FROM jelo j INNER JOIN vrsta v ON j.idvrsta=v.idvrsta INN
ER JOIN slika s ON j.idslika=s.idslika ";
$rezultat=$konekcija->query($upit3);
$rez=$rezultat->fetchall();
foreach($rez as $red){
    $id=$red->idjelo;
     $upit4="SELECT * FROM jelo j INNER JOIN jelo sastojci js ON j.idjelo=j
s.idjelo INNER JOIN sastojci s ON js.idsastojak=s.idsastojak WHERE j.idjel
o='".$id."'";
     $rezultat4=$konekcija->query($upit4);
     $rez4=$rezultat4->fetchall();
<div class="col-lg-4 col-md-6 special-grid hrana <?=$red->tempklasa?>">
         <div class="gallery-single fix">
             <img src="images/<?=$red->src?>.jpg" class="img-
fluid" alt="Image">
            <div class="why-text">
                 <h4><?=$red->ime?></h4>
                 <?=$red->opis?>
                 <h6 style="font-size:10px">Proteins:<?=$red-</pre>
 >proteini?>g </h6>
                 <h6 style="font-size:10px">Fats:<?=$red->proteini?>g </h6>
                 <h6 style="font-size:10px">Carbohydrates:<?=$red-</pre>
>proteini?>g </h6>
             </div>
        </div>
    </div>
```

```
<div class="opis" style="display:none"><img src="images/<?=$red-</pre>
   >src?>.jpg" class="img-fluid" alt="Image">
        Sastojci:
       <?php foreach($rez4 as $red4){</pre>
           $niz=$red4->naziv;
           echo( "
       $niz
       ");}?>
       <?=$red->recept?>
       <button type="button" class="btn btn-dark dugme">Close</button>
   </div>
  <?php }
  //filtriranje po tome da li je pice, rucak ili vecera
  function ispisfilt($koji){
       include "konekcija/konekcija.php";

    $upit4="SELECT * FROM jelo j INNER JOIN vrsta v ON j.idvrsta=v.idvrsta INN

   ER JOIN slika s ON j.idslika=s.idslika WHERE v.tempklasa='$koji'";
 $rezultat=$konekcija->query($upit4);
  $rez=$rezultat->fetchall();
     return $rez;}
     function ispisfiltsve(){
       include "konekcija/konekcija.php";
 $upit4="SELECT * FROM jelo j INNER JOIN vrsta v ON j.idvrsta=v.idvrsta INN
   ER JOIN slika s ON j.idslika=s.idslika ";
$rezultat=$konekcija->query($upit4);
```

```
$rez=$rezultat->fetchall();
  return $rez;}
//pretraga hrane
  function pretrazi($sta){
    include "konekcija/konekcija.php";
    $upit="SELECT * FROM jelo j INNER JOIN slika s ON j.idslika=s.idslika
WHERE j.ime LIKE LOWER( '%".$sta."%') ";
    $rezultat=$konekcija->query($upit);
    $rez=$rezultat->fetchAll();
    return $rez;
//funkcija za ispis preporucene hrane za korisnika u odnosu na bmi
  function ispisPreporuceno($koji){
    include "konekcija/konekcija.php";
    $upit6="SELECT * FROM jelo j INNER JOIN preporuceno p ON j.idpreporuce
no=p.idpreporuceno INNER JOIN slika s ON j.idslika=s.idslika WHERE p.opcij
a='$koji'";
$rezultat6=$konekcija->query($upit6);
$rez6=$rezultat6->fetchall();
foreach($rez6 as $red6){
    $id=$red6->idjelo;
    $upit5="SELECT * FROM jelo j INNER JOIN jelo sastojci js ON j.idjelo=j
s.idjelo INNER JOIN sastojci s ON js.idsastojak=s.idsastojak WHERE j.idjel
o='".$id."'";
    $rezultat5=$konekcija->query($upit5);
    $rez5=$rezultat5->fetchall();
<div class="col-lg-4 col-md-6 special-grid hrana <?=$red6->tempklasa?>">
        <div class="gallery-single fix">
            <img src="images/<?=$red6->src?>.jpg" class="img-
fluid" alt="Image">
            <div class="why-text">
                <h4><?=$red6->ime?></h4>
                <?=$red6->opis?>
                <h6 style="font-size:10px">Proteins:<?=$red6-</pre>
>proteini?>g </h6>
```

```
<h6 style="font-size:10px">Fats:<?=$red6-</pre>
>proteini?>g </h6>
                <h6 style="font-size:10px">Carbohydrates:<?=$red6-</pre>
>proteini?>g </h6>
            </div>
        </div>
    </div>
    <div class="opis" style="display:none"><img src="images/<?=$red6-</pre>
>src?>.jpg" class="img-fluid" alt="Image">
     Sastojci:
    <?php foreach($rez5 as $red5){</pre>
        $niz=$red5->naziv;
        echo( "
    $niz
    ");}?>
    <?=$red6->recept?>
    <button type="button" class="btn btn-dark dugme">Close</button>
</div>
<?php }</pre>
```

# Footer.php

```
Integer cursus scelerisque ipsum id efficitur. Done
c a dui fringilla, gravida lorem ac, semper magna. Aenean rhoncus ac lectu
s a interdum. Vivamus semper posuere dui.
              </div>
              <div class="col-lg-3 col-md-6">
                 <h3>Subscribe</h3>
                 <div class="subscribe form">
                     <form class="subscribe form">
                         <input name="EMAIL" id="subs-</pre>
email" class="form_input" placeholder="Email Address..." type="email">
                         <button type="submit" class="submit">SUBSCRIBE
</button>
                         <div class="clearfix"></div>
                     </form>
                 </div>
                 item"><a href="#"><i class="fa fa-facebook" aria-
hidden="true"></i></a>
                     class="list-inline-"
item"><a href="#"><i class="fa fa-twitter" aria-
hidden="true"></i></a>
                     class="list-inline-"
item"><a href="#"><i class="fa fa-linkedin" aria-
hidden="true"></i></a>
                     class="list-inline-"
item"><a href="#"><i class="fa fa-google-plus" aria-
hidden="true"></i></a>
                     item"><a href="#"><i class="fa fa-instagram" aria-</pre>
hidden="true"></i></a>
                 </div>
              <div class="col-lg-3 col-md-6">
                  <h3>Contact information</h3>
                 Ipsum Street, Lorem Tower, MO, Columbi
a, 508000
                 <a href="#">+01 2000 800 9999</a>
                  <a href="#"> info@admin.com</a>
              </div>
              <div class="col-lg-3 col-md-6">
                 <h3>Opening hours</h3>
                  <span class="text-color">Monday: </span>Closed
                 <span class="text-color">Tue-
Wed :</span> 9:Am - 10PM
```

```
<span class="text-color">Thu-
Fri :</span> 9:Am - 10PM
                   <span class="text-color">Sat-
Sun :</span> 5:PM - 10PM
               </div>
           </div>
       </div>
       <div class="copyright">
           <div class="container">
               <div class="row">
                   <div class="col-lg-12">
                       name">All Rights Reserved. © 2018 <a href="#">Live Dinner Restaurant<</pre>
/a> Design By :
                   <a href="https://html.design/">html design</a>
                   </div>
               </div>
           </div>
       </div>
</footer>
   <!-- End Footer -->
   <a href="#" id="back-to-
top" title="Back to top" style="display: none;"><i class="fa fa-paper-
plane-o" aria-hidden="true"></i></a>
   <!-- ALL JS FILES -->
   <script src="js/jquery-3.2.1.min.js"></script>
   <script src="js/popper.min.js"></script>
   <script src="js/bootstrap.min.js"></script>
   <!-- ALL PLUGINS -->
   <script src="js/jquery.superslides.min.js"></script>
   <script src="js/images-loded.min.js"></script>
   <script src="js/isotope.min.js"></script>
   <script src="js/main.js"></script>
   <script src="js/baguetteBox.min.js"></script>
   <script src="js/form-validator.min.js"></script>
   <script src="js/contact-form-script.js"></script>
   <script src="js/custom.js"></script>
</body>
</html>
```

#### Header.php

```
<!-- Odvojen head, meta i link tagovi --><!DOCTYPE html>
<html lang="en"><!-- Basic -->
<head>
  <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <!-- Mobile Metas -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
     <!-- Site Metas -->
    <title>Live Dinner Restaurant - Responsive HTML5 Template</title>
    <meta name="keywords" content="">
    <meta name="description" content="">
    <meta name="author" content="">
    <!-- Site Icons -->
    <link rel="shortcut icon" href="images/logoik.ico" type="image/x-</pre>
icon">
    <link rel="apple-touch-icon" href="images/apple-touch-icon.png">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- Site CSS -->
    <link rel="stylesheet" href="css/style.css">
    <!-- Responsive CSS -->
    <link rel="stylesheet" href="css/responsive.css">
    <!-- Custom CSS -->
    <link rel="stylesheet" href="css/custom.css">
    <!--[if lt IE 9]>
      <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.j</pre>
s"></script>
      <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.mi</pre>
n.js"></script>
    <![endif]-->
</head>
```

#### Meni.php

```
<!--Odvajanje menija-->
   <header class="top-navbar">
<nav class="navbar navbar-expand-lg navbar-light bg-light">
           <div class="container">
           <a class="navbar-brand" href="index.php">
                   <img src="images/logo.png" alt="" />
               <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbars-rs-food" aria-controls="navbars-
rs-food" aria-expanded="false" aria-label="Toggle navigation">
                 <span class="navbar-toggler-icon"></span>
               </button>
               <div class="collapse navbar-collapse" id="navbars-rs-</pre>
food">
                   <?php
   //dinamicko ispisivanje menija
   @session_start();
   //$uloga=$ SESSION["uloga"];
   include_once("konekcija/konekcija.php");
   if($konekcija){
       $upit="select * from meni where idroditelja IS NULL";
       $rezultat=$konekcija->query($upit);
       $rez=$rezultat->fetchall();
       foreach($rez as $red) {
           //echo("xmlkdsm");
           //echo("$red->naziv");?>
            <a class='nav-link' href=<?=$red-</pre>
>link?>><?=$red->naziv?></a>
```

```
<?php
   } }
   else{
      echo("Ne");
   if(isset($_SESSION["uloga"])){
   if($_SESSION["uloga"]=="2"||$_SESSION["uloga"]=="1"){
      echo("<a class='nav-
link' href='logout.php'>Log out</a> ");
   }}
   else{
      echo "";
</div>
          </div>
   </header>
```

### • Main.js

```
window.onload=function(){
   if(location.href.includes("index.php")||location.href.includes("about.php")) {
```

```
var link=document.getElementsByClassName("kat");
   //console.log(document.getElementsByTagName("kat"))
  var i=0;
   for(i;i<link.length;i++){</pre>
     link[i].addEventListener("click", filtriranje);
    }
   document.querySelector("#submitpr").addEventListener("click", pretraga);
   if(location.href.includes("index.php")||location.href.includes("about.php") |
location.href.includes("redirekt.php")) {
   $(".hrana").click(function(e){
       e.preventDefault();
      $(this).next().css("display", "block")
      $( ".dugme").click(function(e){
           e.preventDefault();
           $(".opis").css("display", "none")
       })
   })}
//klikom na dugme provera podataka za registraciju
```

```
if(location.href.includes("registration.php")||location.href.includes("admin/temp
late/pages/tables/basic-table.php")){
  document.querySelector("#submitr").addEventListener("click", provera);
if(location.href.includes("admin/template/pages/tables/basic-table.php")){
document.querySelector("#submitfood").addEventListener("click", proverahrane);
    //klikom na dugme provera podataga za login
    if(location.href.includes("login.php")){
    document.querySelector("#submitlogovanje").addEventListener("click", proveral
og);
if(location.href.includes("contact.php")){
    document.querySelector("#submitk").addEventListener("click", proverakontakt);
if(location.href.includes("admin/template/pages/tables/basic-table.php")){
    $(".obrisijelo").click(function(e){
      let id= this.value
        e.preventDefault();
       $.ajax({
        url:"../../obrisijelo.php",
       method:"POST",
        data:{
```

```
idP:id,
    },
    success:function (data) {
       alert("Successfuly deleted!");
       setTimeout(location.reload(), 3000);
   })
})
$(".update").click(function(e){
    e.preventDefault();
    let id=this.dataset.id;
    let ime=this.dataset.ime;
   let proteini= this.dataset.proteini;
   let masti= this.dataset.masti;
   let uh= this.dataset.uh;
   let imee=document.getElementById("ime."+id).value;
   let proteinii=document.getElementById("proteini."+id).value;
   let mastii=document.getElementById("masti."+id).value;
   let uhh=document.getElementById("uh."+id).value;
   console.log(imee);
  let data={}
  let greske=0
  let broj=0
       if(imee==""||proteinii==""||mastii==""||uhh==""){
           alert("Ne moze prazno")
           greske++;
```

```
if(greske==0){
           console.log(data);
           $.ajax({
               url: "../../../php/updatovanjejelo.php",
               method:"post",
               dataType:"json",
               data:{
                   idP:id,
                   imeP:imee,
                   proteiniP:proteinii,
                   mastiP:mastii,
                   uhP:uhh
               },
               success:function(data){
                   console.log(data)
           })
    })
if(location.href.includes("redirekt.php")){
//Slanje odgovora na anketu klikom na dugme
$("#dugmean").click(function(e){
    e.preventDefault();
    let id=this.value
    let idodgovor=document.querySelector('input[name="anketa"]:checked').value;
    console.log(idodgovor);
    $.ajax({
        url:"anketa.php",
        method:"POST",
```

```
data:{
            idanketaP:id,
            idodgovorP:idodgovor,
        },
        success:function(data){
            alert("Hvala na odgovoru");
            setTimeout(location.reload(), 3000);
    })
})
//document.getElementById("logout").addEventListener("click", odjavise)
//if(location.href.includes("basic-table.php")) {
      document.querySelector("#submitk").addEventListener("click", proverakontakt
    function provera(e){
        e.preventDefault()
        var greske=[];
        let ime, prezime, datum, username, mejl, password, password2, bmi;
        ime=document.getElementById("name").value;
```

```
prezime=document.getElementById("lastname").value;
        username=document.getElementById("username").value;
       password=document.getElementById("password").value;
       password2=document.getElementById("password2").value;
        dugme=document.getElementById("submitr").value;
        bmi=document.getElementById("bmi").value
       mejl=document.getElementById("email").value;
       console.log(ime,prezime, mejl);
       let imegr, prezimegr, usernamegr, passwordgr, password2gr, mejlgr, bmigr;
        imegr=document.getElementById("Imegr");
       prezimegr=document.getElementById("Prezimegr");
       usernamegr=document.getElementById("Usernamegr");
       mejlgr=document.getElementById("Mejlgr");
       passwordgr=document.getElementById("Passwordgr");
       password2gr=document.getElementById("Password2gr");
       bmigr=document.getElementById("Bmigr");
       //console.log(imegr, prezimegr, vrsedenjagr, brosobagr, mejlgr);
       let reIme, rePrezime, reUsername, rePassword, reBmi, reMejl
       reIme = /^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/;
       rePrezime = /^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/;
       reUsername = /^[A-Za-z0-9]+(?:[ -][A-Za-z0-9]+)*$/
       rePassword=/^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&])[A-Za-
z\d@$!%*#?&]{8,}$/
       reMejl=/^[a-z][a-z\d\_\.\-]+\@[a-z\d]+(\.[a-z]{2,4})+$/;
       reBmi=/^(0|[1-9]\d^*)(.\d+)?$/;
       if(ime == ""){
            imegr.innerHTML = "Polje ime je prazno."
            greske.push("ime nije ok");
       else{
           if(!reIme.test(ime)){
```

```
imegr.innerHTML = "Ime nije u dobrom formatu (npr Nikola ili Niko
la Jovanovic)";
              greske.push("ime nije ok");
            }else{
                imegr.innerHTML = "";
        if(prezime == ""){
            prezimegr.innerHTML = "Polje Prezime je prazno."
            greske.push("e-mail nije ok");
        else{
            if(!rePrezime.test(prezime)){
                prezimegr.innerHTML = "Prezime nije u dobrom formatu (npr Peric)"
                greske.push("prezime nije ok");
            }else{
                prezimegr.innerHTML = "";
            }
        if(mejl == ""){
            mejlgr.innerHTML = "Polje Email je prazno."
            greske.push("e-mail nije ok");
        else{
            if(!reMejl.test(mejl)){
                mejlgr.innerHTML = "Email nije u dobrom formatu (npr pera@gmail.c
om)";
                greske.push("e-mail nije ok");
            }else{
                mejlgr.innerHTML = "";
```

```
if(username == ""){
            usernamegr.innerHTML = "Polje Username je prazno."
            greske.push("username nije ok");
        else{
            if(!reUsername.test(username)){
                usernamegr.innerHTML = "Username nije u dobrom formatu (npr pera@
gmail.com)";
                greske.push("username nije ok");
            }else{
                usernamegr.innerHTML = "";
            }
        if(password == ""){
            passwordgr.innerHTML = "Polje Username je prazno."
            greske.push("username nije ok");
        else{
            if(!rePassword.test(password)){
                passwordgr.innerHTML = "Password nije u dobrom formatu (npr pera@
gmail.com)";
                greske.push("Password nije ok");
            }else{
               passwordgr.innerHTML = "";
            }
        if(password2 == ""){
            password2gr.innerHTML = "Polje Password again je prazno."
            greske.push("password nije ok");
```

```
else{
            if(password2!=password){
                password2gr.innerHTML = "Password again mora biti isti kao i pass
word";
                greske.push(" password2 nije ok");
            }else{
                password2gr.innerHTML = "";
            }
        if(!reBmi.test(bmi)){
            bmigr.innerHTML = "Bmi nije u dobrom formatu";
            greske.push(" bmi nije ok");
        else{
            bmigr.innerHTML="";
        if (greske.length==0){
            if(location.href.includes("registration.php")){
            $.ajax({
                url:"php/uspesnaregistracija.php",
                method:"POST",
                data:{
                    imeP: ime,
                    prezimeP:prezime,
                    usernameP:username,
                    mejlP:mejl,
                    passwordP:password,
                    password2P:password2,
                    dugmeP:dugme,
                    bmiP:bmi
```

```
success: function (data) {
                   alert("Uspesna registracija");
                   window.location.href="login.php";
                },
                error: function(err){
                    console.log(err)
                   // let odgovor=JSON.parse(message.responseText)
                   //console.log(errorMsg)
                   // console.log(JSON.parse(message))
                   //alert(odgovor.message)
                   //$("#Usernamegr").html(odgovor);
        else if(location.href.includes("admin/template/pages/tables/basic-
table.php")){
            $.ajax({
                url:"../../php/uspesnaregistracija.php",
                method:"POST",
                dataType:"json",
                data:{
                    imeP: ime,
                    prezimeP:prezime,
                   usernameP:username,
                   mejlP:mejl,
                    passwordP:password,
                    password2P:password2,
                    dugmeP:dugme,
                    bmiP:bmi
```

```
},
            success: function (data) {
                alert(data);
                console.log(data)
            },
            error: function(err){
                console.log(err)
               // let odgovor=JSON.parse(message.responseText)
               //console.log(errorMsg)
               // console.log(JSON.parse(message))
                //alert(odgovor.message)
               //$("#Usernamegr").html(odgovor);
        return false
function filtriranje(e){
    e.preventDefault()
```

```
var kategorija= this.getAttribute('name');
       $.ajax({
        url:"filtriranje.php",
        method:"POST",
        dataType:"json",
        data:{
            kategorijaP:kategorija
        },
        success: function (data) {
            console.log(data)
            kategorije(data)
        },
        error: function(err){
           console.log(err)
function kategorije(data){
 var div= document.getElementById("proizvodi");
 var ispis=""
 for (d of data){
ispis+=`
    <div class="col-lg-4 col-md-6 special-grid ${d.tempklas}">
            <div class="gallery-single fix">
                <img src="images/${d.src}.jpg" class="img-fluid" alt="Image">
                <div class="why-text">
```

```
<h4>${d.naziv}</h4>
                    ${d.opis}
                    <h6 style="font-size:10px">Proteins:${d.proteini}g</h6>
                    <h6 style="font-size:10px">Fats:${d.masti}g</h6>
                    <h6 style="font-size:10px">Carbohydrates:${d.uh}</h6>
                </div>
            </div>
        </div>
 div.innerHTML=ispis;
function proveralog(e){
   e.preventDefault();
  // alert("Dwdw")
    let nizgresaka=[];
let username, password, dugme
    username=document.getElementById("username").value;
        password=document.getElementById("password").value;
        dugme=document.getElementById("submitlogovanje").value;
        let usernamegr, passwordgr
        usernamegr=document.getElementById("Usernamegr");
        passwordgr=document.getElementById("Passwordgr");
        let reUsername, rePassword
        reUsername = /^[A-Za-z0-9]+(?:[ _-][A-Za-z0-9]+)*$/
        rePassword=/^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&])[A-Za-
z\d@$!%*#?&]{8,}$/
        if(username == ""){
            usernamegr.innerHTML = "Polje Username je prazno."
            nizgresaka.push("username nije ok");
```

```
else{
            if(!reUsername.test(username)){
                usernamegr.innerHTML = "Username nije u dobrom formatu (npr pera@
gmail.com)";
                nizgresaka.push("username nije ok");
            }else{
                usernamegr.innerHTML = "";
            }
        if(password == ""){
            passwordgr.innerHTML = "Polje Username je prazno."
            nizgresaka.push("username nije ok");
        else{
            if(!rePassword.test(password)){
                passwordgr.innerHTML = "Password nije u dobrom formatu (npr pera@
gmail.com)";
                nizgresaka.push("Password nije ok");
            }else{
               passwordgr.innerHTML = "";
        if (nizgresaka.length==0){
            $.ajax({
                url:"php/proveralogovanje.php",
                method:"POST",
                data:{
                    usernameP:username,
```

```
passwordP:password,
                    dugmeP:dugme
                },
                success: function(data){
                    alert("uspesno logovanje")
                  window.location.href="redirekt.php";
                },
                error: function(xhr, status, errorMsg){
       else {
            return false
    function proverakontakt(e){
        e.preventDefault()
        let greske=[];
let ime, mejl, poruka, dugme
    ime=document.getElementById("ime").value;
       mejl=mejl=document.getElementById("mejl").value;
```

```
poruka=document.getElementById("poruka").value;
        dugme=document.getElementById("submitk").value;
        let imegr, mejlgr, porukagr
       imegr=document.getElementById("Imegr");
        mejlgr=document.getElementById("Mejlgr");
            porukagr=document.getElementById("Porukagr");
        let reIme, reMejl, rePoruka
        reIme = /^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/;
        reMejl=/^[a-z][a-z\d_\.\-]+\@[a-z\d]+(\.[a-z]{2,4})+$/;
        rePoruka=/^[A-Za-z0-9.,\s]{5,1000}$/;
        if(ime == ""){
            imegr.innerHTML = "Polje ime je prazno."
             greske.push("ime nije ok");
        else{
            if(!reIme.test(ime)){
                imegr.innerHTML = "Ime nije u dobrom formatu (npr Nikola ili Niko
la Jovanovic)";
              greske.push("ime nije ok");
            }else{
                imegr.innerHTML = "";
            }
        if(mejl == ""){
            mejlgr.innerHTML = "Polje Email je prazno."
            greske.push("e-mail nije ok");
        else{
            if(!reMejl.test(mejl)){
```

```
mejlgr.innerHTML = "Email nije u dobrom formatu (npr pera@gmail.c
om)";
                greske.push("e-mail nije ok");
            }else{
                mejlgr.innerHTML = "";
        if(poruka == ""){
            porukagr.innerHTML = "Polje Message is empty."
            greske.push("e-mail nije ok");
        else{
            if(!rePoruka.test(poruka)){
                porukagr.innerHTML = "Message nije u dobrom formatu (npr pera@gma
il.com)";
                greske.push("message nije ok");
            }else{
                porukagr.innerHTML = "";
        if (greske.length==0){
            $.ajax({
                url:"php/uspesnaporuka.php",
                method:"POST",
                dataType:"json",
                data:{
                    imeP: ime,
                    mejlP:mejl,
                    dugmeP:dugme,
                    porukaP:poruka
```

```
success: function (data) {
                alert(data);
                console.log(data)
            },
            error: function(err){
                console.log(err)
               // let odgovor=JSON.parse(message.responseText)
                //console.log(errorMsg)
               // console.log(JSON.parse(message))
                //alert(odgovor.message)
                //$("#Usernamegr").html(odgovor);
    else {
        return false
function odjavise(){
    $.ajax({
        url:"logout.php",
        method:"POST",
        dataType:"json",
        success: function (data) {
            alert(data);
```

```
console.log(data)
        },
        error: function(err){
            console.log(err)
           // let odgovor=JSON.parse(message.responseText)
            //console.log(errorMsg)
           // console.log(JSON.parse(message))
            //alert(odgovor.message)
            //$("#Usernamegr").html(odgovor);
    )
function pretraga(e){
   e.preventDefault();
   let vrednost=document.getElementById("pretrazi").value;
   $.ajax({
        url:"pretraga.php",
       method:"POST",
        dataType:"json",
        data:{
            vrednostP:vrednost
        },
        success: function (element) {
            console.log(element)
            vrednosti(element)
```

```
},
            error: function(err){
               console.log(err)
    function vrednosti(element){
        var div= document.getElementById("proizvodi");
        var ispis=""
        for (e of element){
      ispis+=`
          <div class="col-lg-4 col-md-6 special-grid ${e.tempklas}">
                  <div class="gallery-single fix">
                      <img src="images/${e.src}.jpg" class="img-</pre>
fluid" alt="Image">
                      <div class="why-text">
                          <h4>${e.ime}</h4>
                          ${e.opis}
                          <h6 style='font-size:8px'> ${e.proteini}</h6>
                          <h6 style='font-size:8px'> ${e.masti}</h6>
                          <h6 style='font-size:8px'> ${e.uh}</h6>
                      </div>
                  </div>
              </div>
        div.innerHTML=ispis;
      }}
function updatejelo(e){
```

```
e.preventDefault()
var greske=[];
let naziv, opis, proteini, uh, masti;
naziv=document.getElementById("names").value;
opis=document.getElementById("description").value;
proteini=document.getElementById("proteini").value;
masti=document.getElementById("masti").value;
uh=document.getElementById("uh").value;
id=document.getElementById("id").value
dugme=document.getElementById("submitu").value;
let nazivgr, opisgr, proteinigr, uhgr, mastigr;
nazivgr=document.getElementById("Imegr");
opisgr=document.getElementById("Opisgr");
proteinigr=document.getElementById("Proteinigr");
uhgr=document.getElementById("Uhgr");
mastigr=document.getElementById("Mastigr");
//console.log(imegr, prezimegr, vrsedenjagr, brosobagr, mejlgr);
let reNaziv, reGramaza
reNaziv = /^[A-Z][a-z]{2,14}(\s[a-z]{2,14})*$/;
reGramaza=/^(0|[1-9]\d^*)(.\d^+)?$/;
if(naziv == ""){
    nazivgr.innerHTML = "Polje ime je prazno."
```

```
greske.push("ime nije ok");
   else{
        if(!reNaziv.test(naziv)){
            nazivgr.innerHTML = "Ime nije u dobrom formatu (npr Nikola ili Nikola
 Jovanovic)";
          greske.push("ime nije ok");
        }else{
            nazivgr.innerHTML = "";
    if(proteini == ""){
        proteinigr.innerHTML = "Polje Email je prazno."
        greske.push("e-mail nije ok");
   else{
        if(!reGramaza.test(proteini)){
            proteinigr.innerHTML = "Email nije u dobrom formatu (npr pera@gmail.c
om)";
            greske.push("e-mail nije ok");
        }else{
            proteinigr.innerHTML = "";
    if(masti == ""){
      mastigr.innerHTML = "Polje Username je prazno."
        greske.push("username nije ok");
    else{
        if(!reGramaza.test(masti)){
```

```
mastigr.innerHTML = "Username nije u dobrom formatu (npr pera@gmail.c
om)";
            greske.push("username nije ok");
        }else{
            mastigr.innerHTML = "";
   if(uh == ""){
        uhgr.innerHTML = "Polje Username je prazno."
        greske.push("username nije ok");
    else{
        if(!reGramaza.test(uh)){
            uhgr.innerHTML = "Password nije u dobrom formatu (npr pera@gmail.com)
            greske.push("Password nije ok");
        }else{
           uhgr.innerHTML = "";
    if (greske.length==0){
        $.ajax({
            url:"php/updatovanjejelo.php",
            method:"POST",
            dataType:"json",
            data:{
                nazivP: naziv,
                opisP:opis,
               proteiniP:proteini,
                mastilP:masti,
                uhP:uh,
                idP:id,
```

```
dugmeP:dugme,
            },
            success: function (data) {
                alert(data);
                console.log(data)
            },
            error: function(err){
                console.log(err)
               // let odgovor=JSON.parse(message.responseText)
                //console.log(errorMsg)
               // console.log(JSON.parse(message))
                //alert(odgovor.message)
                //$("#Usernamegr").html(odgovor);
        )
function proverahrane(e){
    e.preventDefault();
   var greske=[];
   let naziv, opis, proteini, uh, masti;
   naziv=document.getElementById("namess").value;
    proteini=document.getElementById("proteinii").value;
   masti=document.getElementById("mastii").value;
```

```
uh=document.getElementById("uhh").value;
dugme=document.getElementById("submitfood").value;
let nazivgr, proteinigr, uhgr, mastigr;
nazivgr=document.getElementById("Imegrr");
proteinigr=document.getElementById("Proteinigrr");
uhgr=document.getElementById("Uhgrr");
mastigr=document.getElementById("Mastigrr");
//console.log(imegr, prezimegr, vrsedenjagr, brosobagr, mejlgr);
let reNaziv, reGramaza
reNaziv = /^[A-Z][a-z]{2,14}(\s[a-z]{2,14})*$/;
reGramaza=/^(0|[1-9]\d^*)(.\d^+)?$/;
if(naziv == ""){
    nazivgr.innerHTML = "Field name is empty."
     greske.push("ime nije ok");
else{
    if(!reNaziv.test(naziv)){
        nazivgr.innerHTML = "Name is not in right format (etc. Chicken)";
      greske.push("ime nije ok");
    }else{
       nazivgr.innerHTML = "";
```

```
if(proteini == ""){
    proteinigr.innerHTML = "Field protein is empty."
    greske.push("nije ok");
else{
   if(!reGramaza.test(proteini)){
        proteinigr.innerHTML = "Protein is not in right format (etc. 44)";
        greske.push("nije ok");
   }else{
        proteinigr.innerHTML = "";
if(masti == ""){
   mastigr.innerHTML = "Field fat is empty."
   greske.push(" nije ok");
else{
    if(!reGramaza.test(masti)){
        mastigr.innerHTML = "Fat is not in right format (etc. 44)";
        greske.push("nije ok");
    }else{
        mastigr.innerHTML = "";
if(uh == ""){
   uhgr.innerHTML = "Field carbohydrates is empty."
```

```
greske.push("username nije ok");
else{
   if(!reGramaza.test(uh)){
        uhgr.innerHTML = "Carbohydrates is not in right format (etc. 44)";
       greske.push(" nije ok");
    }else{
       uhgr.innerHTML = "";
if (greske.length==0){
   $.ajax({
        url:"../../php/insertovanjejelo.php",
       method:"POST",
        data:{
            imeP: naziv,
            opisP:opis,
           proteiniP:proteini,
            mastiP:masti,
            uhP:uh,
            dugmeP:dugme,
        },
        success: function (data) {
            alert("Succesfuly inserted!");
```

```
error: function(err){
   console.log(err)
  // let odgovor=JSON.parse(message.responseText)
   //console.log(errorMsg)
   // console.log(JSON.parse(message))
   //alert(odgovor.message)
   //$("#Usernamegr").html(odgovor);
```

## Style.css

```
IMPORT FONTS
@import url('https://fonts.googleapis.com/css?family=Rubik:300,400,500,700
,900');
    IMPORT FILES
@import url(animate.css);
@import url(font-awesome.min.css);
@import url(superslides.css);
@import url(baguetteBox.min.css);
    SKELETON
body {
    color: #666666;
    font-size: 15px;
    font-family: 'Rubik', sans-serif;
    line-height: 1.80857;
#korisnik{
    height:100px;
a {
    color: #1f1f1f;
    text-decoration: none !important;
    outline: none !important;
```

```
-webkit-transition: all .3s ease-in-out;
    -moz-transition: all .3s ease-in-out;
    -ms-transition: all .3s ease-in-out;
    -o-transition: all .3s ease-in-out;
    transition: all .3s ease-in-out;
h1,
h2,
h3,
h4,
h5,
h6 {
    letter-spacing: 0;
    font-weight: normal;
    position: relative;
    padding: 0 0 10px 0;
    font-weight: normal;
    line-height: 120% !important;
    color: #1f1f1f;
    margin: 0
h1 {
    font-size: 24px
h2 {
    font-size: 22px
h3 {
    font-size: 18px
h4 {
    font-size: 16px
h5 {
    font-size: 14px
h6 {
    font-size: 13px
```

```
h1 a,
h2 a,
h3 a,
h4 a,
h5 a,
h6 a {
    color: #212121;
    text-decoration: none!important;
    opacity: 1
h1 a:hover,
h2 a:hover,
h3 a:hover,
h4 a:hover,
h5 a:hover,
h6 a:hover {
    opacity: .8
a {
    color: #1f1f1f;
    text-decoration: none;
    outline: none;
a,
.btn {
    text-decoration: none !important;
    outline: none !important;
    -webkit-transition: all .3s ease-in-out;
    -moz-transition: all .3s ease-in-out;
    -ms-transition: all .3s ease-in-out;
    -o-transition: all .3s ease-in-out;
    transition: all .3s ease-in-out;
.btn-custom {
    margin-top: 20px;
    background-color: transparent !important;
    border: 2px solid #ddd;
    padding: 12px 40px;
    font-size: 16px;
```

```
.lead {
    font-size: 18px;
    line-height: 30px;
    color: #767676;
    margin: 0;
    padding: 0;
blockquote {
    margin: 20px 0 20px;
    padding: 30px;
ul, li, ol{
   list-style: none;
    margin: 0px;
    padding: 0px;
button:focus{
    outline: none;
.form-control::-moz-placeholder {
    color: #2a2a2a;
    opacity: 1;
.top-navbar{
    position: relative;
    z-index: 10;
    padding-bottom: 150px;
.top-navbar .navbar{
    padding: 15px 0px;
    position: fixed;
```

```
width: 100%;
    border-radius: 0px 0px 100px 100px;
    transition: height .3s ease-out, background .3s ease-out, box-
shadow .3s ease-out;
    -webkit-transform: translate3d(0, 0, 0);
   transform: translate3d(0, 0, 0);
    -webkit-box-shadow: 0 8px 6px -6px rgba(0, 0, 0, 0.4);
    box-shadow: 0 8px 6px -6px rgba(0, 0, 0, 0.4);
    z-index: 100;
.top-navbar .navbar-light .navbar-nav .nav-link{
    color: #010101;
   font-size: 16px;
    padding: 10px 20px;
   border-radius: 4px;
   text-transform: uppercase;
.top-navbar .navbar-light .navbar-nav .nav-item .nav-link:hover{
    background: #d65106;
    color: #ffffff;
.top-navbar .navbar-light .navbar-nav .nav-item.active .nav-link{
    background: #d65106;
   color: #ffffff;
   border-radius: 4px;
.navbar-expand-lg .navbar-nav .dropdown-menu{
    border: none;
    border-radius: 0px;
    padding: 10px;
    box-shadow: 2px 5px 6px rgba(0,0,0,0.5);
.navbar-expand-lg .navbar-nav .dropdown-menu a{
    padding: 10px 10px;
   text-transform: uppercase;
.navbar-expand-lg .navbar-nav .dropdown-menu a.dropdown-item:hover{
    background: #d65106;
    color: #ffffff;
.navbar-light .navbar-toggler:hover{
```

```
background: #d65106;
    Slider
.cover-slides{
    height: 100vh;
.slides-navigation a {
    background: #d65106;
    position: absolute;
    height: 50px;
    width: 50px;
    top: 50%;
    font-size: 20px;
    display: block;
    color: #fff;
    border-radius: 4px;
    line-height: 63px;
    text-align: center;
    transition: all .3s ease-in-out;
.slides-navigation a i{
    font-size: 40px;
.slides-navigation a:hover {
    background: #010101;
.cover-slides .container{
    height: 100%;
    position: relative;
    z-index: 2;
.cover-slides .container > .row {
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
.cover-slides .container > .row {
    height: 100%;
.btn{
```

```
text-transform: uppercase;
    padding: 19px 36px;
.btn{
    display: inline-block;
    font-weight: 600;
    text-align: center;
    white-space: nowrap;
    vertical-align: middle;
    -webkit-user-select: none;
    -moz-user-select: none;
    -ms-user-select: none;
    user-select: none;
    border: 2px solid transparent;
    padding: 12px 30px;
    font-size: 16px;
    line-height: 1.5;
    border-radius: .1875rem;
    transition: color .15s ease-in-out, background-color .15s ease-in-
out, border-color .15s ease-in-out, box-shadow .15s ease-in-out;
.btn-outline-new-white {
    color: #fff;
    background-color: #d65106;
    background-image: none;
    border-color: #d65106;
.btn-outline-new-white:hover {
    color: #ffffff;
    background-color: #333333;
    border-color: #333333;
.overlay-background {
    background: #333;
    position: absolute;
    height: 100%;
    width: 100%;
    left: 0;
    top: 0;
    opacity: 0.5;
.cover-slides h1{
    font-family: 'Rubik', sans-serif;
```

```
font-weight: 500;
    font-size: 64px;
    color: #fff;
.cover-slides p{
    font-size: 18px;
    color: #fff;
.slides-pagination a{
    border: 2px solid #ffffff;
.slides-pagination a.current{
    background: #d65106;
    border: 2px solid #d65106;
.about-section-box{
    padding: 70px 0px;
    background: #ffffff url(../images/about-bg.jpg) no-
repeat bottom center;
    background-size: cover;
.about-section-box .img-fluid{
    box-shadow: 20px 20px 0px #d65106;
.inner-column{
    text-align: left;
.inner-column h1{
    font-family: 'Rubik', sans-serif;
    font-size: 30px;
    color: #010101;
    font-weight: 500;
.inner-column h1 span{
    color: #d65106;
.inner-column h4{
    font-size: 16px;
    font-weight: 500;
```

```
.inner-column p{
    font-size: 18px;
    color: #222222;
.inner-column .btn-outline-new-white{
    color: #fff;
.inner-column .btn-outline-new-white:hover{
    color: #ffffff;
.qt-background{
    background: url(../images/qt-bg.jpg) no-repeat;
    background-size: cover;
    padding: 100px 0;
    background-attachment: fixed;
    background-position: center center;
    position: relative;
.qt-background p {
    font-size: 35px;
    font-weight: 300;
    line-height: 44px;
    color: #fff;
    font-family: 'Rubik', sans-serif;
    margin-bottom: 20px;
.qt-background span {
    color: #fff;
    font-size: 28px;
    font-weight: 600;
.menu-box{
    padding: 70px 0px;
```

```
.heading-title{
    margin-bottom: 50px;
.heading-title h2{
    color: #010101;
    font-size: 28px;
    font-family: 'Rubik', sans-serif;
    font-weight: 500;
.heading-title p{
    font-size: 18px;
    font-weight: 200;
    margin: 0px;
.inner-menu-box{}
.inner-menu-box .nav-pills .nav-link.active{
    background: #d65106;
.inner-menu-box .nav-pills .nav-link{
    font-size: 18px;
.inner-menu-box .nav-pills .nav-link:hover{
    background: #d65106;
    color: #ffffff;
.gallery-single{
    margin-bottom: 30px;
.gallery-single {
    position: relative;
    overflow: hidden;
    -webkit-box-shadow: 0 0 10px #ccc;
    box-shadow: 0 0 10px #ccc;
.why-text {
    position: absolute;
    left: 0;
    bottom: -100%;
    right: 0;
    height: 100%;
```

```
background: rgba(207, 166, 113, 0.9);
    padding: 12px 12px;
    -webkit-transition: all .3s ease;
    transition: all .3s ease;
.why-text h4{
    color: #ffffff;
    font-size: 16px;
    font-weight: 500;
    font-family: 'Rubik', sans-serif;
.why-text p{
    color: #ffffff;
    font-size: 13px;
    border-bottom: 1px dashed #010101;
    margin: 0px;
    padding-bottom: 15px;
    margin-top: 0px;
    margin-bottom: 15px;
.why-text h5{
    font-size: 18px;
    font-weight: 600;
    color: #ffffff;
.gallery-single:hover .why-text{
    bottom: 0px;
   Gallery
.gallery-box{
    padding: 70px 0px;
.tz-gallery{
    margin-top: 30px;
.tz-gallery .lightbox img {
    width: 100%;
    transition: 0.2s ease-in-out;
    box-shadow: 0 2px 3px rgba(0,0,0,0.2);
```

```
.tz-gallery .lightbox img:hover {
    transform: scale(1.05);
    box-shadow: 0 8px 15px rgba(0,0,0,0.3);
.tz-gallery .lightbox{
    border: 3px solid #d65106;
    display: inline-block;
    margin-bottom: 30px;
   Customer Reviews
.customer-reviews-box{
    padding: 70px 0px;
.carousel-inner .carousel-item .img-box{
    width: 135px;
    height: 135px;
.carousel-control-prev{
    left: -100px;
.carousel-control-next{
    right: -100px;
.carousel-indicators{
    top: 320px;
.text-warning{
    color: #d65106 !important;
    font-size: 24px;
@media (min-width: 320px) and (max-width: 640px) {
    .carousel-inner .carousel-item p{
        font-size: 14px;
    .carousel-control-prev{
        left: -5px;
    .carousel-control-next{
```

```
right: -5px;
    .carousel-indicators{
        top: 400px;
#reviews .carousel-control-prev{
    background: #d65106;
    color: #ffffff;
    display: block;
    position: absolute;
   width: 8%;
    height: 50px;
    top: 50%;
    border-radius: 4px;
    font-size: 28px;
    opacity: 1;
#reviews .carousel-control-prev:hover{
    background: #010101;
    color: #ffffff;
#reviews .carousel-control-next{
    background: #d65106;
    color: #ffffff;
    display: block;
    position: absolute;
   width: 8%;
    height: 50px;
    top: 50%;
    border-radius: 4px;
    font-size: 28px;
    opacity: 1;
#reviews .carousel-control-next:hover{
    background: #010101;
    color: #ffffff;
   Contact info
```

```
.contact-imfo-box{
    background: #d65106;
    padding: 30px 0;
   border-radius: 100px;
.overflow-hidden {
   overflow: hidden;
.contact-imfo-box i{
   display: block;
   float: left;
   width: 60px;
   height: 60px;
   line-height: 60px;
   text-align: center;
   background: #fff;
   color: #d65106;
   font-size: 30px;
    -webkit-border-radius: 4px;
    -moz-border-radius: 4px;
    -ms-border-radius: 4px;
   border-radius: 4px;
   margin-right: 20px;
.contact-imfo-box h4 {
   margin: 0px;
   margin-top: 5px;
   color: #ffffff;
   font-size: 20px;
   padding: 0px;
   font-weight: 500;
   line-height: 24px;
.contact-imfo-box p {
   margin: 0px;
   color: #ffffff;
   font-weight: 300;
   Footer
```

```
.footer-area{
    padding-top: 50px;
    padding-bottom: 0px;
.bg-f{
    background-image: url("../images/footer-bg.jpg");
    background-attachment: scroll;
    background-clip: initial;
    background-color: rgba(0, 0, 0, 0);
    background-origin: initial;
    background-position: center center;
    background-repeat: no-repeat;
    background-size: cover;
    position: relative;
.bg-f::before {
   background: #010101;
   content: "";
   height: 100%;
   left: 0;
   position: absolute;
   top: 0;
   width: 100%;
    z-index: 1;
   opacity: 0.8;
.footer-area .container{
    position: relative;
    z-index: 1;
.footer-area h3{
   color: #ffffff;
   text-transform: uppercase;
   font-size: 18px;
   font-weight: 500;
    border-bottom: 2px solid rgba(207, 166, 113, 0.5);
   margin-bottom: 10px;
.footer-area p{
    font-size: 15px;
    color: rgba(255, 255, 255, 0.8);
   margin: 0;
    padding-bottom: 10px;
```

```
.arrow-right{
    position: relative;
.arrow-right::before {
    content: "\f101";
    font-family: 'FontAwesome';
    position: absolute;
    right: 0px;
    top: 0;
    color: #fff;
    font-size: 60px;
    line-height: 60px;
.footer-area p.lead{
    font-size: 19px;
    color: #ffffff;
    margin-bottom: 0px;
.footer-area p.lead a{
    color: #ffffff;
    margin-bottom: 15px;
.footer-area p.lead a:hover{
    color: #d65106;
.footer-area p a{
    font-size: 18px;
    color: #ffffff;
.footer-area p a:hover{
    color: #d65106;
.subscribe_form {
    display: block;
    text-align: center;
    padding: 5px 0;
.subscribe_form .form_input {
    display: block;
    background-color: rgba(0,0,0,0.9);
```

```
border: 1px solid #ffffff;
    color: #fff;
    font-size: 14px;
    line-height: 50px;
    padding: 0 10px;
    float: left;
    font-weight: 300;
    width: 100%;
    transition: all 0.5s ease-in-out;
.subscribe form .submit {
    background-color: #d65106;
    color: #fff;
    font-size: 16px;
    font-weight: 500;
    line-height: 50px;
    display: inline-block;
    padding: 0 10px;
    float: left;
    width: 100%;
    border: none;
    cursor: pointer;
    transition: all 0.5s ease-in-out;
.subscribe form .submit:hover{
    background: #010101;
.f-social {
    padding-bottom: 10px;
    margin: 0px;
    margin-top: 20px;
.f-social li a {
    font-size: 18px;
    color: rgba(214, 81, 6);
    width: 38px;
    height: 38px;
    display: block;
    text-align: center;
    line-height: 38px;
    background: #ffffff;
    border-radius: 4px;
```

```
.copyright{
   margin-top: 20px;
    position: relative;
   display: block;
   background-color: #010101;
    border-top: 1px solid rgba(207, 166, 113);
    padding: 30px 0;
   z-index: 1;
.copyright .company-name{
   font-size: 16px;
   text-align: center;
.copyright .company-name a{
   font-size: 16px;
   All Pages
.page-breadcrumb {
    padding: 250px 0 150px;
   background: url(../images/all-bg.jpg) no-repeat;
   background-attachment: fixed;
    background-size: cover;
   background-position: 0 0;
   position: relative;
.all-page-title .container{
    position: relative;
   z-index: 2;
.all-page-title::before{
   background: #010101;
   content: "";
   height: 100%;
   left: 0;
   position: absolute;
   top: 0;
   width: 100%;
   z-index: 1;
   opacity: 0.8;
```

```
.all-page-title h1{
    font-size: 38px;
    color: #ffffff;
    font-family: 'Rubik', sans-serif;
    padding: 0px;
    font-weight: 500;
.inner-pt{
    margin-top: 30px;
.inner-pt p{
   font-size: 18px;
.stuff-box{
    padding: 70px 0px;
.our-team{
    text-align: center;
    transition: all 0.5s ease 0s;
    margin-bottom: 30px;
.our-team:hover{
    box-shadow: 0 15px 10px -
10px rgba(0, 0, 0, 0.5), 0 1px 4px rgba(0, 0, 0, 0.3), 0 0 40px rgba(0, 0,
0, 0.1) inset;
.our-team .pic{
    overflow: hidden;
    position: relative;
.our-team .pic:before,
.our-team .pic:after{
    content: "";
   width: 200%;
    height: 80%;
    background: rgba(38,37,37,0.8);
    position: absolute;
    top: -100%;
    left: -4%;
    transform: rotate(45deg);
    transition: all 0.5s ease 0s;
```

```
.our-team .pic:after{
    background: rgba(214,81,6,0.8);
    top: auto;
    left: auto;
    bottom: -100%;
    right: -4%;
.our-team:hover .pic:before{ top: 0; }
.our-team:hover .pic:after{ bottom: 0; }
.our-team .pic img{
    width: 100%;
    height: auto;
.our-team .social{
   width: 100%;
    padding: 0;
    margin: 0;
    list-style: none;
    position: absolute;
    bottom: 45%;
    left: 0;
    opacity: 0;
    z-index: 2;
    transition: all 0.5s ease 0.3s;
.our-team:hover .social{ opacity: 1; }
.our-team .social li{ display: inline-block; }
.our-team .social li a{
    display: block;
    width: 40px;
    height: 40px;
    line-height: 40px;
    font-size: 20px;
    color: #fff;
    margin-right: 10px;
    position: relative;
    transition: all 0.3s ease 0s;
.our-team .social li a:after{
    content: "";
    width: 100%;
    height: 100%;
    background: #d65106;
    border-radius: 0 20px 20px 20px;
```

```
position: absolute;
    top: 0;
    left: 0;
    z-index: -1;
    transition: all 0.3s ease 0s;
.our-team .social li a:hover:after{ transform: rotate(180deg); }
.our-team .team-content{ padding: 20px; }
.our-team .title{
    font-size: 22px;
    font-weight: 700;
    letter-spacing: 2px;
    color: #d65106;
    text-transform: uppercase;
    margin-bottom: 7px;
.our-team .post{
    display: block;
    font-size: 17px;
    font-weight: 600;
    color: #333333;
    text-transform: capitalize;
@media only screen and (max-width: 990px){
    .our-team{ margin-bottom: 30px; }
.reservation-box{
    padding: 70px 0px;
.reservation-box h3{
    padding: 0px 15px;
    margin-bottom: 20px;
    font-weight: 600;
.help-block ul li{
    color: red;
.form-control[readonly]{
    background-color: #ffffff;
```

```
.form-control{
    border-radius: 0px;
    min-height: 50px;
.form-control:focus{
    border: 1px solid #d65106;
    box-shadow: none;
.form-group .picker__input.picker__input--active{
    border-color: #d65106;
.submit-button{
    margin-top: 20px;
.btn.btn-common{
    color: #d65106;
    background-color: transparent;
    background-image: none;
    border-color: #d65106;
.btn.btn-common:hover{
    color: #ffffff;
    background-color: #333333;
    border-color: #333333;
.blog-box{
    padding: 70px 0px;
.blog-box-inner{
    position: relative;
    margin-bottom: 30px;
.blog-box-inner .blog-img-box{
    position: relative;
    display: block;
.blog-box-inner .blog-detail{
    position: absolute;
    top: 0;
    background: #fff;
    padding: 30px 25px;
```

```
border: 1px solid #ddd;
   transition-duration: .5s;
   height: 100%;
.blog-detail h4 {
   font-size: 18px;
   font-weight: 500;
   color: #222222;
.blog-detail ul li {
   display: inline-block;
   padding: 0px 5px;
.blog-detail ul li span{
   color: #d65106;
   cursor: pointer;
.blog-detail ul li span:hover{
   color: #010101;
.blog-detail ul li:first-child {
   padding-left: 0px;
.blog-detail p {
   padding: 10px 0px 0 0;
   margin: 0px;
   font-size: 13px;
.blog-detail a{
   color: #ffffff;
   margin-top: 20px;
.blog-box-inner .blog-detail:hover{
   background: rgba(255, 255, 255, .9);
.blog-inner-box {
   position: relative;
   margin: 0px 10px;
```

```
margin-bottom: 30px;
.side-blog-img {
    box-shadow: 15px 15px 0px 0px rgba(214, 81, 6, 0.4);
    -webkit-transition: all 1s ease 0.01s;
    transition: all 1s ease 0.01s;
    position: relative;
.date-blog-up {
    position: absolute;
    right: 0px;
    top: 0px;
    background: #d65106;
    font-size: 18px;
    color: #ffffff;
    padding: 5px 15px 5px 5px;
.inner-blog-detail {
    background: #ffffff;
    position: relative;
    padding: 30px 20px;
.inner-blog-detail h3 {
    font-size: 20px;
    font-weight: 500;
    padding-bottom: 15px;
.inner-blog-detail ul li {
    display: inline-block;
    padding: 0px 5px;
    color: #222222;
.inner-blog-detail ul li span {
    color: #d65106;
.inner-blog-detail p {
    padding: 10px 0px;
.details-page blockquote {
    border-left: 5px solid #d65106;
.details-page blockquote {
    padding: 20px;
```

```
blockquote {
    margin: 20px 0 20px;
    padding: 30px;
.blog-inner-details-line {
    margin: 20px 0px;
    clear: both;
    float: left;
    width: 100%;
.line-left-social h5 {
    font-size: 18px;
    font-weight: 600;
    padding-bottom: 15px;
.line-left-social ul li {
    display: inline-block;
    margin-bottom: 5px;
.line-right-social ul li {
    display: inline-block;
.line-right-social ul li a {
    display: block;
    padding: 5px;
    background: #f5f5f5;
    border-radius: 6px;
    font-weight: 500;
    width: 35px;
    height: 35px;
    text-align: center;
    line-height: 25px;
    font-size: 15px;
.line-left-social ul li a {
    display: block;
    padding: 5px 10px;
    background: #f5f5f5;
    border-radius: 6px;
    font-weight: 400;
    font-size: 12px;
.line-left-social ul li a:hover {
    background: #d65106;
```

```
color: #ffffff;
.line-right-social ul li a:hover {
    background: #d65106;
    color: #ffffff;
.line-right-social h5 {
    font-size: 18px;
    font-weight: 600;
    padding-bottom: 15px;
.blog-comment-box {
    clear: both;
    margin: 20px 0px;
    float: left;
    width: 100%;
.blog-comment-box h3 {
    font-size: 18px;
    font-weight: 600;
    padding-bottom: 20px;
.comment-item {
    margin-bottom: 30px;
.comment-item-left {
    float: left;
    width: 90px;
    height: 90px;
.comment-item-left img {
    width: 100%;
    border-radius: 20px;
.comment-item-right {
    padding-left: 110px;
.comment-item-right a {
    font-size: 16px;
    font-weight: 500;
.des-1 {
    display: inline-block;
    width: 100%;
```

```
.des-1 p {
    font-size: 13px;
.comment-item-right a {
    font-size: 16px;
   font-weight: 500;
.right-btn-re {
   float: right;
   font-style: italic;
   text-align: right;
   font-size: 16px;
    padding: 5px 10px;
   background: #f5f5f5;
    border-radius: 6px;
.right-btn-re:hover {
    background: #d65106;
    color: #ffffff !important;
.comment-respond-box {
    clear: both;
.blog-comment-box .children {
   margin-left: 70px;
.comment-item {
   margin-bottom: 30px;
.comment-item-right i {
   padding-right: 10px;
.comment-form-respond input {
   min-height: 38px;
   border: 1px solid #010101;
   border-radius: 0px;
   padding: 10px;
.comment-form-respond textarea {
   border: 1px solid #010101;
    border-radius: 0px;
   padding: 10px;
   min-height: 110px;
```

```
.btn-submit{
    color: #d65106;
    background-color: transparent;
    background-image: none;
    border-color: #d65106;
.btn-submit:hover{
    color: #ffffff;
    background-color: #333333;
    border-color: #333333;
.right-side-blog h3 {
    font-weight: 600;
    font-size: 18px;
    padding-bottom: 20px;
.blog-search-form {
    position: relative;
    border-bottom: 1px solid #010101;
    padding-bottom: 30px;
    margin-bottom: 20px;
.blog-search-form input {
    width: 100%;
    min-height: 40px;
    border: 1px solid rgba(214, 81, 6, 0.4);
    padding: 5px 40px 5px 10px;
    font-size: 15px;
    color: #222222;
.blog-search-form .search-btn {
    position: absolute;
    right: 0px;
    background: none;
    border: none;
    font-size: 20px;
    min-height: 40px;
    padding: 0px 15px;
.right-side-blog h3 {
    font-weight: 500;
    font-size: 18px;
```

```
padding-bottom: 20px;
.blog-categories {
    padding-bottom: 30px;
    margin-bottom: 20px;
.blog-categories ul li {
    line-height: 14px;
    padding: 10px 0px;
    border-top: 1px solid #f5f5f5;
.blog-categories ul li a {
    display: inline-block;
    text-transform: capitalize;
    width: 100%;
.blog-categories ul li a:hover{
    color: #d65106;
.recent-box-blog {
    margin-bottom: 20px;
    display: inline-block;
.recent-img {
    float: left;
    position: relative;
.recent-img::before {
    position: absolute;
    content: '';
    z-index: 2;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: #d65106;
    opacity: 0.4;
    transform: scale(0);
    -webkit-transform: scale(0);
    -moz-transform: scale(0);
    -ms-transform: scale(0);
    -o-transform: scale(0);
    transition: all 0.5s ease;
    -webkit-transition: all 0.5s ease;
    -moz-transition: all 0.5s ease;
```

```
-o-transition: all 0.5s ease;
.recent-box-blog:hover .recent-img::before {
    transform: scale(1);
    -webkit-transform: scale(1);
    -moz-transform: scale(1);
    -ms-transform: scale(1);
    -o-transform: scale(1);
.recent-info {
    display: table-cell;
    vertical-align: top;
    padding-left: 15px;
.recent-info ul li {
    display: inline-block;
    font-size: 11px;
    padding: 0px;
    color: #222222;
.recent-info h4 {
    font-size: 14px;
    padding: 0px;
    margin: 11px 0px;
    font-weight: 500;
.blog-tag-box ul li {
    display: inline-block;
    margin-bottom: 3px;
.blog-tag-box ul li a {
    padding: 5px 15px;
    display: block;
    background: #f5f5f5;
    color: #222222;
    border-radius: 6px;
.blog-tag-box ul li a:hover {
    color: #ffffff;
    background: #d65106;
.contact-box{
    padding: 70px 0px;
```

```
.map-full {
   width: 100%;
   height: 500px;
   border-radius: 0px;
   margin: 0px auto;
#back-to-top {
   position: fixed;
   bottom: 40px;
   right: 40px;
   z-index: 9999;
   width: 52px;
   height: 40px;
   text-align: center;
   line-height: 40px;
   background: #d65106;
   color: #ffffff;
   cursor: pointer;
   border: 0;
   border-radius: 2px;
   text-decoration: none;
   transition: opacity 0.2s ease-out;
   font-size: 30px;
.opis{
    position:absolute;
   z-index:1;
    padding:100px;
   border:black, 2px, solid;
   width:90%;
   height:auto;
   background-color: rgb(0,0,0); /* Fallback color */
   background-color: rgba(0,0,0,0.4);
   color:white;
```



