

Requests库网络爬取实战

实例1：京东商品页面的爬取

实例2：亚马逊商品页面的爬取

实例3：百度/360搜索关键字提交

实例4：网络图片的爬取和存储

实例5：IP地址归属地的自动查询

京东商品页面爬取

https://item.jd.com/100224909767.html

手机通讯 > 手机 > 手机 > 华为 (HUAWEI)



自营 运营商京东自营专区

精选镇店好物，快来逛逛

关注店铺

联系客服

华为手机折叠屏

搜本店

搜全站

华为mate80 | 华为mate80pro | 华为手机 | 华为新机2026上市



1000元



4200mAh



100W



100W



100W



100W

抢大内存,早买安心!

HUAWEI Mate80 Pro

第二代红枫影像 | 鸿蒙AI | 户外探索模式



左滑查看推荐理由 <<<

购机即享



价值599
酷狗蓝牙耳机
数量有限 赠完为止

* 以旧换新具体规则和优惠政策以活动页面为准

政府补贴

使用云闪付支付，再减10%

自营 政府补贴 华为 (HUAWEI) Mate 80 Pro 12GB+512GB 云杉绿 第二代红

☆ 收藏

¥5805 到手价 ¥6450

累计评价 2000+

可再享: 赠品 最高返290京豆 >

企 企业会员3000补贴，员工福利/商务馈赠一站式采购! >

🏆 店内手机热卖榜·第14名 >

送至 广东广州市白云区白云湖街道

系列品 Mate 80 Mate 80 Pro Mate 80 Pro Max Mate 80 RS

小金刚 曜石黑 晨曦金 雪域白

```
import requests  
r = requests.get("https://item.jd.com/100224909767.html")  
print(r.status_code)  #200  
print(r.encoding)     #utf-8,说明可以从http头部信息可以解析出编码
```

网络爬虫代码框架写法:

```
import requests  
url = "https://item.jd.com/100224909767.html"  
try:  
    r = requests.get(url)  
    r.raise_for_status()  
    r.encoding = r.apparent_encoding  
    print(r.text)  
except:  
    print("爬取失败! ")
```

https://us.amazon.com/dp/0593545427/ref=books_amz-books_desktop_mfs_booknr_3?_encoding=UTF8&pd_rd_w=BOEt0&content-id=amzn1.sym.a4f5d040-e501-4731-8549-db31b3b4776c&pf_rd_p=a4f5d040-e501-4731-8549-db31b3b4776c&pf_rd_r=8X5KA9SFNSJVYYYVDVQ&pd_rd_wg=hHlHG&pd_rd_r=62bdb287-7340-4d4e-9919-f6bd90fd395d

图书, 政治与社会科学, 社会学, 社会科学丛书、文集、工具书



Emptiness 精装 - 2026年 3月 31日

作者 Arthur C. Brooks (作者)

4.7 ★★★★★ (31)

Amazon Charts 本周排名#3

[查看所有格式和版本](#)

#1 NEW YORK TIMES BESTSELLER

From the bestselling author of *From Strength to Strength*, the definitive account of how the modern world makes meaning so hard to find—and a plan to discover your life's deepest purpose.

If you struggle to discern life's meaning, you're not alone. Millions today describe a growing sense of emptiness, a lack of purpose and significance. And there's a reason: Rapid cultural, economic, and technological changes have rewired our brains, reducing their ability to perceive depth and purpose.

In *The Meaning of Your Life*, social scientist and happiness expert Arthur C. Brooks shows you how to push back against these changes and find the meaning you need to live a happy, fulfilling life. Relying on cutting-edge science, he offers practical, evidence-based strategies for breaking free of the powerful trends and personal habits that dull your focus on the *why* of your life. Drawing on the great philosophers and the world's faith traditions, he shows how

Kindle电子书
CNY 109.13
 即可用

 有声书
CNY 0.00
 含会员试用

精装
CNY 147.42 起

平装
CNY 218.40 起

其他非全新品和个新品起价 **CNY 147.42** ▼

 配送到中国大陆

查看所有的购物选择

加入心愿单

```
import requests

url = "https://us.amazon.com/dp/0593545427/ref=books_amz-  
books_desktop_mfs_booknr_3?_encoding=UTF8&pd_rd_w=BOEt0&conten  
t-id=amzn1.sym.a4f5d040-e501-4731-8549-  
db31b3b4776c&pf_rd_p=a4f5d040-e501-4731-8549-  
db31b3b4776c&pf_rd_r=8X5KA9SFNSJVVYYYVDVQ&pd_rd_wg=hHlHG&p  
d_rd_r=62bdb287-7340-4d4e-9919-f6bd90fd395d"

try:
    r = requests.get(url)
    r.raise_for_status()
    r.encoding = r.apparent_encoding
    print(r.text)
except:
    print(r.status_code)  #500
    print("爬取失败! ")
    print(r.text)  #访问出现错误, 是通过API造成的, 不是网络连接错误
```

通过查看headers:

```
print(r.request.headers)
```

```
{'User-Agent': 'python-requests/2.33.1', 'Accept-Encoding': 'gzip, deflate', 'Accept': '*//*', 'Connection': 'keep-alive'}
```

网站发现了是python爬虫程序访问

可通过修改headers, 模拟浏览器访问

```
import requests
```

```
url = "https://us.amazon.com/dp/0593545427/ref=books_amz-  
books_desktop_mfs_booknr_3?_encoding=UTF8&pd_rd_w=BOEt0&content-  
id=amzn1.sym.a4f5d040-e501-4731-8549-db31b3b4776c&pf_rd_p=a4f5d040-e501-4731-  
8549-  
db31b3b4776c&pf_rd_r=8X5KA9SFNSJVYVYYVDVQ&pd_rd_wg=hHlHG&pd_rd_r=62bdb287-  
7340-4d4e-9919-f6bd90fd395d"
```

```
try:
```

```
    kv = {'user-agent': 'Mozilla/5.0'}    #键值对
```

```
    r = requests.get(url, headers = kv)    #修改headers,模拟浏览器访问
```

```
    r.raise_for_status()
```

```
    r.encoding = r.apparent_encoding
```

```
    print(r.status_code)
```

```
    print(r.text)
```

```
    print(r.request.headers)
```

```
except:
```

```
    print("爬取失败! ")
```


百度/360搜索关键词提交

搜索引擎关键词提交接口

百度的关键词接口:

<http://www.baidu.com/s?wd=keyword>

360的关键词接口:

<http://www.so.com/s?q=keyword>



```
import requests
keyword = "Python"
try:
    kv = {'wd':keyword}
    kw = {'User-Agent':'Mozilla/5.0 (Windows NT 10.0; WOW64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.87
Safari/537.36',
    "Accept":
"text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/a
png,*/*;q=0.8,application/signed-exchange;v=b3"}
    r = requests.get("http://www.baidu.com/s",params=kv,headers=kw)
    print(r.request.url)
    print(r.status_code)
    print(r.text)
except:
    print("爬取失败! ") #提交失败，要验证，需使用百度官方API
                        #访问百度智能云千帆平台获取API Key
```

360搜索可以获得搜索页面

```
import requests
keyword = "Python"
try:
    kv = {'q':keyword}
    r = requests.get("http://www.so.com/s",params=kv)
    print(r.request.url)  #https://www.so.com/s?q=Python
    print(r.status_code)
    print(r.text)
except:
    print("爬取失败! ")
```

网络图片的爬取和存储

<https://cng-media.oss-cn-beijing.aliyuncs.com/uploads/2025/09/68c3b36f29386.jpg>



```
import requests
path = "1.jpg" #保存图片文件路径
r = requests.get("https://cng-media.oss-cn-  
beijing.aliyuncs.com/uploads/2025/09/68c3b36f29386.jpg")
with open(path,'wb') as f:
    f.write(r.content)
    f.close()
```

```
import requests
import os
url = "https://cng-media.oss-cn-beijing.aliyuncs.com/uploads/2025/09/68c3b36f29386.jpg"
root = "D://pics//"    #存入目录下
path = root + url.split('/')[-1]  #保留原来文件名
try:
    if not os.path.exists(root):
        os.mkdir(root)
    if not os.path.exists(path):
        r = requests.get(url)
        with open(path,'wb') as f:
            f.write(r.content)
            f.close()
            print("文件保存成功")
    else:
        print("文件已存在")
except:
    print("爬取失败")
```

IP地址归属地的自动查询

<https://m.ip138.com/ip.html> 需要api

<https://ip-api.com> 无需api key, 50次/天



 查询网
IP138.com

iP查询

请输入IP地址或者域名



[转换IPv6地址](#)[IP反查网站](#)[旁站查询](#)[ip地址归属地api查询接口](#) ip-api[DOCUMENTATION](#)[SIGN UP](#)[CONTACT](#)

IP Geolocation API

Fast, accurate, reliable

Free for non-commercial use, no API key required

Easy to integrate, available in JSON, XML, CSV, Newline, PHP

Serving more than 1 billion requests per day, trusted by thousands of businesses

[API DOCUMENTATION](#)


```
import requests

def query_ip_public(ip_address):

    #使用 ip-api.com 的免费接口查询 IP 信息 ip-api.com 的 API 端点，请求 JSON 格式数据

    url = f'http://ip-api.com/json/{ip_address}'

    try:

        # 发送 GET 请求，设置超时时间为 5 秒

        response = requests.get(url, timeout=5)

        # 确保请求成功

        response.raise_for_status()

        # 解析返回的 JSON 数据

        data = response.json()

        # 检查 API 返回的状态

        if data.get('status') == 'success':

            # 提取并打印关键信息

            print(f"查询IP: {data.get('query')}")

            print(f"国家: {data.get('country')}")

            print(f"地区/省份: {data.get('regionName')}")

            print(f"城市: {data.get('city')}")

            print(f"ISP运营商: {data.get('isp')}")

            print(f"经纬度: ({data.get('lat')}, {data.get('lon')})")

        else:

            print(f"查询失败，原因: {data.get('message', '未知错误')}")
```

```
except requests.exceptions.RequestException as e:

    print(f"网络请求出错: {e}")

# 使用示例

query_ip_public('202.116.36.58')
```