

# Tutorial of NeuroRA Version 1.1.5

Updated by 2021-06-02

---

This tutorial of NeuroRA provides information on how to use the NeuroRA. It contains very detailed description of each function in NeuroRA.

Before you read it, you only need to spend a little time learning the basic Python syntax, and this toolkit is very easy to understand. Hope that NeuroRA can help you!

If there is anything wrong, difficult to understand or having any useful advice during reading it, you can contact me (zitonglu1996@gmail.com), and I will be happy and thankful to know about it.

Written by **Zitong Lu**

*Incoming PhD Student*

*Cognitive Neuroscience Program, Department of Psychology*

*The Ohio State University, Columbus, USA*

*Master Candidate*

*Institute of Cognitive Neuroscience, School of Psychology and Cognitive Science*

*East China Normal University, Shanghai, China*

*Research Assistant*

*Peng Cheng Laboratory, Shenzhen, China*

*Department of Psychology*

*Sun Yet-Sen University, Guangzhou, China*

*Memory and Emotion Lab [sysumelab.com](http://sysumelab.com)*

*Personal Website: <https://zitonglu1996.github.io>*

*GitHub Website: <https://github.com/ZitongLu1996>*

## **This tutorial consists of these parts:**

- 1 Introduction & Installation
- 2 Data Conversion
- 3 To calculate the neural pattern similarity (NPS)
- 4 To calculate the Spatiotemporal pattern similarity (STPS)
- 5 To calculate the Inter-Subject Correlation (ISC)
- 6 To calculate the Representational Dissimilarity Matrix (RDM)
- 7 To conduct Representational Similarity Analysis (RSA)
- 8 To conduct Classification-based EEG decoding
- 9 To conduct Statistical Analysis
- 10 To save Results as a NIfTI file (for fMRI)
- 11 To plot the results
- 12 Other functions
- 13 Demo based on NeuroRA

# Content

<i>Part 1: Introduction.....</i>	<i>- 3 -</i>
Overview .....	- 3 -
Installation .....	- 3 -
Required Dependencies .....	- 4 -
Paper.....	- 4 -
<i>Part 2: Data Conversion .....</i>	<i>- 5 -</i>
<i>Part 3: To calculate the Neural Pattern Similarity.....</i>	<i>- 7 -</i>
Module: <i>nps_cal.py</i> .....	- 7 -
<i>Part 4: To calculate the Spatiotemporal Pattern Similarity.....</i>	<i>- 9 -</i>
Module: <i>stps_cal.py</i> .....	- 9 -
<i>Part 5: To calculate the Inter-Subject Correlation.....</i>	<i>- 12 -</i>
Module: <i>isc_cal.py</i> .....	- 12 -
<i>Part 6: To calculate the Representation Dissimilarity Matrix .....</i>	<i>- 14 -</i>
Module: <i>rdm_cal.py</i> .....	- 14 -
<i>Part 7: To Conduct Representational Similarity Analysis.....</i>	<i>- 19 -</i>
Module: <i>rdm_corr.py</i> .....	- 19 -
Module: <i>corr_cal.py</i> .....	- 22 -
Module: <i>corr_cal_by_rdm.py</i> .....	- 27 -
<i>Part 8: To Conduct Classification-based EEG Decoding .....</i>	<i>- 30 -</i>
Module: <i>decoding.py</i> .....	- 30 -
<i>Part 9: To Conduct Statistical Analysis .....</i>	<i>- 37 -</i>
Module: <i>stats_cal.py</i> .....	- 37 -
<i>Part 10: To Save Results as a NIfTI file (for fMRI).....</i>	<i>- 42 -</i>
Module: <i>nii_save.py</i> .....	- 42 -
<i>Part 11: To Plot the Results .....</i>	<i>- 46 -</i>
Module: <i>rsa_plot.py</i> .....	- 46 -
<i>Part 12: Other Functions.....</i>	<i>- 61 -</i>
Module: <i>stuff.py</i> .....	- 61 -
<i>Part 13: Demo .....</i>	<i>- 71 -</i>

## Part 1: Introduction

**NeuroRA** is a Python toolbox for multimode neural data representational analysis.



### Overview

Representational Similarity Analysis (RSA) has become a popular and effective method to measure the representation of multivariable neural activity in different modes.

NeuroRA is a novel and easy-to-use toolbox based on Python, which can do some works about RSA among nearly all kinds of neural data, including behavioral, EEG, MEG, fNIRS, fMRI and some other neuroelectrophysiological data.

In addition, users can conduct Neural Pattern Similarity (NPS), Spatiotemporal Pattern Similarity (STPS), Inter-Subject Correlation (ISC) and Classification-based EEG Decoding on NeuroRA.

Using NeuroRA, you can realize multiple functions from analysis to statistics to drawing in just a few lines of code.

### Installation

- `"pip install neurora"`

## Required Dependencies

**Numpy:** A fundamental package for scientific computing.

**SciPy:** A package that provides many user-friendly and efficient numerical routines.

**Scikit-learn:** An open-source machine learning library.

**Matplotlib:** A Python 2D plotting library.

**NiBabel:** A package providing read +/- write access to some common medical and neuroimaging file formats.

**Nilearn:** A Python module for fast and easy statistical learning on NeuroImaging data.

**Scikit-image:** a collection of algorithms for image processing.

**MNE-Python:** A Python software for exploring, visualizing, and analyzing human neurophysiological data.

## Paper

Please cite the paper below while using NeuroRA:

Lu, Z., & Ku, Y. (2020) NeuroRA: A Python toolbox of representational analysis from multi-modal neural data. *Frontiers in Neuroinformatics*. 14:563669. doi: 10.3389/fninf.2020.563669

## Part 2: Data Conversion

### For EEG/MEG data

Users can use MATLAB toolbox such as EEGLab ([sccn.ucsd.edu/eeglab/](http://sccn.ucsd.edu/eeglab/)) to do preprocessing and obtain .mat files, then use SciPy ([www.scipy.org](http://www.scipy.org)) to load EEG data (.mat) as ndarray-type data. Sample codes:

```
>>> import scipy.io as sio
>>> data = sio.loadmat(filename)["data"]
```

Or users can use MNE ([mne-tools.github.io](http://mne-tools.github.io)) to do preprocessing and return ndarray-type data. Sample codes:

```
>>> # here epoch should be an Epoch object in MNE-Python
>>> data = epoch.get_data()
```

Also, users can use Neo (Garcia et al., 2014) ([neuralensemble.org/neo/](http://neuralensemble.org/neo/)) for EEG data to do preprocessing and return ndarray-type data. See more detail in Neo io module, and it provides many methods for reading different formats from different EEG acquisition systems.

### For fMRI data

We strongly recommend users to use Nibabel ([nipy.org/nibabel/](http://nipy.org/nibabel/)) to load fMRI data as ndarray-type data. Sample codes:

```
>>> import nibabel as nib
>>> data = nib.load(fmrifilename).get_fdata()
```

### For fNIRS data

For raw data from device, users can use Numpy ([www.numpy.org](http://www.numpy.org)) to load fNIRS data (.txt or .csv) as ndarray-type data. Sample codes:

```
>>> import numpy as np
>>> # load fNIRS data of .txt file as ndarray
>>> data = np.loadtxt(txtfilename)
>>> # load fNIRS data of .csv file as ndarray
>>> data = np.loadtxt(csvfilename, delimiter, usecols, unpack)
```

### For some other neuroelectrophysiological data

Users can use Brainstorm ([neuroimage.usc.edu/brainstorm/](http://neuroimage.usc.edu/brainstorm/)) to do preprocessing and obtain .mat files, then use SciPy to load ECoG data (.mat) as ndarray-type data.

Or users can use Neo ([neuralensemble.org/neo/](http://neuralensemble.org/neo/)) to do preprocessing and return ndarray-type data. See more detail in Neo io module, and it provides many methods for reading different formats from different neuroelectrophysiology acquisition systems.

Also, users can use pyABF ([github.com/sw Harden/pyABF](https://github.com/sw Harden/pyABF)) for Axon system, to load electrophysiology data (.abf) as ndarray-type data. Sample codes:

```
>>> import pyabf
>>> # the electrophysiology data file name with full address
>>> abf = pyabf.ABF("demo.abf")
>>> # access sweep data
>>> abf.setSweep(sweepNumber, channel)
>>> # get sweep data with sweepY
>>> data = abf.sweepY
```

## Notes

Two functions, *NumPy.reshape()* & *NumPy.transpose()*, are recommended for further data transformation.

## Part 3: To calculate the Neural Pattern Similarity

### Module: *nps\_cal.py*

- a module for calculating the neural pattern similarity based on neural data

'a function for calculating the neural pattern similarity for EEG-like data'

➤ **nps(data, time\_win=5, time\_step=5, sub\_opt=1)**

#### Parameters

data : array

The EEG-like neural data.

*The shape of data must be [2, n\_subs, n\_trials, n\_chls, n\_ts].*

*2 presents 2 different conditions. n\_subs, n\_trials, n\_chls & n\_ts represent the number of subjects, the number of trials, the number of channels & the number of time-points, respectively.*

time\_win : int. Default is 5.

Set a time-window for calculating the NPS for different time-points.

*If time\_win=5, that means each calculation process based on 5 time-points.*

time\_step : int. Default is 5.

The time step size for each time of calculating.

sub\_opt : int 0 or 1. Default is 1.

Calculate the NPS for each subject or not.

*If sub\_opt=0, calculate the NPS based on all data. If sub\_opt=1, calculate the NPS based on each subject's data*

#### Returns

nps : array

The EEG-like NPS.

*If sub\_opt=0, the shape of NPS is [n\_chls, int((n\_ts-time\_win)/time\_step)+1, 2]. If sub\_opt=1, the shape of NPS is [n\_subs, n\_chls, int((n\_ts-time\_win)/time\_step)+1, 2]. 2 representation a r-value and a p-value.*

'a function for calculating the neural pattern similarity for fMRI data (searchlight)'

➤ **nps\_fmri(fmri\_data, ksize=[3, 3, 3], strides=[1, 1, 1])**

#### Parameters

fmri\_data : array

The fmri data.



*The shape of fmri\_data must be [2, n\_subs, nx, ny, nz]. 2 presents 2 different conditions. nx, ny, nz represent the size of fMRI-img, respectively.*

ksize : array or list [kx, ky, kz]. Default is [3, 3, 3].  
The size of the calculation unit for searchlight.

*kx, ky, kz represent the number of voxels along the x, y, z axis.  
kx, ky, kz should be odd.*

strides : array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

### Returns

nps : array  
The fMRI NPS for searchlight.

*The shape of NPS is [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis. 2 represent a r-value and a p-value.*

### Notes

The size of the calculation units should at least be [3, 3, 3].

'a function for calculating the neural pattern similarity for fMRI data (for ROI)'

➤ **nps\_fmri\_roi(fmri\_data, mask\_data)**

### Parameters

fmri\_data : array  
The fmri data.

*The shape of fmri\_data must be [2, n\_subs, nx, ny, nz]. 2 presents 2 different conditions. n\_subs, nx, ny, nz represent the number of channels & the size of fMRI-img, respectively.*

mask\_data : array [nx, ny, nz].  
The mask data for region of interest (ROI)

*The size of the fMRI-img. nx, ny, nz represent the number of voxels along the x, y, z axis*

### Returns

subNPS : array  
The fMRI NPS for ROI.

*The shape of NPS is [n\_subs, 2]. n\_subs represents the number of subjects. 2 represents a r-value and a p-value.*

### Notes

The size of the calculation units should at least be [3, 3, 3].

## Part 4: To calculate the Spatiotemporal Pattern Similarity

### Module: *stps\_cal.py*

- a module for calculating the spatiotemporal pattern similarity based on neural data

'a function for calculating the spatiotemporal pattern similarities (STPS)'

➤ **stps(data, label\_item, label\_rf, time\_win=20, time\_step=1)**

#### Parameters

**data :** array  
The neural data.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts]. n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trials, the number of channels or regions and the number of time-points.*

**label\_item :** array or list.  
The label of trials.  
*The shape of label\_wibi must be [n\_trials]. n\_trials represents the number of trials.*

**label\_rf :** array or list.  
The label of trials: Remembered (o) or Forgot (1).  
*The shape of label\_rf must be [n\_trials]. n\_trials represents the number of trials. If the trial i is a remembered trial, label\_rf[i]=o. If the trial j is a forgot trial, label\_rf[j]=o.*

**time\_win :** int. Default is 20.  
Set a time-window for calculating the STPS for different time-points.  
*If time\_win=20, that means each calculation process based on 20 time-points.*

**time\_step :** int. Default is 1.  
The time step size for each time of calculating.

#### Returns

**stps :** array.  
The STPS.  
*The shape of stps is [n\_subs, 8, n\_chls, int((n\_ts-time\_win)/time\_step)+1]. 8 represents eight different conditions: 0: Within-Item, 1: Between-Item, 2: Remembered, 3: Forgot, 4: Within-Item&Remembered, 5: Within-Item&Forgot, 6: Between-Item&Remembered, 7: Between-Item&Forgot.*

'a function for calculating the spatiotemporal pattern similarities (STPS) for fMRI

(searchlight)'

➤ **stps\_fmri(fmri\_data, label\_item, label\_rf, ksize=[3, 3, 3], strides=[1, 1, 1])**

#### Parameters

fmri\_data : array

The fMRI data.

*The shape of fmri\_data must be [n\_subs, n\_trials, nx, ny, nz].*

*n\_subs, n\_trials, nx, ny, nz represent the number of subjects, the number of trials & the size of fMRI-img, respectively.*

label\_item : array or list.

The label of trials.

*The shape of label\_item must be [n\_trials]. n\_trials represents the number of trials.*

label\_rf : array or list.

The label of trials: Remembered (0) or Forgot (1).

*The shape of label\_rf must be [n\_trials]. n\_trials represents the number of trials. If the trial i is a remembered trial, label\_rf[i]=0. If the trial j is a forgot trial, label\_rf[j]=1.*

ksize : array or list [kx, ky, kz]. Default is [3, 3, 3].

The size of the calculation unit for searchlight

*kx, ky, kz represent the number of voxels along the x, y, z axis.*

*kx, ky, kz should be odd.*

strides : array or list [sx, sy, sz]. Default is [1, 1, 1].

The strides for calculating along the x, y, z axis.

#### Returns

stps : array.

The STPS.

*The shape of stps is [n\_subs, 8, n\_x, n\_y, n\_z]. 8 represents eight different conditions: 0: Within-Item, 1: Between-Item, 2: Remembered, 3: Forgot, 4: Within-Item&Remembered, 5: Within-Item&Forgot, 6: Between-Item&Remembered, 7: Between-Item&Forgot. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis.*

#### Notes

The size of the calculation units should at least be [3, 3, 3].

'a function for calculating the spatiotemporal pattern similarities (STPS) for fMRI (for ROI)'

➤ **stps\_fmri\_roi(fmri\_data, mask\_data, label\_item, label\_rf)**

#### Parameters

fmri\_data : array

The fmri data.

*The shape of fmri\_data must be [n\_subs, n\_trials, nx, ny, nz].*

*n\_subs, n\_trials, nx, ny, nz represent the number of subjects, the number of trials*

*& the size of fMRI-img, respectively.*

mask\_data : array [nx, ny, nz].

The mask data for region of interest (ROI).

*The size of the fMRI-img. nx, ny, nz represent the number of voxels along the x, y, z axis.*

label\_item : array or list.

The label of trials.

*The shape of label\_wibi must be [n\_trials]. n\_trials represents the number of trials.*

label\_rf : array or list.

The label of trials: Remembered (0) or Forgot (1).

*The shape of label\_rf must be [n\_trials]. n\_trials represents the number of trials. If the trial i is a remembered trial, label\_rf[i]=0. If the trial j is a forgot trial, label\_rf[j]=1.*

### **Returns**

stps : array.

The STPS.

*The shape of stps is [n\_subs, 8, n\_x, n\_y, n\_z]. 8 represents eight different conditions: 0: Within-Item, 1: Between-Item, 2: Remembered, 3: Forgot, 4: Within-Item&Remembered, 5: Within-Item&Forgot, 6: Between-Item&Remembered, 7: Between-Item&Forgot. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis.*

### **Notes**

The size of the calculation units should at least be [3, 3, 3].

## Part 5: To calculate the Inter-Subject Correlation

### Module: *isc\_cal.py*

- a module for calculating the inter-subject correlation based on neural data

'a function for calculating the inter subject correlation (ISC)'

➤ **isc(data, time\_win=5, time\_step=5)**

#### Parameters

data : array

The neural data.

*The shape of data must be [n\_subs, n\_chls, n\_ts]. n\_subs, n\_chls, n\_ts represent the number of subjects, the number of channels and the number of time-points.*

time\_win : int. Default is 5.

Set a time-window for calculating the STPS for different time-points.

*If time\_win=5, that means each calculation process based on 5 time-points.*

time\_step : int. Default is 5.

The time step size for each time of calculating.

#### Returns

isc : array

The ISC.

*The shape of isc is [n\_subs!/(2!\*(n\_subs-2)!), n\_chls, int((n\_ts-time\_win)/time\_step)+1, 2]. n\_subs, n\_chls, n\_ts represent the number of subjects, the number of channels and the number of time-points. 2 represents a r-value and a p-value.*

#### Notes

In ISC, correlation computing process will be done for each pair of subjects.

'a function for calculating the inter subject correlation (ISC) for fMRI (searchlight)'

➤ **isc\_fmri(fmri\_data, ksize=[3, 3, 3], strides=[1, 1, 1])**

#### Parameters

fmri\_data : array

The fmri data.

*The shape of fmri\_data must be [n\_ts, n\_subs, nx, ny, nz]. n\_ts,*

*nx, ny, nz represent the number of time-points, the number of subs & the size of fMRI-img, respectively.*

**ksize :** array or list [kx, ky, kz]. Default is [3, 3, 3].  
The size of the calculation unit for searchlight.  
*kx, ky, kz represent the number of voxels along the x, y, z axis.*

*kx, ky, kz should be odd.*

**strides :** array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

### Returns

**isc :** array  
The ISC.  
*The shape of isc is [n\_ts, n\_subs!/(2!\*(n\_subs-2)!), n\_x, n\_y, n\_z, 2]. n\_ts, n\_subs, n\_x, n\_y, n\_z represent the number of time-points, the number of subjects, the number of calculation units for searchlight along the x, y, z axis. 2 represent a r-value and a p-value.*

### Notes

The size of the calculation units should at least be [3, 3, 3].  
In ISC, correlation computing process will be done for each pair of subjects.

'a function for calculating the inter subject correlation (ISC) for fMRI (ROI)'

➤ **isc\_fmri\_roi(fmri\_data, mask\_data)**

### Parameters

**fmri\_data :** array  
The fmri data.  
*The shape of fmri\_data must be [n\_ts, n\_subs, nx, ny, nz]. n\_ts, nx, ny, nz represent the number of time-points, the number of subs & the size of fMRI-img, respectively.*

**mask\_data :** array [nx, ny, nz].  
The mask data for region of interest (ROI).  
*The size of the fMRI-img. nx, ny, nz represent the number of voxels along the x, y, z axis.*

### Returns

**isc :** array  
The ISC.  
*The shape of corrs is [n\_ts, n\_subs!/(2!\*(n\_subs-2)!), 2]. n\_ts, n\_subs represent the number of time-points, the number of subjects. 2 represent a r-value and a p-value.*

### Notes

In ISC, correlation computing process will be done for each pair of subjects.

## Part 6: To calculate the Representation Dissimilarity Matrix

### Module: *rdm\_cal.py*

- a module for calculating the RDM based on multimode neural data

'a function for calculating the RDM(s) based on behavioral data'

➤ **bhvRDM(bhv\_data, sub\_opt=1, method="correlation", abs=False)**

#### Parameters

bhv\_data : array

The behavioral data.

*The shape of bhv\_data must be [n\_cons, n\_subs, n\_trials].*

*n\_cons, n\_subs & n\_trials represent the number of conditions, the number of subjects & the number of trials, respectively.*

sub\_opt : int 0 or 1. Default is 1.

Return the results for each subject or after averaging.

*If sub\_opt=1, return the results of each subject. If sub\_opt=0, return the average result. method : string 'correlation' or 'euclidean' or 'mahalanobis'. Default is 'correlation'. The method to calculate the dissimilarities. If method='correlation', the dissimilarity is calculated by Pearson Correlation. If method='euclidean', the dissimilarity is calculated by Euclidean Distance, the results will be normalized. If method='mahalanobis', the dissimilarity is calculated by Mahalanobis Distance, the results will be normalized.*

abs : boolean True or False. Default is True.

Calculate the absolute value of Pearson r or not.

*Only works when method='correlation'.*

#### Returns

RDM(s) : array

The behavioral RDM.

*If sub\_opt=1, return n\_subs RDMs. The shape is [n\_subs, n\_cons, n\_cons]. If sub\_opt=0, return only one RDM. The shape is [n\_cons, n\_cons].*

#### Notes

This function can also be used to calculate the RDM for computational simulation data. For example, users can extract the activations for a certain layer *i* which includes *N<sub>n</sub>* nodes in a deep convolutional neural network (DCNN) corresponding to *N<sub>i</sub>* images. Thus, the input could be a [*N<sub>i</sub>*, 1, *N<sub>n</sub>*] matrix, *M*. Using "bhvRDM(*M*, sub\_opt=0)", users can obtain the DCNN RDM for layer *i*.

'a function for calculating the RDM(s) based on EEG/MEG/fNIRS & other EEG-like data'

➤ **eegRDM(EEG\_data, sub\_opt=1, chl\_opt=0, time\_opt=0, time\_win=5, time\_step=5, method="correlation", abs=False)**

### Parameters

**EEG\_data :** array  
The EEG/MEG/fNIRS data.  
*The shape of EEGdata must be [n\_cons, n\_subs, n\_trials, n\_chls, n\_ts]. n\_cons, n\_subs, n\_trials, n\_chls & n\_ts represent the number of conditions, the number of subjects, the number of trials, the number of channels & the number of time-points, respectively.*

**sub\_opt:** int 0 or 1. Default is 1.  
Return the subject-result or average-result.  
*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

**chl\_opt :** int 0 or 1. Default is 0.  
Calculate the RDM for each channel or not.  
*If chl\_opt=0, calculate the RDM based on all channels' data. If chl\_opt=1, calculate the RDMs based on each channel's data respectively.*

**time\_opt :** int 0 or 1. Default is 0.  
Calculate the RDM for each time-point or not.  
*If time\_opt=0, calculate the RDM based on whole time-points' data. If time\_opt=1, calculate the RDMs based on each time-points respectively.*

**time\_win :** int. Default is 5.  
Set a time-window for calculating the RDM for different time-points.  
*Only when time\_opt=1, time\_win works. If time\_win=5, that means each calculation process based on 5 time-points.*

**time\_step :** int. Default is 5.  
The time step size for each time of calculating.  
*Only when time\_opt=1, time\_step works.*

**method :** string 'correlation' or 'euclidean' or 'mahalanobis'. Default is 'correlation'.  
The method to calculate the dissimilarities.  
*If method='correlation', the dissimilarity is calculated by Pearson Correlation. If method='euclidean', the dissimilarity is calculated by Euclidean Distance, the results will be normalized. If method='mahalanobis', the dissimilarity is calculated by Mahalanobis Distance, the results will be normalized.*

**abs :** boolean True or False. Default is True.  
Calculate the absolute value of Pearson r or not.

### Returns



RDM(s) : array

The EEG/MEG/fNIR/other EEG-like RDM.

*If sub\_opt=0 & chl\_opt=0 & time\_opt=0, return only one RDM. The shape is [n\_cons, n\_cons]. If sub\_opt=0 & chl\_opt=0 & time\_opt=1, return  $\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1$  RDM. The shape is  $[\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1, n\_cons, n\_cons]$ . If sub\_opt=0 & chl\_opt=1 & time\_opt=0, return n\_chls RDM. The shape is [n\_chls, n\_cons, n\_cons]. If sub\_opt=0 & chl\_opt=1 & time\_opt=1, return  $n\_chls * (\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1)$  RDM. The shape is [n\_chls,  $\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1, n\_cons, n\_cons]$ . If sub\_opt=1 & chl\_opt=0 & time\_opt=0, return n\_subs RDM. The shape is [n\_subs, n\_cons, n\_cons]. If sub\_opt=1 & chl\_opt=0 & time\_opt=1, return  $n\_subs * (\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1)$  RDM. The shape is [n\_subs,  $\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1, n\_cons, n\_cons]$ . If sub\_opt=1 & chl\_opt=1 & time\_opt=0, return  $n\_subs * n\_chls$  RDM. The shape is [n\_subs, n\_chls, n\_cons, n\_cons]. If sub\_opt=1 & chl\_opt=1 & time\_opt=1, return  $n\_subs * n\_chls * (\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1)$  RDM. The shape is [n\_subs, n\_chls,  $\text{int}((n\_ts - \text{time\_win}) / \text{time\_step}) + 1, n\_cons, n\_cons]$ .*

### Notes

Sometimes, the numbers of trials under different conditions are not same. In NeuroRA, we recommend users to average the trials under a same condition firstly in this situation. Thus, the shape of input (EEG\_data) should be [n\_cons, n\_subs, 1, n\_chls, n\_ts].

'a function for calculating the RDMs based on fMRI data (searchlight)'

➤ **fmriRDM(fmri\_data, ksize=[3, 3, 3], strides=[1, 1, 1], sub\_opt=1, method="correlation", abs=False)**

### Parameters

fmri\_data : array

The fmri data.

*The shape of fmri\_data must be [n\_cons, n\_subs, nx, ny, nz]. n\_cons, nx, ny, nz represent the number of conditions, the number of subs & the size of fMRI-img, respectively.*

ksize : array or list [kx, ky, kz]. Default is [3, 3, 3].

The size of the calculation unit for searchlight.

*kx, ky, kz represent the number of voxels along the x, y, z axis.*

*kx, ky, kz should be odd.*

strides : array or list [sx, sy, sz]. Default is [1, 1, 1].

The strides for calculating along the x, y, z axis.

sub\_opt: int 0 or 1. Default is 1.

Return the subject-result or average-result.

*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

method : string 'correlation' or 'euclidean' or 'mahalanobis'. Default is 'correlation'.

The method to calculate the dissimilarities.

*If method='correlation', the dissimilarity is calculated by Pearson Correlation. If method='euclidean', the dissimilarity is calculated by Euclidean Distance, the results will be normalized. If method='mahalanobis', the dissimilarity is calculated by Mahalanobis Distance, the results will be normalized.*

abs : boolean True or False. Default is True.

Calculate the absolute value of Pearson r or not.

### Returns

RDM : array

The fMRI-Searchlight RDM.

*If sub\_opt=0, the shape of RDMs is [n\_x, n\_y, n\_z, n\_cons, n\_cons]. If sub\_opt=1, the shape of RDMs is [n\_subs, n\_x, n\_y, n\_cons, n\_cons] n\_subs, n\_x, n\_y, n\_z represent the number of subjects & the number of calculation units for searchlight along the x, y, z axis.*

'a function for calculating the RDM based on fMRI data of an ROI'

➤ **fmriRDM\_roi(fmri\_data, mask\_data, sub\_opt=1, method="correlation", abs=False)**

### Parameters

fmri\_data : array

The fmri data.

*The shape of fmri\_data must be [n\_cons, n\_subs, nx, ny, nz]. n\_cons, nx, ny, nz represent the number of conditions, the number of subs & the size of fMRI-img, respectively.*

mask\_data : array [nx, ny, nz].

The mask data for region of interest (ROI)

*The size of the fMRI-img. nx, ny, nz represent the number of voxels along the x, y, z axis.*

sub\_opt: int 0 or 1. Default is 1.

Return the subject-result or average-result.

*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

method : string 'correlation' or 'euclidean' or 'mahalanobis'. Default is 'correlation'.

The method to calculate the dissimilarities.

*If method='correlation', the dissimilarity is calculated by Pearson Correlation. If method='euclidean', the dissimilarity is calculated by Euclidean Distance, the results will be normalized. If method='mahalanobis', the dissimilarity is calculated by Mahalanobis Distance, the results will be normalized.*

abs : boolean True or False. Default is True.

Calculate the absolute value of Pearson r or not.

### Returns

RDM : array

The fMRI-ROI RDM.

*If sub\_opt=0, the shape of RDM is [n\_cons, n\_cons]. If sub\_opt=1, the shape of RDM is [n\_subs, n\_cons, n\_cons].*

### Notes

The sizes (nx, ny, nz) of fmri\_data and mask\_data should be same.

## Part 7: To Conduct Representational Similarity Analysis

### Module: *rdm\_corr.py*

- a module for calculating the Similarity/Correlation Coefficient between two RDMs

'a function for calculating the Spearman correlation coefficient between two RDMs'

➤ **rdm\_correlation\_spearman(RDM1, RDM2, rescale=False, permutation=False, iter=1000)**

#### Parameters

RDM1 : array [ncons, ncons]  
The RDM 1.

*The shape of RDM1 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

RDM2 : array [ncons, ncons].  
The RDM 2.

*The shape of RDM2 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

rescale : bool True or False. Default is False.  
Rescale the values in RDM or not.

*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.  
Conduct permutation test or not.

iter : int. Default is 1000.  
The times for iteration.

#### Returns

corr : array [r, p].  
The Spearman Correlation result.

*The shape of corr is [2], including a r-value and a p-value.*

'a function for calculating the Pearson correlation coefficient between two RDMs'

➤ **rdm\_correlation\_pearson(RDM1, RDM2, rescale=False, permutation=False, iter=1000)**

#### Parameters

RDM1 : array [ncons, ncons]

The RDM 1.

*The shape of RDM1 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

RDM2 : array [ncons, ncons].

The RDM 2.

*The shape of RDM2 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

rescale : bool True or False. Default is False.

Rescale the values in RDM or not.

*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.

Conduct permutation test or not.

iter : int. Default is 1000.

The times for iteration.

### Returns

corr : array [r, p].

The Pearson Correlation result.

*The shape of corr is [2], including a r-value and a p-value.*

'a function for calculating the Kendalls tau correlation coefficient between two RDMs'

➤ **rdm\_correlation\_kendall(RDM1, RDM2, rescale=False, permutation=False, iter=1000)**

### Parameters

RDM1 : array [ncons, ncons]

The RDM 1.

*The shape of RDM1 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

RDM2 : array [ncons, ncons].

The RDM 2.

*The shape of RDM2 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

rescale : bool True or False. Default is False.

Rescale the values in RDM or not.

*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.

Conduct permutation test or not.

iter : int. Default is 1000.

The times for iteration.

### Returns

corr : array [r, p].  
The Kendall tau Correlation result.  
*The shape of corr is [2], including a r-value and a p-value.*

'a function for calculating the Cosine Similarity between two RDMS'

➤ **rdm\_similarity(RDM1, RDM2, rescale=False)**

**Parameters**

RDM1 : array [ncons, ncons]  
The RDM 1.  
*The shape of RDM1 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

RDM2 : array [ncons, ncons].  
The RDM 2.  
*The shape of RDM2 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

rescale : bool True or False. Default is False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

**Returns**

corr : array [r, p].  
The Cosine Similarity result.  
*The shape of corr is [2], corr[0] is the Cosine Similarity result and corr[1] is o.*

'a fuction for calculating the Euclidean Distance between two RDMS'

➤ **rdm\_distance(RDM1, RDM2, rescale=False)**

**Parameters**

RDM1 : array [ncons, ncons]  
The RDM 1.  
*The shape of RDM1 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

RDM2 : array [ncons, ncons].  
The RDM 2.  
*The shape of RDM2 must be [n\_cons, n\_cons]. n\_cons represent the number of conditions.*

rescale : bool True or False. Default is False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

**Returns**

corr :                array [r, p].  
                       The Euclidean Distance result.  
                       *The shape of corr is [2], corr[0] is the Euclidean Distance result and corr[1] is 0.*

## Module: corr\_cal.py

- a module for calculating the similarity between two different modes' data

'a function for calculating the similarity between behavioral data and EEG-like data'

➤ **bhvANDeeg\_corr(bhv\_data, eeg\_data, sub\_opt=1, chl\_opt=0, time\_opt=0, time\_win=5, time\_step=5, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

bhv\_data :        array  
                       The behavioral data.  
                       *The shape of bhv\_data must be [n\_cons, n\_subs, n\_trials]. n\_cons, n\_subs & n\_trials represent the number of conditions, the number of subjects & the number of trials, respectively.*

eeg\_data :        array  
                       The EEG/MEG/fNIRS data.  
                       *The shape of EEGdata must be [n\_cons, n\_subs, n\_trials, n\_chls, n\_ts]. n\_cons, n\_subs, n\_trials, n\_chls & n\_ts represent the number of conditions, the number of subjects, the number of trials, the number of channels & the number of time-points, respectively.*

sub\_opt :         int 0 or 1. Default is 0.  
                       Calculate the RDM & similarities for each subject or not.  
                       *If sub\_opt=0, calculating based on all data. If sub\_opt=1, calculating based on each subject's data, respectively.*

chl\_opt :         int 0 or 1. Default is 0.  
                       Calculate the RDM & similarities for each channel or not.  
                       *If chl\_opt=0, calculating based on all channels' data. If chl\_opt=1, calculating based on each channel's data respectively.*

time\_opt :        int 0 or 1. Default is 0.  
                       Calculate the RDM & similarities for each time-point or not  
                       *If time\_opt=0, calculating based on whole time-points' data. If time\_opt=1, calculating based on each time-points respectively.*

time\_win :        int. Default is 5.

Set a time-window for calculating the RDM & similarities for different time-points.

*Only when time\_opt=1, time\_win works. If time\_win=5, that means each calculation process based on 5 time-points.*

time\_step : int. Default is 5.

The time step size for each time of calculating.

*Only when time\_opt=1, time\_step works.*

method : string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

rescale : bool True or False.

Rescale the values in RDM or not.

*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.

Use permutation test or not.

iter : int. Default is 5000.

The times for iteration.

## Returns

corrs : array

The similarities between behavioral data and EEG/MEG/fNIRS data.

*If sub\_opt=0 & chl\_opt=0 & time\_opt=0, return one corr result. The shape of corrs is [2], a r-value and a p-value. If method='similarity' or method='distance', the p-value is 0. If sub\_opt=0 & chl\_opt=0 & time\_opt=1, return int((n\_ts-time\_win)/time\_step)+1 corrs result. The shape of corrs is [int((n\_ts-time\_win)/time\_step)+1, 2]. 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=0 & chl\_opt=1 & time\_opt=0, return n\_chls corrs result. The shape of corrs is [n\_chls, 2]. 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=0 & chl\_opt=1 & time\_opt=1, return n\_chls\*(int((n\_ts-time\_win)/time\_step)+1) corrs result. The shape of corrs is [n\_chls, int((n\_ts-time\_win)/time\_step)+1, 2]. 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=1 & chl\_opt=0 & time\_opt=0, return n\_subs corr result. The shape of corrs is [n\_subs, 2], a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=1 & chl\_opt=0 & time\_opt=1, return n\_subs\*(int((n\_ts-time\_win)/time\_step)+1) corrs result. The shape of corrs is [n\_subs, int((n\_ts-time\_win)/time\_step)+1, 2]. 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=1 &*



*chl\_opt=1 & time\_opt=0, return  $n\_subs * n\_chls$  corrs result. The shape of corrs is  $[n\_subs, n\_chls, 2]$ . 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0. If sub\_opt=1 & chl\_opt=1 & time\_opt=1, return  $n\_subs * n\_chls * (int((n\_ts-time\_win)/time\_step)+1)$  corrs result. The shape of corrs is  $[n\_subs, n\_chls, int((n\_ts-time\_win)/time\_step)+1, 2]$ . 2 represents a r-value and a p-value. If method='similarity' or method='distance', the p-values are all 0.*

'a function for calculating the similarity between behavioral data and fMRI data (searchlight)'

➤ **bhvANDfmri\_corr(bhv\_data, fmri\_data, ksize=[3, 3, 3], strides=[1, 1, 1], sub\_opt=1, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

**bhv\_data :** array

The behavioral data.

*The shape of bhv\_data must be  $[n\_cons, n\_subs, n\_trials]$ .*

*$n\_cons$ ,  $n\_subs$  &  $n\_trials$  represent the number of conditions, the number of subjects & the number of trials, respectively.*

**fmri\_data :** array

The fmri data.

*The shape of fmri\_data must be  $[n\_cons, n\_subs, nx, ny, nz]$ .*

*$n\_cons$ ,  $nx$ ,  $ny$ ,  $nz$  represent the number of conditions, the number of subs & the size of fMRI-img, respectively. **ksize** : array or list  $[kx, ky, kz]$ . Default is  $[3, 3, 3]$ . The size of the calculation unit for searchlight.  $kx$ ,  $ky$ ,  $kz$  represent the number of voxels along the x, y, z axis.  $kx$ ,  $ky$ ,  $kz$  should be odd.*

**strides :** array or list  $[sx, sy, sz]$ . Default is  $[1, 1, 1]$ .

The strides for calculating along the x, y, z axis.

**sub\_opt:** int 0 or 1. Default is 1.

Return the subject-result or average-result.

*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

**method :** string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

**rescale :** bool True or False.

Rescale the values in RDM or not.

*Here, the maximum-minimum method is used to rescale the*

*values except for the values on the diagonal.*

permutation : bool True or False. Default is False.  
Use permutation test or not.  
iter : int. Default is 1000.  
The times for iteration.

### Returns

corrs : array  
The similarities between behavioral data and fMRI data for searchlight.

*If sub\_result=0, the shape of corrs is [n n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

'a function for calculating the similarity between behavioral data and fMRI data (searchlight)'

➤ **bhvANDfmri\_corr(bhv\_data, fmri\_data, ksize=[3, 3, 3], strides=[1, 1, 1], sub\_opt=1, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

bhv\_data : array  
The behavioral data.

*The shape of bhv\_data must be [n\_cons, n\_subs, n\_trials]. n\_cons, n\_subs & n\_trials represent the number of conditions, the number of subjects & the number of trials, respectively.*

fmri\_data : array  
The fmri data.

*The shape of fmri\_data must be [n\_cons, n\_subs, nx, ny, nz]. n\_cons, nx, ny, nz represent the number of conditions, the number of subs & the size of fMRI-img, respectively. ksize : array or list [kx, ky, kz]. Default is [3, 3, 3]. The size of the calculation unit for searchlight. kx, ky, kz represent the number of voxels along the x, y, z axis. kx, ky, kz should be odd.*

strides : array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

sub\_opt: int 0 or 1. Default is 1.  
Return the subject-result or average-result.

*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

method : string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall',*

*calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

rescale : bool True or False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.  
Use permutation test or not.

iter : int. Default is 1000.  
The times for iteration.

### Returns

corrs : array  
The similarities between behavioral data and fMRI data for searchlight.

*If sub\_result=0, the shape of corrs is [n n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

'a function for calculating the similarity EEG-like data and fMRI data (searchlight)'

➤ **eegANDfmri\_corr(eeg\_data, fmri\_data, chl\_opt=0, ksize=[3, 3, 3], stride=[1, 1, 1], sub\_opt=1, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

eeg\_data : array  
The EEG/MEG/fNIRS data.  
*The shape of EEGdata must be [n\_cons, n\_subs, n\_trials, n\_chls, n\_ts]. n\_cons, n\_subs, n\_trials, n\_chls & n\_ts represent the number of conditions, the number of subjects, the number of trials, the number of channels & the number of time-points, respectively.*

fmri\_data : array  
The fmri data.  
*The shape of fmri\_data must be [n\_cons, n\_subs, nx, ny, nz]. n\_cons, nx, ny, nz represent the number of conditions, the number of subs & the size of fMRI-img, respectively.*

chl\_opt : int 0 or 1. Default is 0.  
Calculate the RDM & similarities for each channel or not.  
*If chl\_opt=0, calculating based on all channels' data. If chl\_opt=1, calculating based on each channel's data respectively.*

ksize : array or list [kx, ky, kz]. Default is [3, 3, 3].  
The size of the calculation unit for searchlight.  
*kx, ky, kz represent the number of voxels along the x, y, z axis.*

*kx, ky, kz should be odd.*

strides : array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

sub\_opt: int 0 or 1. Default is 1.  
Return the subject-result or average-result.  
*If sub\_opt=0, return the average result. If sub\_opt=1, return the results of each subject.*

method : string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

rescale : bool True or False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

permutation : bool True or False. Default is False.  
Use permutation test or not.

iter : int. Default is 1000.  
The times for iteration.

## Returns

corrs : array  
The similarities between EEG/MEG/fNIRS data and fMRI data for searchlight.

*If chl\_opt=1 & sub\_result=1, the shape of corrs is [n\_subs, n\_chls, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value. If chl\_opt=1 & sub\_result=0, the shape of corrs is [n\_chls, n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value. If chl\_opt=0 & sub\_result=1, the shape of RDMs is [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value. If chl\_opt=0 & sub\_result=0, the shape of corrs is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

## Module: corr\_cal\_by\_rdm.py

- a module for calculating the Similarity/Correlation Coefficient between RDMs by different modes

'a function for calculating the similarity between RDMs based on RDMs of EEG-like data and a demo RDM'

➤ **rdms\_corr(demo\_rdm, eeg\_rdms, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

**demo\_rdm :** array [n\_cons, n\_cons]  
A demo RDM.

**eeg\_rdms :** array  
The EEG/MEG/fNIRS/ECOG/sEEG/electrophysiological RDM(s).

*The shape can be [n\_cons, n\_cons] or [n1, n\_cons, n\_cons] or [n1, n2, n\_cons, n\_cons] or [n1, n2, n3, n\_cons, n\_cons]. ni(i=1, 2, 3) can be int(n\_ts/timw\_win), n\_chls, n\_subs.*

**method :** string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

**rescale :** bool True or False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

**permutation :** bool True or False. Default is False.  
Use permutation test or not.

**iter :** int. Default is 1000.  
The times for iteration.

### Returns

**corrs :** array  
The similarities between EEG/MEG/fNIRS/ECOG/sEEG/electrophysiological RDMs and a demo RDM.

*If the shape of eeg\_rdms is [n\_cons, n\_cons], the shape of corrs will be [2]. If the shape of eeg\_rdms is [n1, n\_cons, n\_cons], the shape of corrs will be [n1, 2]. If the shape of eeg\_rdms is [n1, n2, n\_cons, n\_cons], the shape of corrs will be [n1, n2, 2]. If the shape of eeg\_rdms is [n1, n2, n3, n\_cons, n\_cons], the shape of corrs will be [n1, n2, n3, 2]. ni(i=1, 2, 3) can be int(n\_ts/timw\_win), n\_chls, n\_subs. 2 represents a r-value and a p-value.*

### Notes

The demo RDM could be a behavioral RDM, a hypothesis-based coding model RDM or a computational model RDM.

'a function for calculating the similarity between fMRI searchlight RDMs and a demo RDM'

➤ **fmrirdms\_corr(demo\_rdm, fmri\_rdms, method="spearman", rescale=False, permutation=False, iter=1000)**

### Parameters

**demo\_rdm :** array [n\_cons, n\_cons]  
A demo RDM.

**fmri\_rdms :** array  
The fMRI-Searchlight RDMs.  
*The shape of RDMs is [n\_x, n\_y, n\_z, n\_cons, n\_cons]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis.*

**method :** string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.  
*The method to calculate the similarities. If method='spearman', calculate the Spearman Correlations. If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

**rescale :** bool True or False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

**permutation :** bool True or False. Default is False.  
Use permutation test or not.

**iter :** int. Default is 1000.  
The times for iteration.

### Returns

**corrs :** array  
The similarities between fMRI searchlight RDMs and a demo RDM

*The shape of RDMs is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

### Notes

The demo RDM could be a behavioral RDM, a hypothesis-based coding model RDM or a computational model RDM.

## Part 8: To Conduct Classification-based EEG Decoding

### Module: *decoding.py*

- a module for classification-based neural decoding

'a function for time-by-time decoding for EEG-like data (cross validation)'

➤ **tbyt\_decoding\_kfold(data, labels, n=2, navg=5, time\_opt="average",  
time\_win=5, time\_step=5, nfolds=5, nrepeats=2, normalization=False,  
smooth=True)**

#### Parameters

**data :** array  
The neural data.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts].  
n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of  
trials, the number of channels and the number of time-points.*

**labels :** array  
The labels of each trial.  
*The shape of labels must be [n\_subs, n\_trials]. n\_subs and  
n\_trials represent the number of subjects and the number of trials.*

**n :** int. Default is 2.  
The number of categories for classification.

**navg :** int. Default is 5.  
The number of trials used to average.

**time\_opt :** string "average" or "features". Default is "average".  
Average the time-points or regard the time points as features  
for classification  
*If time\_opt="average", the time-points in a certain time-  
window will be averaged. If time\_opt="features", the time-points in a certain time-  
window will be used as features for classification.*

**time\_win :** int. Default is 5.  
Set a time-window for decoding for different time-points.  
*If time\_win=5, that means each decoding process based on 5  
time-points.*

**time\_step :** int. Default is 5.  
The time step size for each time of decoding.

**nfolds :** int. Default is 5.  
The number of folds.  
k should be at least 2.

**nrepeats :** int. Default is 2.

normalization : boolean True or False. Default is False.  
 The times for iteration.  
 smooth : boolean True or False. Default is True.  
 Smooth the decoding result or not.

### Returns

accuracies : array  
 The time-by-time decoding accuracies.  
*The shape of accuracies is [n\_subs, int((n\_ts-time\_win)/time\_step)+1].*

'a function for time-by-time decoding for EEG-like data (hold out)'

➤ **tbyt\_decoding\_holdout(data, labels, n=2, navg=5, time\_opt="average", time\_win=5, time\_step=5, iter=10, test\_size=0.3, normalization=False, smooth=True)**

### Parameters

data : array  
 The neural data.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts]. n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trails, the number of channels and the number of time-points.*

labels : array  
 The labels of each trial.  
*The shape of labels must be [n\_subs, n\_trials]. n\_subs and n\_trials represent the number of subjects and the number of trials.*

n : int. Default is 2.  
 The number of categories for classification.

navg : int. Default is 5.  
 The number of trials used to average.

time\_opt : string "average" or "features". Default is "average".  
 Average the time-points or regard the time points as features

for classification

*If time\_opt="average", the time-points in a certain time-window will be averaged. If time\_opt="features", the time-points in a certain time-window will be used as features for classification.*

time\_win : int. Default is 5.  
 Set a time-window for decoding for different time-points.  
*If time\_win=5, that means each decoding process based on 5 time-points.*

time\_step : int. Default is 5.  
 The time step size for each time of decoding.

iter : int. Default is 10.



test\_size :           The times for iteration.  
                       float. Default is 0.3.  
                       The proportion of the test set.  
                       *test\_size should be between 0.0 and 1.0.*  
 normalization :   boolean True or False. Default is False.  
                       The times for iteration.  
 smooth :            boolean True or False. Default is True.  
                       Smooth the decoding result or not.

### Returns

accuracies :        array  
                       The time-by-time decoding accuracies.  
                       *The shape of accuracies is [n\_subs, int((n\_ts-time\_win)/time\_step)+1].*

'a function for cross-temporal decoding for EEG-like data (cross validation)'

➤ **ct\_decoding\_kfold(data, labels, n=2, navg=5, time\_opt="average", time\_win=5, time\_step=5, nfolds=5, nrepeats=2, normalization=False, smooth=True)**

### Parameters

data :               array  
                       The neural data.  
                       *The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts].*  
*n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trails, the number of channels and the number of time-points.*

labels :            array  
                       The labels of each trial.  
                       *The shape of labels must be [n\_subs, n\_trials]. n\_subs and n\_trials represent the number of subjects and the number of trials.*

n :                   int. Default is 2.  
                       The number of categories for classification.

navg :               int. Default is 5.  
                       The number of trials used to average.

time\_opt :           string "average" or "features". Default is "average".  
                       Average the time-points or regard the time points as features

for classification

*If time\_opt="average", the time-points in a certain time-window will be averaged. If time\_opt="features", the time-points in a certain time-window will be used as features for classification.*

time\_win :           int. Default is 5.  
                       Set a time-window for decoding for different time-points.  
                       *If time\_win=5, that means each decoding process based on 5 time-points.*

time\_step : int. Default is 5.  
The time step size for each time of decoding.

nfolds : int. Default is 5.  
The number of folds.  
k should be at least 2.

nrepeats : int. Default is 2.  
The times for iteration.

normalization : boolean True or False. Default is False.  
The times for iteration.

smooth : boolean True or False. Default is True.  
Smooth the decoding result or not.

### Returns

accuracies : array  
The cross-temporal decoding accuracies.  
*The shape of accuracies is [n\_subs, int((n\_ts-time\_win)/time\_step)+1, int((n\_ts-time\_win)/time\_step)+1].*

'a function for cross-temporal decoding for EEG-like data (hold out)'

➤ **tbyt\_decoding\_holdout(data, labels, n=2, navg=5, time\_opt="average", time\_win=5, time\_step=5, iter=10, test\_size=0.3, normalization=False, smooth=True)**

### Parameters

data : array  
The neural data.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts]. n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trails, the number of channels and the number of time-points.*

labels : array  
The labels of each trial.  
*The shape of labels must be [n\_subs, n\_trials]. n\_subs and n\_trials represent the number of subjects and the number of trials.*

n : int. Default is 2.  
The number of categories for classification.

navg : int. Default is 5.  
The number of trials used to average.

time\_opt : string "average" or "features". Default is "average".  
Average the time-points or regard the time points as features

for classification

*If time\_opt="average", the time-points in a certain time-window will be averaged. If time\_opt="features", the time-points in a certain time-window will be used as features for classification.*

time\_win : int. Default is 5.

Set a time-window for decoding for different time-points.  
*If time\_win=5, that means each decoding process based on 5*

*time-points.*

time\_step : int. Default is 5.  
The time step size for each time of decoding.

iter : int. Default is 10.  
The times for iteration.

test\_size : float. Default is 0.3.  
The proportion of the test set.  
*test\_size should be between 0.0 and 1.0.*

normalization : boolean True or False. Default is False.  
The times for iteration.

smooth : boolean True or False. Default is True.  
Smooth the decoding result or not.

### Returns

accuracies : array  
The cross-temporal decoding accuracies.  
*The shape of accuracies is [n\_subs, int((n\_ts-time\_win)/time\_step)+1, int((n\_ts-time\_win)/time\_step)+1].*

'a function for unidirectional transfer decoding for EEG-like data'

➤ **unidirectional\_transfer\_decoding(data1, labels1, data2, labels2, n=2, navg=5, time\_opt="average", time\_win=5, time\_step=5, iter=10, normalization=False, smooth=True)**

### Parameters

data1 : array  
The neural data under condition1.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts]. n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trails, the number of channels and the number of time-points.*

labels1 : array  
The labels of each trial under condition1.  
*The shape of labels must be [n\_subs, n\_trials]. n\_subs and n\_trials represent the number of subjects and the number of trials.*

data2 : array  
The neural data under condition2.

labels2 : array  
The labels of each trial under condition2.

n : int. Default is 2.  
The number of categories for classification.

navg : int. Default is 5.  
The number of trials used to average.

time\_opt : string "average" or "features". Default is "average".  
Average the time-points or regard the time points as features for classification  
*If time\_opt="average", the time-points in a certain time-window will be averaged. If time\_opt="features", the time-points in a certain time-window will be used as features for classification.*

time\_win : int. Default is 5.  
Set a time-window for decoding for different time-points.  
*If time\_win=5, that means each decoding process based on 5 time-points.*

time\_step : int. Default is 5.  
The time step size for each time of decoding.

iter : int. Default is 10.  
The times for iteration.

normalization : boolean True or False. Default is False.  
The times for iteration.

smooth : boolean True or False. Default is True.  
Smooth the decoding result or not.

### Returns

accuracies : array  
The unidirectional transfer decoding accuracies.  
*The shape of accuracies is [n\_subs, int((n\_ts1-time\_win)/time\_step)+1, int((n\_ts2-time\_win)/time\_step)+1].*

'a function for bidirectional transfer decoding for EEG-like data'

➤ **bidirectional\_transfer\_decoding(data1, labels1, data2, labels2, n=2, navg=5, time\_opt="average", time\_win=5, time\_step=5, iter=10, normalization=False, smooth=True)**

### Parameters

data1 : array  
The neural data under condition1.  
*The shape of data must be [n\_subs, n\_trials, n\_chls, n\_ts]. n\_subs, n\_trials, n\_chls and n\_ts represent the number of subjects, the number of trails, the number of channels and the number of time-points.*

labels1 : array  
The labels of each trial under condition1.  
*The shape of labels must be [n\_subs, n\_trials]. n\_subs and n\_trials represent the number of subjects and the number of trials.*

data2 : array  
The neural data under condition2.

labels2 : array  
The labels of each trial under condition2.

**n :** int. Default is 2.  
 The number of categories for classification.

**navg :** int. Default is 5.  
 The number of trials used to average.

**time\_opt :** string "average" or "features". Default is "average".  
 Average the time-points or regard the time points as features for classification

*If time\_opt="average", the time-points in a certain time-window will be averaged. If time\_opt="features", the time-points in a certain time-window will be used as features for classification.*

**time\_win :** int. Default is 5.  
 Set a time-window for decoding for different time-points.

*If time\_win=5, that means each decoding process based on 5 time-points.*

**time\_step :** int. Default is 5.  
 The time step size for each time of decoding.

**iter :** int. Default is 10.  
 The times for iteration.

**normalization :** boolean True or False. Default is False.  
 The times for iteration.

**smooth :** boolean True or False. Default is True.  
 Smooth the decoding result or not.

### Returns

**Con1toCon2\_accuracies :** array  
 The 1 transfer to 2 decoding accuracies.  
 The shape of accuracies is  $[n\_subs, \text{int}((n\_ts1 - \text{time\_win})/\text{time\_step}) + 1, \text{int}((n\_ts2 - \text{time\_win})/\text{time\_step}) + 1]$ .

**Con2toCon1\_accuracies :** array  
 The 2 transfer to 1 decoding accuracies.  
 The shape of accuracies is  $[n\_subs, \text{int}((n\_ts2 - \text{time\_win})/\text{time\_step}) + 1, \text{int}((n\_ts1 - \text{time\_win})/\text{time\_step}) + 1]$ .

## Part 9: To Conduct Statistical Analysis

### Module: *stats\_cal.py*

- a module for conducting the statistical analysis

'a function for conducting the statistical analysis for results of EEG-like data'

➤ **stats(corr, fisherz=True, permutation=True, iter=1000)**

#### Parameters

**corr :** array  
The correlation coefficients.  
*The shape of corr must be [n\_subs, n\_chls, n\_ts, 2]. n\_subs, n\_chls, n\_ts represent the number of subjects, the number of channels and the number of time-points. 2 represents a r-value and a p-value.*

**fisherz :** bool True or False. Default is True.  
Conduct Fisher-Z transform.

**permutation :** bool True or False. Default is False.  
Use permutation test or not.

**iter :** int. Default is 1000.  
The times for iteration.

#### Returns

**stats :** array  
The statistical results.  
*The shape of stats is [n\_chls, n\_ts, 2]. n\_chls, n\_ts represent the number of channels and the number of time-points. 2 represents a t-value and a p-value.*

'a function for conducting the statistical analysis for results of fMRI data (searchlight)'

➤ **stats(corr, fisherz=True, permutation=True, iter=1000)**

#### Parameters

**corr :** array  
The correlation coefficients.  
*The shape of corr must be [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

**fisherz :** bool True or False. Default is True.  
Conduct Fisher-Z transform.

**permutation :** bool True or False. Default is False.

iter : Use permutation test or not.  
int. Default is 1000.  
The times for iteration.

### Returns

stats : array  
The statistical results.

*The shape of stats is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value.*

### Notes

n\_subs must >= 6.

This function can be used for the results of searchlight fMRI NPS and searchlight fMRI RDM-correlations.

'a function for conducting the statistical analysis for results of fMRI data (searchlight) within group'

➤ **stats\_fmri\_compare\_withingroup(corr1, corr2, fisherz=True, permutation=False, iter=1000)**

### Parameters

corr1 : array  
The correlation coefficients under condition 1.

*The shape of corrs must be [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

corr2 : array  
The correlation coefficients under condition 2.

*The shape of corrs must be [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

fisherz : bool True or False. Default is True.  
Conduct Fisher-Z transform.

permutation : bool True or False. Default is False.  
Use permutation test or not.

iter : int. Default is 1000.  
The times for iteration.

### Returns

stats : array  
The statistical results.

*The shape of stats is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value.*

### Notes

n\_subs must >= 6.

This function can be used for the results of searchlight fMRI NPS and searchlight fMRI RDM-correlations.

'a function for conducting the statistical analysis for results of fMRI data (searchlight) between two groups'

➤ **stats\_fmri\_compare\_betweengroups**(corrs1, corrs2, fisherz=True, permutation=False, iter=1000)

### Parameters

corrs1 : array

The correlation coefficients for group 1.

*The shape of corrs must be [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

corrs2 : array

The correlation coefficients for group 2.

*The shape of corrs must be [n\_subs, n\_x, n\_y, n\_z, 2]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

fisherz : bool True or False. Default is True.

Conduct Fisher-Z transform.

permutation : bool True or False. Default is False.

Use permutation test or not.

iter : int. Default is 1000.

The times for iteration.

### Returns

stats : array

The statistical results.

*The shape of stats is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value.*

### Notes

n\_subs must >= 6.

This function can be used for the results of searchlight fMRI NPS and searchlight fMRI RDM-correlations.

'a function for conducting the statistical analysis for results of fMRI data (ISC searchlight)'

➤ **stats\_iscfMRI**(corrs, fisherz=True, permutation=False, iter=1000)

### Parameters

corrs : array



The correlation coefficients.

*The shape of corrs must be [n\_ts, n\_subs!/(2!\*(n\_subs-2)!), n\_x, n\_y, n\_z, 2]. n\_ts, n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

fisherz : bool True or False. Default is True.  
Conduct Fisher-Z transform.  
permutation : bool True or False. Default is False.  
Use permutation test or not.  
iter : int. Default is 1000.  
The times for iteration.

### Returns

stats : array  
The statistical results.  
*The shape of stats is [n\_ts, n\_x, n\_y, n\_z, 2]. n\_ts, n\_x, n\_y, n\_z represent the number of time-points, the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value.*

### Notes

n\_subs must  $\geq 4$  ( $n\_subs!/(2!*(n\_subs-2)!) \geq 6$ ).

'a function for conducting the statistical analysis for results of EEG-like data (for STPS)'

➤ **stats\_stps(corrs1, corrs2, fisherz=True, permutation=False, iter=1000)**

### Parameters

corrs1 : array  
The correlation coefficients under condition1.  
*The shape of corrs1 must be [n\_subs, n\_chls, n\_ts]. n\_subs, n\_chls, n\_ts represent the number of subjects, the number of channels and the number of time-points.*

corrs2 : array  
The correlation coefficients under condition2.  
*The shape of corrs2 must be [n\_subs, n\_chls, n\_ts]. n\_subs, n\_chls, n\_ts represent the number of subjects, the number of channels and the number of time-points.*

fisherz : bool True or False. Default is True.  
Conduct Fisher-Z transform.  
permutation : bool True or False. Default is False.  
Use permutation test or not.  
iter : int. Default is 1000.  
The times for iteration.

### Returns

stats : array  
The statistical results.

*The shape of stats is [n\_chls, n\_ts, 2]. n\_chls, n\_ts represent the number of channels and the number of time-points. 2 represents a t-value and a p-value.*

### Notes

n\_subs must >= 6.

'a function for conducting the statistical analysis for results of fMRI data (STPS searchlight)'

➤ **stats\_stpsfmri**(corrs1, corrs2, fisherz=True, permutation=False, iter=1000)

### Parameters

corrs1 : array

The correlation coefficients under condition1.

*The shape of corrs1 must be [n\_subs, n\_x, n\_y, n\_z]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis.*

corrs2 : array

The correlation coefficients under condition2.

*The shape of corrs1 must be [n\_subs, n\_x, n\_y, n\_z]. n\_subs, n\_x, n\_y, n\_z represent the number of subjects, the number of calculation units for searchlight along the x, y, z axis.*

fisherz : bool True or False. Default is True.  
Conduct Fisher-Z transform.

permutation : bool True or False. Default is False.  
Use permutation test or not.

iter : int. Default is 1000.  
The times for iteration.

### Returns

stats : array

The statistical results.

*The shape of stats is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value.*

### Notes

n\_subs must >= 6.

## Part 10: To Save Results as a NIfTI file (for fMRI)

### Module: *nii\_save.py*

- a module for saving the RSA results in a .nii file for fMRI

'a function for saving the searchlight correlation coefficients as a NIfTI file for fMRI'

➤ `corr_save_nii(corr, affine, filename=None, corr_mask=get_HOcort(), size=[60, 60, 60], ksize=[3, 3, 3], strides=[1, 1, 1], p=1, r=0, correct_method=None, clusterp=0.05, smooth=True, plotrlt=True, img_background=None)`

#### Parameters

`corr` : array  
The similarities between behavioral data and fMRI data for searchlight.

*The shape of RDMS is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a r-value and a p-value.*

`affine` : array or list  
The position information of the fMRI-image array data in a reference space.

`filename` : string. Default is None - 'rsa\_result.nii'.  
The file path+filename for the result .nii file.  
*If the filename does not end in ".nii", it will be filled in automatically.*

`corr_mask` : string. Default is get\_HOcort().  
The filename of a mask data for correcting the RSA result.  
*It can just be one of your fMRI data files in your experiment for a mask file for ROI. If the corr\_mask is a filename of a ROI mask file, only the RSA results in ROI will be visible.*

`size` : array or list [nx, ny, nz]. Default is [60, 60, 60].  
The size of the fMRI-img in your experiments.

`ksize` : array or list [kx, ky, kz]. Default is [3, 3, 3].  
The size of the calculation unit for searchlight.  
kx, ky, kz represent the number of voxels along the x, y, z axis.

`strides` : array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

`p` : float. Default is 1.

The threshold of p-values.  
*Only the results those p-values are lower than this value will be visible.*

**r :** float. Default is 0.  
The threshold of r-values.  
*Only the results those r-values are higher than this value will be visible.*

**correct\_method :** None or string 'FWE' or 'FDR' or 'Cluster-FWE' or 'Cluster-FDR'. Default is None.

The method for correcting the RSA results.  
*If correct\_method='FWE', here the FWE-correction will be used. If correct\_method='FDR', here the FDR-correction will be used. If correct\_method='Cluster-FWE', here the Cluster-wise FWE-correction will be used. If correct\_method='Cluster-FDR', here the Cluster-wise FDR-correction will be used. If correct\_method=None, no correction. Only when  $p < 1$ , correct\_method works.*

**clusterp :** float. Default is 0.05.  
The threshold of p-value for cluster-wise correction.  
*Only when correct\_method='Cluster-FDR' or 'Cluster-FWE', clusterp works.*

**smooth :** bool True or False. Default is True.  
Smooth the RSA result or not.

**plotrlt :** bool True or False.  
Plot the RSA result automatically or not.

**img\_background :** None or string. Default if None.  
The filename of a background image that the RSA results will be plotted on the top of it.  
*If img\_background=None, the background will be ch2.nii.gz. Only when plotrlt=True, img\_background works.*

### Returns

**img :** array  
The array of the correlation coefficients map.  
*The shape is [nx, ny, nz]. nx, ny, nz represent the size of the fMRI-img.*

### Notes

A result .nii file of searchlight correlation coefficients will be generated at the corresponding address of filename.

'a function for saving the searchlight statistical results as a NIfTI file for fMRI'

➤ **stats\_save\_nii**(corrs, affine, filename=None, corr\_mask=get\_HOcorr(),  
size=[60, 60, 60], ksize=[3, 3, 3], strides=[1, 1, 1], p=0.05,

**correct\_method=None, clusterp=0.05, smooth=False, plotrlt=True,  
img\_background=None)**

### Parameters

**stats :** array  
The statistical results between behavioral data and fMRI data for searchlight.

*The shape of RDMS is [n\_x, n\_y, n\_z, 2]. n\_x, n\_y, n\_z represent the number of calculation units for searchlight along the x, y, z axis and 2 represents a t-value and a p-value. If the filename does not end in ".nii", it will be filled in automatically.*

**affine :** array or list  
The position information of the fMRI-image array data in a reference space.

**filename :** string. Default is None - 'rsa\_result.nii'.  
The file path+filename for the result .nii file.

**corr\_mask :** string  
The filename of a mask data for correcting the RSA result.  
*It can just be one of your fMRI data files in your experiment for a mask file for ROI. If the corr\_mask is a filename of a ROI mask file, only the RSA results in ROI will be visible.*

**size :** array or list [nx, ny, nz]. Default is [60, 60, 60].  
The size of the fMRI-img in your experiments.

**ksize :** array or list [kx, ky, kz]. Default is [3, 3, 3].  
The size of the calculation unit for searchlight.  
kx, ky, kz represent the number of voxels along the x, y, z axis.

**strides :** array or list [sx, sy, sz]. Default is [1, 1, 1].  
The strides for calculating along the x, y, z axis.

**p :** float. Default is 0.05.  
The threshold of p-values.

*Only the results those p-values are lower than this value will be visible.*

**correct\_method :** None or string 'FWE' or 'FDR' or 'Cluster-FWE' or 'Cluster-FDR'. Default is None.

The method for correcting the RSA results.

*If correct\_method='FWE', here the FWE-correction will be used. If correct\_methd='FDR', here the FDR-correction will be used. If correct\_method='Cluster-FWE', here the Cluster-wise FWE-correction will be used. If correct\_methd='Cluster-FDR', here the Cluster-wise FDR-correction will be used. If correct\_method=None, no correction. Only when  $p < 1$ , correct\_method works.*

**clusterp :** float. Default is 0.05.  
The threshold of p-value for cluster-wise correction.

*Only when correct\_method='Cluster-FDR' or 'Cluster-FWE', clusterp works.*

smooth : bool True or False. Default is False.  
Smooth the RSA result or not.  
plotrlt : bool True or False. Default is True.  
Plot the RSA result automatically or not.  
img\_background : None or string. Default if None.

*The filename of a background image that the RSA results will be plotted on the top of it. If img\_background=None, the background will be ch2.nii.gz. Only when plotrlt=True, img\_background works.*

### Returns

img : array  
The array of the statistical results t-values map.  
*The shape is [nx, ny, nz]. nx, ny, nz represent the size of the fMRI-img.*

### Notes

A result .nii file of searchlight correlation coefficients will be generated at the corresponding address of filename.

## Part 11: To Plot the Results

### Module: *rsa\_plot.py*

- a module for plotting the results

'a function for plotting the RDM'

➤ `plot_rdm(rdm, percentile=False, rescale=False, lim=[0, 1], conditions=None, con_fontsize=12, cmap=None)`

#### Parameters

`rdm` : array or list [`n_cons`, `n_cons`]  
A representational dissimilarity matrix.

`percentile` : bool True or False. Default is False.  
Rescale the values in RDM or not by displaying the percentile.


`rescale` : bool True or False. Default is False.  
Rescale the values in RDM or not.  
*Here, the maximum-minimum method is used to rescale the values except for the values on the diagonal.*

`lim` : array or list [`min`, `max`]. Default is [`0`, `1`].  
The corrs view lims.

`conditions` : string-array or string-list. Default is None.  
The labels of the conditions for plotting.  
*conditions should contain `n_cons` strings, If conditions=None, the labels of conditions will be invisible.*

`con_fontsize` : int or float. Default is 12.  
The fontsize of the labels of the conditions for plotting.

`cmap` : matplotlib colormap. Default is None.  
The colormap for RDM.  
If `cmap=None`, the colormap will be 'jet'.



'a function for plotting the RDM with values'

➤ **plot\_rdm(rdm, percentile=False, rescale=False, lim=[0, 1], conditions=None, con\_fontsize=12, cmap=None)**

### Parameters

**rdm :** array or list [n\_cons, n\_cons]  
A representational dissimilarity matrix.


**lim :** array or list [min, max]. Default is [0, 1].  
The corrs view lims.

**value\_fontsize :** int or float. Default is 10.  
The fontsize of the values on the RDM.

**conditions :** string-array or string-list or None. Default is None.  
The labels of the conditions for plotting.  
*conditions should contain n\_cons strings, If conditions=None, the labels of conditions will be invisible.*

**con\_fontsize :** int or float. Default is 12.  
The fontsize of the labels of the conditions for plotting.

**cmap :** matplotlib colormap or None. Default is None.  
The colormap for RDM.  
*If cmap=None, the colormap will be 'Greens'.*



'a function for plotting the correlation coefficients by time sequence'

➤ **plot\_corrs\_by\_time(corrs, labels=None, time\_unit=[0, 0.1])**

### Parameters

**corrs :** array  
The correlation coefficients time-by-time.  
*The shape of corrs must be [n, ts, 2] or [n, ts]. n represents the number of curves of the correlation coefficient by time sequence. ts represents the time-points. If shape of corrs is [n, ts, 2], each time-point of each correlation coefficient curve contains a r-value and a p-value. If shape is [n, ts], only r-values.*




label : string-array or string-list or None. Default is None.  
The label for each corrs curve.

*If label=None, no legend in the figure.*

time\_unit : array or list [start\_t, t\_step]. Default is [0, 0.1]

*The time information of corrs for plotting start\_t represents the start time and t\_step represents the time between two adjacent time-points. Default time\_unit=[0, 0.1], which means the start time of corrs is 0 sec and the time step is 0.1 sec.*



'a function for plotting the time-by-time Similarities with statistical results'

➤ **plot\_tbytsim\_withstats(similarities, start\_time=0, end\_time=1, time\_interval=0.01, smooth=True, p=0.05, cbpt=True, stats\_time=[0, 1], color='r', xlim=[0, 1], ylim=[-0.1, 0.8], figsize=[6.4, 3.6], xo=0, fontsize=16, avgshow=False)**

### Parameters

similarities : array  
The Similarities.

*The size of similarities should be [n\_subs, n\_ts] or [n\_subs, n\_ts, 2]. n\_subs, n\_ts represent the number of subjects and number of time-points. 2 represents the similarity and a p-value.*

start\_time : int or float. Default is 0.  
The start time.

end\_time : int or float. Default is 1.  
The end time.

time\_interval : float. Default is 0.01.  
The time interval between two time samples.

smooth : bool True or False. Default is True.  
Smooth the results or not.

**chance :** float. Default is 0.5.  
 The chance level.

**p :** float. Default is 0.05.  
 The threshold of p-values.

**cbpt :** bool True or False. Default is True.  
 Conduct cluster-based permutation test or not.

**stats\_time :** array or list [stats\_time1, stats\_time2]. Default os [0, 1].  
 Time period for statistical analysis.

**color :** matplotlib color or None. Default is 'r'.  
 The color for the curve.

**xlim :** array or list [xmin, xmax]. Default is [0, 1].  
 The x-axis (time) view lims.


**ylim :** array or list [ymin, ymax]. Default is [0.4, 0.8].  
 The y-axis (decoding accuracy) view lims.

**figsize :** array or list, [size\_X, size\_Y]. Default is [6.4, 3.6].  
 The size of the figure.

**xo :** float. Default is 0.  
 The Y-axis is at x=xo.

**fontsize :** int or float. Default is 16.  
 The fontsize of the labels.

**avgshow :** boolean True or False. Default is False.  
 Show the averaging decoding accuracies or not.



'a function for plotting the plotting the time-by-time decoding accuracies'

➤ **plot\_tbyt\_decoding\_acc**(acc, start\_time=0, end\_time=1,  
 time\_interval=0.01, chance=0.5, p=0.05, cbpt=True, stats\_time=[0, 1],  
 color='r', xlim=[0, 1], ylim=[0.4, 0.8], figsize=[6.4, 3.6], xo=0, fontsize=16,  
 avgshow=False)

### Parameters

acc : array  
 The decoding accuracies.  
*The size of acc should be [n\_subs, n\_ts]. n\_subs, n\_ts represent the number of subjects and number of time-points.*

start\_time : int or float. Default is 0.  
 The start time.

end\_time : int or float. Default is 1.  
 The end time.

time\_interval : float. Default is 0.01.  
 The time interval between two time samples.

chance : float. Default is 0.5.  
 The chance level.

p : float. Default is 0.05.  
 The threshold of p-values.

cbpt : bool True or False. Default is True.  
 Conduct cluster-based permutation test or not.

stats\_time : array or list [stats\_time1, stats\_time2]. Default os [0, 1].  
 Time period for statistical analysis.

color : matplotlib color or None. Default is 'r'.  
 The color for the curve.

xlim : array or list [xmin, xmax]. Default is [0, 1].  
 The x-axis (time) view lims.


ylim : array or list [ymin, ymax]. Default is [0.4, 0.8].  
 The y-axis (decoding accuracy) view lims.

figsize : array or list, [size\_X, size\_Y]. Default is [6.4, 3.6].  
 The size of the figure.

xo : float. Default is 0.  
 The Y-axis is at x=xo.

fontsize : int or float. Default is 16.  
 The fontsize of the labels.

avgshow : boolean True or False. Default is False.  
 Show the averaging decoding accuracies or not.



'a function for plotting the plotting the cross-temporal decoding accuracies'


➤ `plot_ct_decoding_acc(acc, start_timex=0, end_timex=1, start_timey=0, end_timey=1, time_intervalx=0.01, time_intervaly=0.01, chance=0.5, p=0.05, cbpt=True, stats_timex=[0, 1], stats_timey=[0, 1], xlim=[0, 1], ylim=[0, 1], clim=[0.4, 0.8], figsize=[6.4, 4.8], cmap="viridis", fontsize=16)`

### Parameters

<code>acc :</code>	array The decoding accuracies. <i>The size of acc should be [n_subs, n_ts]. n_subs, n_ts represent the number of subjects and number of time-points.</i>
<code>start_timex :</code>	int or float. Default is 0. The training start time.
<code>end_timex :</code>	int or float. Default is 1. The training end time.
<code>start_timey :</code>	int or float. Default is 0. The test start time.
<code>end_timey :</code>	int or float. Default is 1. The test end time.
<code>time_intervalx :</code>	float. Default is 0.01. The training time interval between two time samples.
<code>time_intervaly :</code>	float. Default is 0.01. The test time interval between two time samples.
<code>chance :</code>	float. Default is 0.5. The chance level.
<code>p :</code>	float. Default is 0.05. The threshold of p-values.
<code>cbpt :</code>	bool True or False. Default is True. Conduct cluster-based permutation test or not.
<code>stats_timex :</code>	array or list [stats_timex1, stats_timex2]. Default os [0, 1]. Trainning time period for statistical analysis.
<code>stats_timey :</code>	array or list [stats_timey1, stats_timey2]. Default os [0, 1]. Test time period for statistical analysis.
<code>xlim :</code>	array or list [xmin, xmax]. Default is [0, 1]. The x-axis (training time) view lims.
<code>ylim :</code>	array or list [ymin, ymax]. Default is [0, 1]. The y-axis (test time) view lims.
<code>clim :</code>	array or list [cmin, cmax]. Default is [0.4, 0.8]. The color-bar (decoding accuracy) view lims.
<code>figsize :</code>	array or list, [size_X, size_Y]. Default is [6.4, 3.6]. The size of the figure.

cmap : matplotlib colormap or None. Default is None.  
The colormap for the figure.

fontsize : int or float. Default is 16.  
The fontsize of the labels.



'a function for plotting the hotmap of correlations coefficients for channels/regions by time sequence'

➤ **plot\_corrs\_hotmap(corr, chllabel=None, time\_unit=[0, 0.1], lim=[0, 1], smooth=False, figsize=None, cmap=None)**

### Parameters

corr : array  
The correlation coefficients time-by-time.  
*The shape of corr must be [n\_chls, ts, 2] or [n\_chls, ts]. n\_chls represents the number of channels or regions. ts represents the number of time-points. If shape of corr is [n\_chls, ts, 2], each time-point of each channel/region contains a r-value and a p-value. If shape is [n\_chls, ts], only r-values.*

chllabel : string-array or string-list or None. Default is None.  
The label for channels/regions.  
*If label=None, the labels will be '1st', '2nd', '3th', '4th', ... automatically.*


time\_unit : array or list [start\_t, t\_step]. Default is [0, 0.1]  
The time information of corr for plotting  
*start\_t represents the start time and t\_step represents the time between two adjacent time-points. Default time\_unit=[0, 0.1], which means the start time of corr is 0 sec and the time step is 0.1 sec.*

lim : array or list [min, max]. Default is [0, 1].  
The corr view lims.

smooth : bool True or False. Default is False.  
Smooth the results or not.

figsize : array or list, [size\_X, size\_Y]  
The size of the figure.  
*If figsize=None, the size of the figure will be adjusted automatically.*

cmap : matplotlib colormap or None. Default is None.  
The colormap for the figure.  
*If cmap=None, the colormap will be 'inferno'.*



'a function for plotting the hotmap of correlations coefficients for channels/regions by time sequence with the significant outline'

➤ **plot\_corrs\_hotmap\_stats(corrs, stats, chllabels=None, time\_unit=[0, 0.1], lim=[0, 1], p\_threshold=0.05, time\_threshold=5, smooth=False, figsize=None, cmap=None)**

### Parameters

corrs : array  
The correlation coefficients time-by-time.  
*The shape of corrs must be [n\_chls, ts, 2] or [n\_chls, ts]. n\_chls represents the number of channels or regions. ts represents the number of time-points. If shape of corrs is [n\_chls, ts, 2], each time-point of each channel/region contains a r-value and a p-value. If shape is [n\_chls, ts], only r-values.*

stats : array  
The statistical results.  
*The shape of stats must be [n\_chls, ts, 2]. n\_chls represents the number of channels or regions. ts represents the number of time-points. 2 represents a t-value and a p-value.*

chllabel : string-array or string-list or None. Default is None.  
The label for channels/regions.  
*If label=None, the labels will be '1st', '2nd', '3th', '4th', ... automatically.*

time\_unit : array or list [start\_t, t\_step]. Default is [0, 0.1]  
The time information of corrs for plotting  
*start\_t represents the start time and t\_step represents the time between two adjacent time-points. Default time\_unit=[0, 0.1], which means the start time of corrs is 0 sec and the time step is 0.1 sec.*

lim : array or list [min, max]. Default is [0, 1].  
The corrs view lims.

p\_threshold: float. Default is 0.05.  
The p threshold for outline.

time\_threshold:int. Default is 5.  
The time threshold for outline.  
*If threshold=5, the time threshold is a window of 5 time-points for each channel/region.*

smooth : bool True or False. Default is False.  
Smooth the results or not.

figsize : array or list, [size\_X, size\_Y]  
The size of the figure.  
*If figsize=None, the size of the figure will be ajusted automatically.*

cmap : matplotlib colormap or None. Default is None.  
The colormap for the figure.  
*If cmap=None, the ccolormap will be 'inferno'.*

'a function for plotting the hotmap of neural pattern similarities for channels/regions by time sequence'

➤ **plot\_nps\_hotmap(similarities, chllabels=None, time\_unit=[0, 0.1], lim=[0, 1], abs=False, smooth=False, figsize=None, cmap=None)**

### Parameters

similarities : array  
The neural pattern similarities time-by-time.  
*The shape of similarities must be [n\_chls, ts]. n\_chls represents the number of channels or regions. ts represents the number of time-points.*

chllabel : string-array or string-list or None. Default is None.  
The label for channels/regions.  
*If label=None, the labels will be '1st', '2nd', '3th', '4th', ... automatically.*

time\_unit : array or list [start\_t, t\_step]. Default is [0, 0.1]

The time information of corrs for plotting  
*start\_t represents the start time and t\_step represents the time between two adjacent time-points. Default time\_unit=[0, 0.1], which means the start time of corrs is 0 sec and the time step is 0.1 sec.*

lim : array or list [min, max]. Default is [0, 1].

The corrs view lims.

abs : boolean True or False. Default is False.

Change the similarities into absolute values or not.

smooth : boolean True or False. Default is False.

Smooth the results or not.

figsize : array or list, [size\_X, size\_Y]


The size of the figure.

*If figsize=None, the size of the figure will be adjusted automatically.*

cmap : matplotlib colormap or None. Default is None.

The colormap for the figure.

*If cmap=None, the ccolormap will be 'viridis'.*



'a function for plotting the hotmap of statistical results for channels/regions by time sequence'

➤ **plot\_stats\_hotmap(stats, chllabels=None, time\_unit=[0, 0.1], lim=[-7, 7], smooth=False, figsize=None, cmap=None, outline=False, p\_threshold=0.05, time\_threshold=5)**

### Parameters

stats : array

The statistical results.

*The shape of stats must be [n\_chls, ts, 2]. n\_chls represents the number of channels or regions. ts represents the number of time-points. 2 represents a t-value and a p-value.*



chllabel : string-array or string-list or None. Default is None.  
The label for channels/regions.  
*If label=None, the labels will be '1st', '2nd', '3th', '4th', ... automatically.*

time\_unit : array or list [start\_t, t\_step]. Default is [0, 0.1]  
The time information of corrs for plotting  
*start\_t represents the start time and t\_step represents the time between two adjacent time-points. Default time\_unit=[0, 0.1], which means the start time of corrs is 0 sec and the time step is 0.1 sec.*

lim : array or list [min, max]. Default is [-7, -7].  
The corrs view lims.

smooth : boolean True or False. Default is False.  
Smooth the results or not.

figsize : array or list, [size\_X, size\_Y]  
The size of the figure.  
*If figsize=None, the size of the figure will be ajusted automatically.*

cmap : matplotlib colormap or None. Default is None.  
The colormap for the figure.  
*If cmap=None, the ccolormap will be 'bwr'.*

outline : bool True or False. Default is False.  
Outline the significant areas or not.

p\_threshold: float. Default is 0.05.  
The p threshold for outline.

time\_threshold:int. Default is 5.  
The time threshold for outline.  
*If threshold=5, the time threshold is a window of 5 time-points for each channel/region..*

'a function for plotting the RSA-result regions by 3 cuts (frontal, axial & lateral)'

➤ **plot\_brainrsa\_regions(img, threshold=None, background=get\_bg\_ch2(), type='r')**

#### Parameters


img : string  
The file path of the .nii file of the RSA results.

threshold : None or int. Default is None.  
The threshold of the number of voxels used in correction.  
*If threshold=n, only the similarity clusters consisting more than threshold voxels will be visible. If it is None, the threshold-correction will not work.*

background : Niimg-like object or string. Default is stuff.get\_bg\_ch2()  
The background image that the RSA results will be plotted

on top of.

type : string 'r' or 't'  
The type of result (r-values or t-values).



'a function for plotting the RSA-result by different cuts'

➤ `plot_brainrsa_montage(img, threshold=None, slice=[6, 6, 6],  
background=get_bg_ch2bet(), type='r')`

#### Parameters

img : string  
The file path of the .nii file of the RSA results.  
threshold : None or int. Default is None.  
The threshold of the number of voxels used in correction.


*If threshold=n, only the similarity clusters consisting more than threshold voxels will be visible. If it is None, the threshold-correction will not work.*

slice : array  
The point where the cut is performed.  
*If slice=[slice\_x, slice\_y, slice\_z], slice\_x, slice\_y, slice\_z represent the coordinates of each cut in the x, y, z direction. If slice=[[slice\_x1, slice\_x2], [slice\_y1, slice\_y2], [slice\_z1, slice\_z2]], slice\_x1 & slice\_x2 represent the coordinates of each cut in the x direction, slice\_y1 & slice\_y2 represent the coordinates of each cut in the y direction, slice\_z1 & slice\_z2 represent the coordinates of each cut in the z direction.*

background : Niimg-like object or string. Default is `stuff.get_bg_ch2bet()`  
The background image that the RSA results will be plotted

on top of.

type : string 'r' or 't'  
The type of result (r-values or t-values).



'a function for plotting the 2-D projection of the RSA-result'


➤ `plot_brainrsa_glass(img, threshold=None, slice=[6, 6, 6],  
background=get_bg_ch2bet(), type='r')`

### Parameters

`img` : string  
The file path of the .nii file of the RSA results.

`threshold` : None or int. Default is None.  
The threshold of the number of voxels used in correction.  
*If threshold=n, only the similarity clusters consisting more than threshold voxels will be visible. If it is None, the threshold-correction will not work.*

`type` : string 'r' or 't'  
The type of result (r-values or t-values).




'a function for plotting the RSA-result into a brain surface'

➤ **plot\_brainrsa\_surface(img, threshold=None, type='r')**

#### Parameters

- img : string  
The file path of the .nii file of the RSA results.
- threshold : None or int. Default is None.  
The threshold of the number of voxels used in correction.  
*If threshold=n, only the similarity clusters consisting more than threshold voxels will be visible. If it is None, the threshold-correction will not work.*
- type : string 'r' or 't'  
The type of result (r-values or t-values).



'a function for plotting the RSA-result by a set of images'

➤ **plot\_brainrsa\_rlts(img, threshold=None, slice=[6, 6, 6],  
background=None, type='r')**

#### Parameters

- img : string  
The file path of the .nii file of the RSA results.
- threshold : None or int. Default is None.  
The threshold of the number of voxels used in correction.

*If threshold=n, only the similarity clusters consisting more than threshold voxels will be visible. If it is None, the threshold-correction will not work.*

background : Niimg-like object or string. Default is None.  
The background image that the RSA results will be plotted  
on top of.  
type : string 'r' or 't'  
The type of result (r-values or t-values).

## Part 12: Other Functions

### Module: *stuff.py*

- a module for some simple but important processes

'a function for zeroing the value close to zero'

➤ **limtozero(x)**

#### Parameters

x : float

#### Returns

0

'a function for getting the affine of the fMRI-img'

➤ **get\_affine(file\_name)**

#### Parameters

file\_name : string  
The filename of a sample fMRI-img in your experiment.

#### Returns

affine : array  
The position information of the fMRI-image array data in a reference space.

'a function for FWE-correction for fMRI RSA results'

➤ **fwe\_correct(p, p\_threshold)**

#### Parameters

p : array  
The p-value map (3-D).  
p\_threshold: string  
The p threshold.

#### Returns

fwep : array.  
The FWE corrected p-value map.

'a function for FDR-correction for fMRI RSA results'

➤ **fdr\_correct(p, p\_threshold)**

### Parameters

**p :** array  
The p-value map (3-D).  
**p\_threshold:** string  
The p threshold.

### Returns

**fdrp :** array.  
The FDR corrected p-value map.

'a function for Cluster-wise FWE-correction for fMRI RSA results'

#### ➤ **cluster\_fwe\_correct(p, p\_threshold)**

### Parameters

**p :** array  
The p-value map (3-D).  
**p\_threshold1:** string  
The voxel-wise p threshold.  
**p\_threshold2:** string  
The cluster-wise p threshold.

### Returns

**clusterfwep :** array.  
The Cluster-wise FWE corrected p-value map.

'a function for Cluster-wise FDR-correction for fMRI RSA results'

#### ➤ **cluster\_fdr\_correct(p, p\_threshold)**

### Parameters

**p :** array  
The p-value map (3-D).  
**p\_threshold1:** string  
The voxel-wise p threshold.  
**p\_threshold2:** string  
The cluster-wise p threshold.

### Returns

**clusterfwep :** array.  
The Cluster-wise FDR corrected p-value map.

'a function for getting ch2.nii.gz'

#### ➤ **get\_bg\_ch2()**

### Returns

**path :** string  
The absolute file path of 'ch2.nii.gz'.

'a function for getting ch2bet.nii.gz'

➤ **get\_bg\_ch2bet()**

**Returns**

path : string.  
The absolute file path of 'ch2bet.nii.gz'.

'a function for getting HarvardOxford-cort-maxprob-thro-1mm.nii.gz'

➤ **get\_HOcort()**

**Returns**

path : string.  
The absolute file path of 'HarvardOxford-cort-maxprob-thro-1mm.nii.gz'.

'a function for filtering the data by a ROI mask'

➤ **datamask(fmri\_data, mask\_data)**

**Parameters**

fmri\_data : array  
The fMRI data.  
*The shape of fmri\_data is [nx, ny, nz]. nx, ny, nz represent the size of the fMRI data.*

mask\_data : array  
The mask data.  
*The shape of mask\_data is [nx, ny, nz]. nx, ny, nz represent the size of the fMRI data.*

**Returns**

newfmri\_data : array  
The new fMRI data.  
*The shape of newfmri\_data is [nx, ny, nz]. nx, ny, nz represent the size of the fMRI data.*

'a function for projecting the position of a point in matrix coordinate system to the position in MNI coordinate system'

➤ **position\_to\_mni(point, affine)**

**Parameters**

point : list or array  
The position in matrix coordinate system.  
affine : array or list



The position information of the fMRI-image array data in a reference space.

### Returns

newpoint : array  
The position in MNI coordinate system.

'a function for projecting the position in MNI coordinate system to the position of a point in matrix coordinate system'

### ➤ **mniposition\_to(mnipoint, affine)**

#### Parameters

point : list or array  
The position in MNI coordinate system.  
affine : array or list  
The position information of the fMRI-image array data in a reference space.

### Returns

newpoint : array  
The position in matrix coordinate system.

'a function for converting data of the mask template to your data template'

### ➤ **mask\_to(mask, size, affine, filename=None)**

#### Parameters

mask : string  
The file path+filename for the mask of certain template.  
size : array or list [nx, ny, nz]  
The size of the fMRI-img in your experiments.  
affine : array or list  
The position information of the fMRI-image array data in a reference space.  
filename : string. Default is None - 'newmask.nii'.  
The file path+filename for the mask for your data template .nii file.

### Notes

A result .nii file of new mask will be generated at the corresponding address of filename.

'a function for permutation test'

### ➤ **permutation\_test(v1, v2, iter=1000)**

#### Parameters

v1 : array

v2 : Vector 1.  
 array  
 Vector 2.  
 iter : int. Default is 1000.  
 The times for iteration.

### Returns

p : float  
 The permutation test result, p-value.

'a function for permutation test for correlation coefficients'

➤ **permutation\_corr(v1, v2, method="spearman", iter=1000)**

### Parameters

v1 : array  
 Vector 1.  
 v2 : array  
 Vector 2.  
 method : string 'spearman' or 'pearson' or 'kendall' or 'similarity' or 'distance'. Default is 'spearman'.

The method to calculate the similarities.

*If method='spearman', calculate the Spearman Correlations.*

*If method='pearson', calculate the Pearson Correlations. If method='kendall', calculate the Kendall tau Correlations. If method='similarity', calculate the Cosine Similarities. If method='distance', calculate the Euclidean Distances.*

iter : int. Default is 1000.  
 The times for iteration.

### Returns

p : float  
 The permutation test result, p-value.

'a function for getting the 1-D & 1-sided cluster-index information'

➤ **get\_cluster\_index\_1d\_1sided(m)**

### Parameters

m : array  
 A significant vector.

*The values in m should be 0 or 1, which represent not significant point or significant point, respectively.*

### Returns

index\_v : array  
 The cluster-index vector.  
 index\_n : int  
 The number of clusters.

'a function for getting the 1-D & 1-sided cluster-index information'

➤ **get\_cluster\_index\_1d\_2sided(m)**

**Parameters**

m : array

A significant vector.

The values in m should be 0 or 1 or -1, which represent not significant point or significantly higher point or significantly less point, respectively.

**Returns**

index\_v1 : array

The "greater" cluster-index vector.

index\_n1 : int

The number of "greater" clusters.

index\_v2 : array

The "less" cluster-index vector.

index\_n2 : int

The number of "less" clusters.

'a function for getting the 2-D & 1-sided cluster-index information'

➤ **get\_cluster\_index\_2d\_1sided(m)**

**Parameters**

m : array

A significant vector.

*The values in m should be 0 or 1, which represent not significant point or significant point, respectively.*

**Returns**

index\_v : array

The cluster-index vector.

index\_n : int

The number of clusters.

'a function for getting the 2-D & 2-sided cluster-index information'

➤ **get\_cluster\_index\_2d\_2sided(m)**

**Parameters**

m : array

A significant vector.

The values in m should be 0 or 1 or -1, which represent not significant point or significantly higher point or significantly less point, respectively.

### Returns

index\_v1 : array  
The "greater" cluster-index vector.

index\_n1 : int  
The number of "greater" clusters.

index\_v2 : array  
The "less" cluster-index vector.

index\_n2 : int  
The number of "less" clusters.

'a function for 1-sample & 1-sided cluster based permutation test for 1-D results'

➤ **clusterbased\_permutation\_1d\_1samp\_1sided(results, level=0,  
p\_threshold=0.05, iter=1000)**

### Parameters

results : array  
A result matrix.  
*The shape of results should be [n\_subs, x]. n\_subs represents the number of subjects.*

level : float. Default is 0.  
An expected value in null hypothesis. (Here, results > level)

p\_threshold : float. Default is 0.05.  
The threshold of p-values.

iter : int. Default is 1000.  
The times for iteration.

### Returns

ps : float  
The permutation test resultz, p-values.  
*The shape of ps is [x]. The values in ps should be 0 or 1, which represent not significant point or significant point after cluster-based permutation test, respectively.*

'a function for 1-sample & 2-sided cluster based permutation test for 1-D results'

➤ **clusterbased\_permutation\_1d\_1samp\_2sided(results, level=0,  
p\_threshold=0.05, iter=1000)**

### Parameters

results : array  
A result matrix.  
*The shape of results should be [n\_subs, x]. n\_subs represents the number of subjects.*

level : float. Default is 0.

An expected value in null hypothesis. (Here, results > level)  
 p\_threshold : float. Default is 0.05.  
 The threshold of p-values.  
 iter : int. Default is 1000.  
 The times for iteration.

### Returns

ps : float  
 The permutation test resultz, p-values.  
*The shape of ps is [x]. The values in ps should be 0 or 1 or -1, which represent not significant point or significant greater point or significant less point after cluster-based permutation test, respectively.*

'a function for 1-sample & 1-sided cluster based permutation test for 2-D results'

➤ **clusterbased\_permutation\_2d\_1samp\_1sided(results, level=0, p\_threshold=0.05, iter=1000)**

### Parameters

results : array  
 A result matrix.  
*The shape of results should be [n\_subs, x1, x2]. n\_subs represents the number of subjects.*  
 level : float. Default is 0.  
 An expected value in null hypothesis. (Here, results > level)  
 p\_threshold : float. Default is 0.05.  
 The threshold of p-values.  
 iter : int. Default is 1000.  
 The times for iteration.

### Returns

ps : float  
 The permutation test resultz, p-values.  
*The shape of ps is [x1, x2]. The values in ps should be 0 or 1, which represent not significant point or significant point after cluster-based permutation test, respectively.*

'a function for 1-sample & 2-sided cluster based permutation test for 2-D results'

➤ **clusterbased\_permutation\_2d\_1samp\_2sided(results, level=0, p\_threshold=0.05, iter=1000)**

### Parameters

results : array  
 A result matrix.  
*The shape of results should be [n\_subs, x1, x2]. n\_subs*

*represents the number of subjects.*

level : float. Default is 0.  
An expected value in null hypothesis. (Here, results > level)  
p\_threshold : float. Default is 0.05.  
The threshold of p-values.  
iter : int. Default is 1000.  
The times for iteration.

### Returns

ps : float  
The permutation test resultz, p-values.  
*The shape of ps is [x1, x2]. The values in ps should be 0 or 1 or -1, which represent not significant point or significant greater point or significant less point after cluster-based permutation test, respectively.*

'a function for 1-sided cluster based permutation test for 2-D results'

➤ **clusterbased\_permutation\_2d\_1sided(results1, result2, level=0,  
p\_threshold=0.05, iter=1000)**

### Parameters

results1 : array  
A result matrix under condition1.  
*The shape of results1 should be [n\_subs, x1, x2]. n\_subs represents the number of subjects.*

results2 : array  
A result matrix under condition2.  
*The shape of results2 should be [n\_subs, x1, x2]. n\_subs represents the number of subjects. (results1 > results2)*

p\_threshold : float. Default is 0.05.  
The threshold of p-values.  
iter : int. Default is 1000.  
The times for iteration.

### Returns

ps : float  
The permutation test resultz, p-values.  
*The shape of ps is [x1, x2]. The values in ps should be 0 or 1, which represent not significant point or significant point after cluster-based permutation test, respectively.*

'a function for 2-sided cluster based permutation test for 2-D results'

➤ **clusterbased\_permutation\_2d\_2sided(results1, result2, level=0,  
p\_threshold=0.05, iter=1000)**

## Parameters

- results1 :** array  
A result matrix under condition1.  
*The shape of results1 should be [n\_subs, x1, x2]. n\_subs represents the number of subjects.*
- results2 :** array  
A result matrix under condition2.  
*The shape of results2 should be [n\_subs, x1, x2]. n\_subs represents the number of subjects. (results1 > results2)*
- p\_threshold :** float. Default is 0.05.  
The threshold of p-values.
- iter :** int. Default is 1000.  
The times for iteration.

## Returns

- ps :** float  
The permutation test resultz, p-values.  
*The shape of ps is [x1, x2]. The values in ps should be 0 or 1 or -1, which represent not significant point or significant greater point or significantly less point after cluster-based permutation test, respectively.*

## Part 13: Demo

Currently, we provide three demos for showing how to use NeuroRA.

Demo1 is a demo based on the publicly available visual-92-categories-task MEG datasets. (Reference: *Cichy, R. M., Pantazis, D., & Oliva, A. "Resolving human object recognition in space and time." Nature neuroscience (2014): 17(3), 455-462.*)

Demo2 is a demo based on the publicly available Haxby fMRI datasets. (Reference: *Haxby, J. V. (2001). Distributed and Overlapping Representations of Faces and Objects in Ventral Temporal Cortex. Science, 293(5539), 2425-2430.*)

Demo3 is a demo for comparing classification-based EEG decoding and EEG RSA based on the data of Bae & Luck's work in 2018. (Reference: *Bae, G.Y., Luck, S.J. (2018). Dissociable decoding of spatial attention and working memory from eeg oscillations and sustained potentials. The Journal of Neuroscience, 38(2), 409-422.*)

Users can see more details here:

<https://github.com/zitonglu1996/NeuroRA/tree/master/demo>).

Both .py files and .ipynb files are provided.

Users can see more details below:

GitHub Website: <https://github.com/ZitongLu1996/NeuroRA>

NeuroRA Website: <https://ZitongLu1996.github.io/NeuroRA/>

Online Documentation: <https://neurora.github.io/documentation>

PyPi Website: <https://pypi.org/project/neurora/>

Paper: <https://doi.org/10.3389/fninf.2020.563669>