

## RE: Database with a View

```
create view Ac veCustomers as
select first_name, last_name
from sakila.customer
where ac ve = 1;
```

```
select * from Ac veCustomers;
```

```
create table MuppetStars2(
    muppet_id integer primary key auto_increment,
    muppet_name char(50) not null,
    muppet_season integer not null,
    muppet_performer char(50) not null,
    date_entered datetime default current_timestamp
);
```

```
insert into MuppetStars2(muppet_name, muppet_season, muppet_performer)
values
("Kermit", 1, "Jim Henson"),
("Miss Piggy", 1, "Frank Oz"),
("Fozzy Bear", 1, "Frank Oz");
```

```
select * from MuppetStars2;
```

```
drop table muppetstars;
drop table muppetstars1;
drop table muppetstars2;
drop view ac vecustomers;
```

```
select * from ActiveCustomers;
```

```
create table MuppetStars2(  
    muppet_id integer primary key auto_increment,  
    muppet_name char(50) not null,  
    muppet_season integer not null,  
    muppet_performer char(50) not null,  
    date_entered datetime default current_timestamp  
);
```

```
insert into MuppetStars2(muppet_name, muppet_season, muppet_performer)  
values  
("Kermit", 1, "Jim Henson"),  
("Miss Piggy", 1, "Frank Oz"),  
("Fozzy Bear", 1, "Frank Oz");
```

```
select * from MuppetStars2;
```