



Stage: SEVERE

Metadata Snapshot


Name: solomon
Age: 78
Gender: Female
Systolic (mmHg): 180
Diastolic (mmHg): 110
BMI: 30.8
Glucose: 376
HbA1c: 8.6
Cholesterol: 230
Smoking: Yes
Hypertension: Yes
Diabetes Duration: 16



Research Findings

- Research Notes
- UID: 0388b230
- Predicted stage: SEVERE
- Confidence: 83.6%

- Risk score: 95.42%
- Model stack & inference
 - - CNN ensemble: EfficientNet, ResNet50, ViT
 - - Metadata models: Random Forest, XGBoost, Stacked ensemble
 - - Fusion method: weighted averaging with risk calibration
 - - Inference device: CPU
- Explainability & lesion quantification:
 - - Microaneurysms: 14.99%
 - - Exudates: 1.44%
 - - Hemorrhages: 7.17%
 - - Cotton Wool: 0.00%
 - - Neovascularization: 7.99%
 - - Total Lesion Load: 23.61%
- SHAP / feature importance: check SHAP plots for systemic features (HbA1c, BMI, BP).
- Probability vectors:
 - - CNN: [0.01661859080195427, 0.009372644126415253, 0.012959725223481655, 0.9499325752258301, 0.011116418056190014]
 - - ML : [0.21136369507961952, 0.20268235745827803, 0.19376393050773666, 0.19047474400645248, 0.20171527294791336]
 - - Fused: [0.04583035825762507, 0.03836910264489016, 0.04008035760254893, 0.8360139336333661, 0.03970624786156982]
- Performance metrics:
 - - Accuracy: 0.947
 - - F1-score: 0.938
 - - AUC/ROC: 0.971
- Research recommendations:
 - 1. Validate lesion segmentation / cotton-wool detection against annotated masks (report dice/IoU).
 - 2. Add cotton-wool-spot specific augmentation and mask labels if false negatives observed.
 - 3. Measure GradCAM heatmap overlap (IoU) with human heatmaps for explainability calibration.
 - 4. Consider temporal models for progressive DR tracking and early-warning signals.



- F1-score: 0.938
- AUC/ROC: 0.971