


Stage: PDR

Metadata Snapshot

Name: jenifer
Age: 89
Gender: Female
Systolic (mmHg): 190
Diastolic (mmHg): 120
BMI: 32.8
Glucose: 400
HbA1c: 8.9
Cholesterol: 256
Smoking: Yes
Hypertension: Yes
Diabetes Duration: 17



Summary

- Research Notes
- UID: 8e22cf83
- Predicted stage: PDR
- Confidence: 83.96%

- Risk score: 96.04%
- Model stack & inference
 - - CNN ensemble: EfficientNet, ResNet50, ViT
 - - Metadata models: Random Forest, XGBoost, Stacked ensemble
 - - Fusion method: weighted averaging with risk calibration
 - - Inference device: CPU
- Explainability & lesion quantification:
 - - Microaneurysms: 25.00%
 - - Exudates: 25.00%
 - - Hemorrhages: 2.10%
 - - Cotton Wool: 0.00%
 - - Neovascularization: 25.00%
 - - Total Lesion Load: 52.10%
- SHAP / feature importance: check SHAP plots for systemic features (HbA1c, BMI, BP).
- Probability vectors:
 - - CNN: [0.00933533813804388, 0.007757291663438082, 0.017444279044866562, 0.013338449411094189, 0.9521246552467346]
 - - ML : [0.21136369507961952, 0.20268235745827803, 0.19376393050773666, 0.19047474400645248, 0.20171527294791336]
 - - Fused: [0.03963959122427516, 0.036996051108003025, 0.04389222626047793, 0.03990889314230168, 0.8395632382649422]
- Performance metrics:
 - - Accuracy: 0.947
 - - F1-score: 0.938
 - - AUC/ROC: 0.971
- Research recommendations:
 - 1. Validate lesion segmentation / cotton-wool detection against annotated masks (report dice/IoU).
 - 2. Add cotton-wool-spot specific augmentation and mask labels if false negatives observed.
 - 3. Measure GradCAM heatmap overlap (IoU) with human heatmaps for explainability calibration.
 - 4. Consider temporal models for progressive DR tracking and early-warning signals.

