

Ideation Phase

Brainstorm & Idea Prioritization

Date	01 October 2026
Team ID	SWTID-2026-7951
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

step-1: Team Gathering, Collaboration and Select the Problem Statement

Selected problem: Users must not be able to view records outside their authorized branch. For this scenario, EEE users should view EEE records, while administrators retain full access.

Step-2: Brainstorm, Idea Listing and Grouping

The following ideas are generated without initially filtering them, following the template's volume-first brainstorming approach.

Access Control Ideas

- Script-controlled ACL that compares the logged-in user's branch with the record's Branch field.
- Allow administrators to bypass the branch restriction.
- Use a reusable ACL script so the same logic can be applied consistently.

User & Role Ideas

- Define EEE users as branch-specific users.
- Use roles to distinguish ordinary users from administrators.
- Provide clear access-denied behaviour when a condition is not satisfied.

Security & Validation Ideas

- Check the Branch value at record access time.
- Prevent unauthorized record viewing even when the record identifier is known.
- Test access with EEE users, non-EEE users and administrators.

Usability & Maintenance Ideas

- Keep the access rule simple and readable.
- Document the rule and its intended branch behaviour.
- Make the rule easy to update if additional branches are introduced.

Step 3: Idea Prioritization:

Prioritization criteria: Importance to the security problem and feasibility of implementing the idea in the ACL scenario.

Idea	Importance	Feasibility	Priority Rationale
Script-controlled ACL comparing user branch with record Branch	High	High	Directly solves the stated record-level access problem.
Administrator full-access exception	High	High	Preserves legitimate administrative access while keeping restrictions for normal users.
Role + branch-based user identification	High	High	Provides the information required for the access decision.
Access-denied handling and testing	High	High	Confirms that unauthorized users cannot view restricted records.
Reusable/documented ACL logic	Medium	High	Improves consistency and future maintenance.
Additional UI/accessibility improvements	Medium	Medium	Useful, but secondary to enforcing the security rule.

Selected Concept:

Implement a script-controlled ACL that evaluates the logged-in user's branch against the record's Branch field. EEE users are permitted to view EEE records; users who do not meet the condition are denied access; administrators are granted full access.