

Skill: React

File Name: 11.ReactJS-HOL

Project Creation

```
MINGW64/c/Users/hp/eventexamplesapp
hpaGeethika MINGW64 ~
$ npx create-react-app eventexamplesapp
Creating a new React app in C:\Users\hp\eventexamplesapp.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1296 packages in 2m
272 packages are looking for funding
  run `npm fund` for details
initialized a git repository.
Installing template dependencies using npm...
added 17 packages, and removed 1 package in 8s
271 packages are looking for funding
  run `npm fund` for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 6s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created eventexamplesapp at C:\Users\hp\eventexamplesapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

MINGW64/c/Users/hp/eventexamplesapp
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 6s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created eventexamplesapp at C:\Users\hp\eventexamplesapp
Inside that directory, you can run several commands:


  npm start
    Starts the development server.
  npm run build
    Bundles the app into static files for production.
  npm test
    Starts the test runner.
  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:


  cd eventexamplesapp
  npm start

Happy hacking!
hpaGeethika MINGW64 ~
$ cd eventexamplesapp
hpaGeethika MINGW64 ~/eventexamplesapp (master)
$
```


Project Structure



Currency Converter Code



App.js




```
1 import React, { useState } from 'react';
2 import { CurrencyConverter } from './CurrencyConverter';
3
4 function App() { Show usages > Geethika *
5   const [counter, setCounter] = useState(initialState: 5);
6
7   // Helper method for Increment button
8   const sayHello = () => { Show usages new *
9     alert("Hello! Member1!");
10  };
11
12  // Button 1: Invokes multiple methods (Increments counter AND says Hello)
13  const handleIncrement = () => { Show usages new *
14    setCounter(value: (prev) => prev + 1);
15    sayHello();
16  };
17
18  // Button 2: Decrements counter
19  const handleDecrement = () => { Show usages new *
20    setCounter(value: (prev) => prev - 1);
21  };
22
23  // Button 3: Function taking argument "welcome"
24  const sayWelcome = (msg) => { Show usages new *
25    alert(msg);
26  };
27
28  // Button 4: Synthetic Event handler displaying "I was clicked"
29  const handleClick = (e) => { Show usages new *
30    alert("I was clicked");
31  };
32 }
```


Output Increment



Output Welcome



Output Clickme



Output Currency Conversion

← ↻ ⓘ localhost:3000

⌵ ☆ ☆ Not syncing ⓘ Update ... Chat ⌵

6

Increment

Decrement

Say welcome

Click on me

Currency Converter!!!

Amount: 80

Currency: Euro

Submit

localhost:3000 says

Converting to Euro Amount is 6400

OK