

Skill: React

File Name: 13.ReactJS-HOL

Project Creation

```
MINGW64/C:/Users/hp/bloggerapp
q@Geethika MINGW64 ~
$ npx create-react-app bloggerapp
Creating a new React app in C:\Users\hp\bloggerapp.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1296 packages in 2m
272 packages are looking for funding
  run `npm fund` for details
initialized a git repository.
Installing template dependencies using npm...
added 17 packages, and removed 1 package in 11s
271 packages are looking for funding
  run `npm fund` for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 3s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created bloggerapp at C:\Users\hp\bloggerapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

MINGW64/C:/Users/hp/bloggerapp
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 3s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created bloggerapp at C:\Users\hp\bloggerapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.


  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:


  cd bloggerapp
  npm start

Happy hacking!
q@Geethika MINGW64 ~
$ cd bloggerapp
q@Geethika MINGW64 ~/bloggerapp (master)
$
```


Project Structure



App.js code



Development Server Execution



Browser output verification

