

Skill: React

File Name: 2.ReactJS-HOL

React Application Initialization

```
MINGW64/c/Users/hp/studentapp
hp@Geethika MINGW64 ~
$ npx create-react-app studentapp
Creating a new React app in C:\Users\hp\studentapp.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1296 packages in 58s
272 packages are looking for funding
  run `npm fund` for details
initialized a git repository.
Installing template dependencies using npm...
added 17 packages, and removed 1 package in 4s
271 packages are looking for funding
  run `npm fund` for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 4s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created studentapp at C:\Users\hp\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

MINGW64/c/Users/hp/studentapp
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 4s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created studentapp at C:\Users\hp\studentapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.


  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:


  cd studentapp
  npm start

Happy hacking!
hp@Geethika MINGW64 ~
$ cd studentapp
hp@Geethika MINGW64 ~/studentapp (master)
$
```


Component Creation



App Component Integration



Local Server Execution



Browser Verification

