

Skill: React

File Name: 9.ReactJS-HOL

Project Creation

```
MINGW64/c/Users/hp/cricketapp
h@Geethika MINGW64 ~
$ npx create-react-app cricketapp
Creating a new React app in C:\Users\hp\cricketapp.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1296 packages in 1m
272 packages are looking for funding
  run `npm fund` for details
initialized a git repository.
Installing template dependencies using npm...
added 17 packages, and removed 1 package in 6s
271 packages are looking for funding
  run `npm fund` for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 5s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created cricketapp at C:\Users\hp\cricketapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

MINGW64/c/Users/hp/cricketapp
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 5s
271 packages are looking for funding
  run `npm fund` for details
28 vulnerabilities (9 low, 6 moderate, 13 high)
To address issues that do not require attention, run:
  npm audit fix
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.49.0 (install: (install scripts present))
npm warn allow-scripts   core-js-pure@3.49.0 (install: (install scripts present))
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Created git commit.
Success! Created cricketapp at C:\Users\hp\cricketapp
Inside that directory, you can run several commands:


  npm start
    Starts the development server.
  npm run build
    Bundles the app into static files for production.
  npm test
    Starts the test runner.
  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:


  cd cricketapp
  npm start

Happy hacking!
h@Geethika MINGW64 ~
$ cd cricketapp
h@Geethika MINGW64 ~/cricketapp (master)
$
```


Project Structure:



Listofplayers Code




Indianplayers code:



```
4 export function OddPlayers([first, , third, , fifth]) { no usages new *
12 }
13
14 // Destructuring even positions (2nd, 4th, 6th)
15 export function EvenPlayers([, second, , fourth, , sixth]) { no usages new *
16 return (
17   <div>
18     <li>Second : {second}</li>
19     <li>Fourth : {fourth}</li>
20     <li>Sixth : {sixth}</li>
21   </div>
22 );
23 }
24
25 // Merged ES6 Array
26 const T20Players = ['First Player', 'Second Player', 'Third Player'];
27 const RanjiTrophyPlayers = ['Fourth Player', 'Fifth Player', 'Sixth Player'];
28 export const IndianPlayers = [...T20Players, ...RanjiTrophyPlayers]; no usages new *
29
30 // Component to display merged Indian Players
31 export function ListofIndianPlayers({ IndianPlayers }) no usages new *
32 return (
33   <div>
34     {IndianPlayers.map((player, index) => (
35       <div key={index}>
36         <li>Mr. {player}</li>
37       </div>
38     ))}
39   </div>
40 );
41
```

App.JS code



```
5 function App() { Show usages Geethika *
28
29   <div>
30     <h1>List of Players</h1>
31     <ListofPlayers players={players} />
32     <hr />
33     <h1>List of Players having Scores Less than 70</h1>
34     <ScoreBelow70 players={players} />
35   </div>
36 );
37 } else {
38   return (
39     <div>
40       <h1>Indian Team</h1>
41       <h1>Odd Players</h1>
42       {OddPlayers(IndianTeam)}
43       <hr />
44       <h1>Even Players</h1>
45       {EvenPlayers(IndianTeam)}
46     </div>
47     <hr />
48     <div>
49       <h1>List of Indian Players Merged:</h1>
50       <ListofIndianPlayers IndianPlayers={IndianPlayers} />
51     </div>
52   );
53 }
54 }
55
56 export default App; Show usages Geethika
57
```

Output when flag=true

Project

cricketapp

node_modules

public

src

App.css

App.js

App.test.js

index.css

function App() {

const IndianTeam:string[] = ['Sachin1', 'Dhoni2', 'Virat3', 'Rohit4', 'Yuvraj5', 'Raina6'];

// TOGGLE THIS FLAG VALUE TO SWITCH OUTPUTS (true / false)

var flag:boolean = true;

if (flag === true) {

return (

<div>

<h1>List of Players</h1>

}

Terminal

Windows PowerShell

Install the latest powershell for new features and improvements: https://aka.ms/powershell

PS C:\Users\hp\cricketapp> npm start

> cricketapp@0.1.0 start

> react-scripts start

(node:18664) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead

(node:18664) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.

(node:18664) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.

Starting the development server...

Compiled successfully!

You can now view cricketapp in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.29.182:3000

Note that the development build is not optimized.

To create a production build, use npm run build.

webpack compiled successfully

localhost:3000

Not syncing

Update ...

Chat

List of Players

Mr. Jack 50

Mr. Michael 70

Mr. John 40

Mr. Ann 61

Mr. Elisabeth 61

Mr. Sachin 95

Mr. Dhoni 100

Mr. Virat 84

Mr. Jadeja 64

Mr. Raina 75

Mr. Rohit 80

List of Players having Scores Less than 70

Mr. Jack 50

Mr. Michael 70

Mr. John 40

Mr. Ann 61

Mr. Elisabeth 61

Mr. Jadeja 64

Output when flag=false

Project

cricketapp

node_modules

public

src

App.css

App.js

App.test.js

index.css

function App() {

const IndianTeam = ['Sachin1', 'Dhoni2', 'Virat3', 'Rohit4', 'Yuvaraj5', 'Raina6'];

// TOGGLE THIS FLAG VALUE TO SWITCH OUTPUTS (true / false)

var flag = false;

if (flag === true) {

return (

<div>

<h1>List of Players</h1>

webpack compiled successfully

PS C:\Users\hp\cricketapp> npm start

> cricketapp@0.1.0 start

> react-scripts start

(node:17406) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead

(node:17406) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.

(node:17406) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.

Starting the development server...

Compiled successfully!

You can now view cricketapp in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.29.182:3000

Note that the development build is not optimized.

To create a production build, use npm run build.

webpack compiled successfully

localhost:3000

Indian Team

Odd Players

First : Sachin1

Third : Virat3

Fifth : Yuvaraj5

Even Players

Second : Dhoni2

Fourth : Rohit4

Sixth : Raina6

List of Indian Players Merged:

Mr. First Player

Mr. Second Player

Mr. Third Player

Mr. Fourth Player

Mr. Fifth Player

Mr. Sixth Player