


#### Unit-5:

- 5.1 Data Warehouse Process Flow:
- 5.1.1 Extract and load the data, Cleaning and transforming the data.
- 5.1.2 Backup and archive the data, Query management and directing to data sources.
- 5.2 Data Warehouse Architecture and Models:
- 5.2.1 Business Analysis Framework
- 5.2.2 3-tier Architecture, Virtual Warehouse, Data Mart
- 5.2.3 Enterprise Warehouse
- 5.3 Load Manager, Warehouse Manager and Query Manager

## 5.1.1 Extract and load the data, Cleaning and transforming the data.



### **Extract and Load Process**

Data extraction takes data from the source systems. Data load takes the extracted data and loads it into the data warehouse.

Note – Before loading the data into the data warehouse, the information extracted from the external sources must be reconstructed.

## **Controlling the Process**

Controlling the process involves determining when to start data extraction and the consistency check on data. Controlling process ensures that the tools, the logic modules, and the programs are executed in correct sequence and at correct time.



#### When to Initiate Extract

Data needs to be in a consistent state when it is extracted, i.e., the data warehouse should represent a single, consistent version of the information to the user.

For example, in a customer profiling data warehouse in telecommunication sector, it is illogical to merge the list of customers at 8 pm on Wednesday from a customer database with the customer subscription events up to 8 pm on Tuesday. This would mean that we are finding the customers for whom there are no associated subscriptions.

# Loading the Data

After extracting the data, it is loaded into a temporary data store where it is cleaned up and made consistent.

Note – Consistency checks are executed only when all the data sources have been loaded into the temporary data store.

## **Clean and Transform Process**

Once the data is extracted and loaded into the temporary data store, it is time to perform Cleaning and Transforming. Here is the list of steps involved in Cleaning and Transforming –

Clean and transform the loaded data into a structure

Partition the data

Aggregation

## Clean and Transform the Loaded Data into a Structure

Cleaning and transforming the loaded data helps speed up the queries. It can be done by making the data consistent –

- within itself.
- > with other data within the same data source.
- > with the data in other source systems.
- with the existing data present in the warehouse.

Transforming involves converting the source data into a structure. Structuring the data increases the query performance and decreases the operational cost.



The data contained in a data warehouse must be transformed to support performance requirements and control the ongoing operational costs.

#### Partition the Data

It will optimize the hardware performance and simplify the management of data warehouse. Here we partition each fact table into multiple separate partitions.

# **Aggregation**

Aggregation is required to speed up common queries. Aggregation relies on the fact that most common queries will analyze a subset or an aggregation of the detailed data.

# Backup and archive the data, Query management and directing to data sources

In order to recover the data in the event of data loss, software failure, or hardware failure, it is necessary to keep regular back ups. Archiving involves removing the old data from the system in a format that allow it to be quickly restored whenever required.

For example, in a retail sales analysis data warehouse, it may be required to keep data for 3 years with the latest 6 months data being kept online. In such as scenario, there is often a requirement to be able to do month-on-month comparisons for this year and last year. In this case, we require some data to be restored from the archive.

# Query Management Process This process performs the following functions -

- > Manages the queries.
- ➤ Helps speed up the execution time of queris.
- > Directs the queries to their most effective data sources.
- Ensures that all the system sources are used in the most effective way.
- Monitors actual query profiles.

The information generated in this process is used by the warehouse management process to determine which aggregations to generate. This process does not generally operate during the regular load of information into data warehouse.

## **Business Analysis Framework**

The business analyst get the information from the data warehouses to measure the performance and make critical adjustments in order to win over other business holders in the market. Having a data warehouse offers the following advantages –



- Since a data warehouse can gather information quickly and efficiently, it can enhance business productivity.
- A data warehouse provides us a consistent view of customers and items, hence, it helps us manage customer relationship.
- A data warehouse also helps in bringing down the costs by tracking trends, patterns over a long period in a consistent and reliable manner.

To design an effective and efficient data warehouse, we need to understand and analyze the business needs and construct a **business analysis framework**. Each person has different views regarding the design of a data warehouse. These views are as follows –

- **The top-down view** This view allows the selection of relevant information needed for a data warehouse.
- **The data source view** This view presents the information being captured, stored, and managed by the operational system.
- **The data warehouse view** This view includes the fact tables and dimension tables. It represents the information stored inside the data warehouse.
- **The business query view** It is the view of the data from the viewpoint of the end-user.

## **Three-Tier Data Warehouse Architecture**

Generally a data warehouses adopts a three-tier architecture. Following are the three tiers of the data warehouse architecture.

**Bottom Tier** – The bottom tier of the architecture is the data warehouse database server. It is the relational database system. We use the back end tools and utilities to feed data into the bottom tier. These back end tools and utilities perform the Extract, Clean, Load, and refresh functions.


**Middle Tier** - In the middle tier, we have the OLAP Server that can be implemented in either of the following ways.

By Relational OLAP (ROLAP), which is an extended relational database management system. The ROLAP maps the operations on multidimensional data to standard relational operations.

By Multidimensional OLAP (MOLAP) model, which directly implements the multidimensional data and operations.

**Top-Tier** – This tier is the front-end client layer. This layer holds the query tools and reporting tools, analysis tools and data mining tools.

The following diagram depicts the three-tier architecture of data warehouse -



## **Data Warehouse Models**

From the perspective of data warehouse architecture, we have the following data warehouse models –

- Virtual Warehouse
- Data mart
- Enterprise Warehouse

#### **Virtual Warehouse**

The view over an operational data warehouse is known as a virtual warehouse. It is easy to build a virtual warehouse. Building a virtual warehouse requires excess capacity on operational database servers.

#### **Data Mart**

Data mart contains a subset of organization-wide data. This subset of data is valuable to specific groups of an organization.

In other words, we can claim that data marts contain data specific to a particular group. For example, the marketing data mart may contain data related to items, customers, and sales. Data marts are confined to subjects.

Points to remember about data marts -

- Window-based or Unix/Linux-based servers are used to implement data marts. They are implemented on low-cost servers.
- The implementation data mart cycles is measured in short periods of time, i.e., in weeks rather than months or years.
- The life cycle of a data mart may be complex in long run, if its planning and design are not organization-wide.



- Data marts are small in size.
- Data marts are customized by department.
- The source of a data mart is departmentally structured data warehouse.
- Data mart are flexible.

# **Enterprise Warehouse**

- An enterprise warehouse collects all the information and the subjects spanning an entire organization
- It provides us enterprise-wide data integration.
- The data is integrated from operational systems and external information providers.
- This information can vary from a few gigabytes to hundreds of gigabytes, terabytes or beyond.

# Load Manager


This component performs the operations required to extract and load process.

The size and complexity of the load manager varies between specific solutions from one data warehouse to other.

## **Load Manager Architecture**

The load manager performs the following functions -

- > Extract the data from source system.
- Fast Load the extracted data into temporary data store.
- > Perform simple transformations into structure similar to the one in the data warehouse.



## **Extract Data from Source**

> The data is extracted from the operational databases or the external information providers. Gateways is the application programs that are used to extract data. It is supported by



underlying DBMS and allows client program to generate SQL to be executed at a server. Open Database Connection(ODBC), Java Database Connection (JDBC), are examples of gateway.

## **Fast Load**

- In order to minimize the total load window the data need to be loaded into the warehouse in the fastest possible time.
- ➤ The transformations affects the speed of data processing.
- ➤ It is more effective to load the data into relational database prior to applying transformations and checks.
- ➤ Gateway technology proves to be not suitable, since they tend not be performant when large data volumes are involved.

## **Simple Transformations**

While loading it may be required to perform simple transformations. After this has been completed we are in position to do the complex checks. Suppose we are loading the EPOS sales transaction we need to perform the following checks:

- Strip out all the columns that are not required within the warehouse.
- Convert all the values to required data types.

## **Operations Performed by Warehouse Manager**

- A warehouse manager analyzes the data to perform consistency and referential integrity checks.
- Creates indexes, business views, partition views against the base data.
- Generates new aggregations and updates existing aggregations. Generates normalizations.
- Transforms and merges the source data into the published data warehouse.
- Backup the data in the data warehouse.
- Archives the data that has reached the end of its captured life.

Note – A warehouse Manager also analyzes query profiles to determine index and aggregations are appropriate.

Query Manager

Query manager is responsible for directing the queries to the suitable tables.

By directing the queries to appropriate tables, the speed of querying and response generation can be increased.


Query manager is responsible for scheduling the execution of the queries posed by the user.



# **Query Manager Architecture**

The following screenshot shows the architecture of a query manager. It includes the following:

- Query redirection via C tool or RDBMS
- > Stored procedures
- Query management tool
- Query scheduling via C tool or RDBMS
- Query scheduling via third-party software




## **Detailed Information**

Detailed information is not kept online, rather it is aggregated to the next level of detail and then archived to tape. The detailed information part of data warehouse keeps the detailed information in the star flake schema. Detailed information is loaded into the data warehouse to supplement the aggregated data.

The following diagram shows a pictorial impression of where detailed information is stored and how it is used.





Note – If detailed information is held offline to minimize disk storage, we should make sure that the data has been extracted, cleaned up, and transformed into star flake schema before it is archived.

# **Summary Information**

Summary Information is a part of data warehouse that stores predefined aggregations. These aggregations are generated by the warehouse manager. Summary Information must be treated as transient. It changes on-the-go in order to respond to the changing query profiles.

The points to note about summary information are as follows -

- Summary information speeds up the performance of common queries.
- It increases the operational cost.
- It needs to be updated whenever new data is loaded into the data warehouse.
- It may not have been backed up, since it can be generated fresh from the detailed information.