



1) Exploring UiPath Studio Interface.

Open UiPath Studio and explore the user interface. Take screenshots of each following panel.


➤ Ribbon




➤ Activities Panel



➤ Properties Panel







➤ Output Panel




2) Create a Basic Sequence Workflow


Create a simple sequence workflow that takes two numbers as input, adds them, and displays the result using a Message Box.











Output :




3) Automatic Recording (Web)


- Open a browser and link <https://rpachallenge.com/>.
- Fill the form manually and perform the recording steps.









The screenshot shows the UiPath Studio interface with the 'Main Sequence' workflow. The 'Type Into' activity is configured for the 'Last Name' field, with the text 'Ambawala' entered. The 'Type this' dropdown is set to 'Standard'. The 'Empty field before typing' dropdown is set to 'Single line [End, Shift+I]'. The 'Click before typing' dropdown is set to 'Single'. The 'Verify that Ambawala is typed' checkbox is checked. Below the 'Type Into' activity, the 'Type Into' activity is configured for the 'Phone Number' field, with the text '+91 63516 44181' entered. The 'Type this' dropdown is set to 'Standard'. The 'Empty field before typing' dropdown is set to 'Single line [End, Shift+I]'. The 'Click before typing' dropdown is set to 'Single'. The 'Verify that +91 63516 44181 is typed' checkbox is checked. The 'Properties' pane on the right shows the 'Common' tab with 'DisplayName' set to 'Main Sequence' and 'Misc' tab with 'Private' checked.



The screenshot shows the UiPath Studio interface with the 'Main Sequence' workflow. The 'Type Into' activity is configured for the 'Role in Company' field, with the text 'Front-end Developer' entered. The 'Type this' dropdown is set to 'Standard'. The 'Empty field before typing' dropdown is set to 'Single line [End, Shift+I]'. The 'Click before typing' dropdown is set to 'Single'. The 'Verify that Front-end Developer is typed' checkbox is checked. Below the 'Type Into' activity, the 'Click' activity is configured for the 'Submit' button. The 'Click' activity is set to 'Click' and the 'Click before typing' dropdown is set to 'Single'. The 'Properties' pane on the right shows the 'Common' tab with 'DisplayName' set to 'Main Sequence' and 'Misc' tab with 'Private' checked.





Output :






4) Automatic Recording (Desktop)

Use Recording to:


- Open Notepad.
- Type a short message










➤ Save the file to a location







5) Image and Text Automation

Upload an image and fetched text from the given image.







Output :



6) PDF Data Extraction



Use PDF Activities to extract text data from a student Fee receipt PDF and display the total amount in a Message Box.






7) Excel Automation


Read data from an Excel file (name, age) and write the result to the message box.





The screenshot shows the UiPath Studio interface with an Excel spreadsheet open. The spreadsheet has two columns: 'Name' and 'Age'. The data is as follows:

Name	Age
Jenil	23
Lara	28
Albert	22
Michael	30
Doug	22
Jessie	35
Stan	28
Michelle	18
Stacy	50




The screenshot shows the UiPath Studio interface with the Main Sequence workflow. The workflow includes a 'Read Range' activity with the following configuration:


- Range:** Excel.Sheet("Sheet1").Range("A1:B10")
- Has headers:** ☒
- Visible rows only:** ☒
- Save to:** ShowNameAge

The Properties window on the right shows the following details for the 'Read Range' activity:

- System.Activities.Statements.Sequence**
- Common:**
 - DisplayName: Main Sequence
- Misc:**
 - Private: ☐




Output :




8) Explore UiPath Orchestrator Interface

Login to UiPath Orchestrator (Cloud version).


➤ Dashboard



➤ Tenants




➤ Machines



The screenshot shows the UiPath Orchestrator interface for the 'Machines' section. The left sidebar contains a 'Tenant' menu with options like 'My Folders', 'My Workspace', 'DummyAutom', 'JournalAutomation', 'Shared', and 'TestAuto'. The main area has a top navigation bar with tabs for 'Monitoring', 'Queues', 'Assets', 'Business Rules', 'Storage Buckets', 'Indexes', 'MCP Servers', 'Testing', and 'Settings'. Below this, there's a 'Manage Access' section with a 'Machines' tab. A search bar and filters for 'Type', 'Machine Assignment', 'Labels', and 'Properties' are present. A table lists machines, with 'UnattendedRobot001' highlighted. A 'Manage Machines in Folder' button is visible. The URL at the bottom is: https://cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator_/folder/machines?tid=2222025&fid=7077248

Name	Description	Type	Machine Assignm...	Production (Unattended)
UnattendedRobot001		Template	Direct	1

➤ Robots



The screenshot shows the UiPath Orchestrator interface for the 'Robots' section. The left sidebar is the same as in the Machines page. The main area has a top navigation bar with tabs for 'Monitoring', 'Robots', 'Folders', 'Manage Access', 'Machines', 'Solutions', 'Packages', 'Audit', 'Credentials', and 'Webhooks'. Below this, there's a search bar and filters for 'Name', 'Account Type', 'Robot Type', and 'License Type'. A '+ Unattended setup' button is visible. A table lists robots, with 'Jenil Ambawala' and 'UnattendedRobot001' highlighted. The URL at the bottom is: cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator_/robots/configured?tid=2222025&fid=7077248&index=0&size=25&state=M4ewTgPg...

Name	Account Type	Robot Type	License Type	Domain\Username
Jenil Ambawala	Local user	Attended	Automation Dev...	N/A
UnattendedRobot001	Robot account	Unattended	N/A	DESKTOP-OJ201J8\jenil

➤ Jobs

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_/jobs?tid=2222025&fid=7077248&index=0&size=25&state=GYSwNgLpggTgzgHwMYyg...

UiPath Orchestrator

Tenant

My Folders

Search

My Workspace

DummyAutom

JournalAutomation

Shared

TestAuto

Home Automations Monitoring Queues Assets Business Rules Preview Storage Buckets Indexes MCP Servers

Processes **Jobs** Apps Triggers Logs

Search

Export Start



Process	Type	State	Started	Ended	Duration	Runtime type	
Journal.Q-9.Creat...	RPA (Attended)	Success	18 minute...	18 minute...	5.387s	Automation Developer	Assiste
Journal.Q-9.Creat...	RPA (Attended)	Success	22 minute...	22 minute...	24.926s	Automation Developer	Assiste
Journal.Q-9.Creat...	RPA (Unattended)	Pending				Production (Unattended)	Manua



1 - 3 / 3 Page 1 / 1 Items 25



9) Create and Schedule a Job

Publish a workflow from UiPath Studio to Orchestrator

Then create and schedule the job to run automatically at a specific time.







cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator_/folders?tid=2222025&fid=7077067

UiPath Orchestrator

Tenant < Monitoring Robots **Folders** Manage Access Machines Solutions Packages Audit Credentials Webhooks >

My Folders
Search

My Workspace
DummyAutom
JournalAutomation
Shared
TestAuto

Folders Personal Workspaces

Manage Folders

Search

DummyAutom
JournalAutomation
Shared
TestAuto

JournalAutomation

Manage Access Machines

Search

Assign account/group/external app

Name	Username	Type	
Jenil Ambawala	jenilambawala2...	Local user	Attende
UnattendedRobot001	unattendedrobo...	Robot account	Unatten

Page 1 / 1

1 - 2 / 2

Items 25

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator_/folders?tid=2222025&fid=7077067

UiPath Orchestrator

Tenant < Monitoring Robots **Folders** Manage Access Machines Solutions Packages Audit Credentials Webhooks >

My Folders
Search

My Workspace
DummyAutom
JournalAutomation
Shared
TestAuto

Folders Personal Workspaces

Manage Folders

Search

DummyAutom
JournalAutomation
Shared
TestAuto

JournalAutomation

Manage Access **Machines**

Search

Type: All

Machine Assignment: All Labels: All Properties: All

Manage Machines in Folder

Name	Description	Type	
UnattendedRobot001		Template	

Page 1 / 1

1 - 1 / 1

Items 25

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_processes/add?tid=2222025&fid=7077248

UiPath Orchestrator

JournalAutomation > Automations > Processes > Add process

1 Process Configuration 2 Package Requirements 3 Additional Settings

Package Overview

Package Source Name*

Journal.Q-9.Create.and.Schedule.a.Job (RPA)

Click to add file or drop package file here

Package Version*

1.0.1

Runtime Arguments

Entry point

Main.xaml

Argument: All

Name	Argument	Type	Value
Name	Input	String	"Jenil A..."

Cancel Next Create

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_processes?tid=2222025&fid=7077248&index=0&size=25&state=M4ewTgPgZgl...

UiPath Orchestrator

Tenant

My Folders

Search

My Workspace

DummyAutom

JournalAutomation

Shared

TestAuto

Home Automations Monitoring Queues Assets Business Rules Preview Storage Buckets Indexes MCP Servers

Processes Jobs Apps Triggers Logs

Search

Add process

Name	Type	Version	Job priority	Entry point	Description	Start a Job
Journal.Q-9.Create.and.Schedule...	RPA	1.0.1	Medium	Main.xaml	Question 9: Create and	

1 - 1 / 1 Page 1 / 1 Items 25

https://cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_processes/1600823/jobs/start?tid=2222025&fid=7077248

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_processes/1600823/jobs/start?tid=2222025&fid=7077248

UiPath Orchestrator

JournalAutomation > Automations > Processes > Start Job

Process*
Journal.Q-9.Create.and.Schedule.a.Job (RPA) +

Job priority*
Inherited

Runtime type*
Production (Unattended)
0 Runtimes Available, 0 Connected

Execution Target

Allocate dynamically

Execute the process 1 times

☒ Enable Healing Agent Limited
Enable the Healing Agent to provide recommendations and suggestions on how to fix UI automation issues on running jobs in the future. Option to self heal available.

☒ Enable Healing Agent self-healing
Enable the Healing Agent self-heal when issues are detected on running jobs.

☐ Schedule ending of job execution

Runtime Arguments

Entry point
Main.xml (Current)

Name	Type	Value
Name	String	"Jenil Amba..."

Cancel Start

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_processes/1600823/jobs/start?tid=2222025&fid=7077248

UiPath Orchestrator

Account
UnattendedRobot001 (DESKTOP-OJ201J8jenil) +
Clear selection to run on any account

Machine
UnattendedRobot001 +
Clear selection to run on any connected machine

Hostname
Any connected machine

☐ Keep Account/Machine allocation on job resumption

Cancel Start

cloud.uipath.com/jenilambawala/DefaultTenant/orchestrator/_jobs?tid=2222025&fid=7077248&index=0&size=25&state=GYSwNgLpggTgzgHw...

UiPath Orchestrator

Tenant

My Folders

Search

My Workspace

DummyAutom

JournalAutomation

Shared

TestAuto

Processes **Jobs** Apps Triggers Logs

Search

Export Start

Process	Type	State	Started	Ended	Duration	Runtime type
Journal.Q-9.Creat...	RPA (Unattended)	Pending				Production (Unattended)

1 - 1 / 1

Page 1 / 1

Items 25

Success! The job of Journal.Q-9.Create.and.Schedule.a.Job has been queued to start.

UiPath Assistant

Dashboard

Search

Recent

DummyAutomation
Last Run: about 2 hours ago

OrchestratorOne
Last Run: about 2 hours ago

Automations

DummyAutomation
Last Run: about 2 hours ago

Journal.Q-9.Create.and.Sche...
Never ran

OrchestratorOne
Last Run: about 2 hours ago

Run

UiPath Products

Clipboard AI


Studio Web

Task Capture


Favorites

Add your favorite automations here

Output :



The screenshot shows the UiPath Assistant interface. On the left, the 'Dashboard' lists running and recent jobs. The main area displays the 'Journal.Q-9.Create.and.Schedule.a.Job' job, which is currently 'Running' and started 'less than 5 seconds ago'. A 'Message Box' dialog is overlaid on the job details, displaying the text 'My Name is Jenil Ambawala' with an 'OK' button. A notification at the bottom states: 'Jobs older than 7 days will be cleared automatically.'




The screenshot shows the UiPath Orchestrator interface. The left sidebar shows the 'Tenant' view with folders like 'My Workspace', 'DummyAutom', 'JournalAutomation', 'Shared', and 'TestAuto'. The main area is under the 'Automations' tab, specifically the 'Jobs' sub-tab. It displays a table of jobs with columns: Process, Type, State, Started, Ended, Duration, Runtime type, and a refresh icon. The table shows two jobs for 'Journal.Q-9.Creat...': one in 'Success' state and one in 'Pending' state. Navigation controls at the bottom show '1 - 2 / 2' items, 'Page 1 / 1', and a total of '25' items.


Process	Type	State	Started	Ended	Duration	Runtime type
Journal.Q-9.Creat...	RPA (Attended)	Success	32 second...	7 seconds ...	24.926s	Automation Developer
Journal.Q-9.Creat...	RPA (Unattended)	Pending				Production (Unattended)


10) PDF RANGE

Input a PDF file and get a PDF range from user to split a pdf and split the pdf.





Output :








11) Keyboard Events

Perform a keyboard events like Ctrl+A , Ctrl+C , Ctrl+V from any web page and display it to the message box.







Output :

