# Documentation for the downloaded zipfile

## Download details

## Download command (JSON)

JSON command sent from front-end to backend to generate the download. This can be reused programmatically as a POST command:

```
{"NAN": false, "NAN2": false, "cif_info": false, "file_url":
"", "map_info": false, "mtz_info": false, "pdb_info": false,
"proteins": "Mac1-DLS-EU0034_0A:EN300-321461,Mac1-DLS-EU0046_0A:EN300-43406,Mac1-DLS-EU0046
```

## Directory structure

A fragalysis download will contain 2-3 folders and some additional files at the top level directory.

At the top level there are 2 files. metadata.csv and smiles.smi. These are both plain-text files. metadata.csv will contain information about the context of each ligand and may provide a convenient way to browse through smiles, site labels and PDB codes for each ligand. smiles.smi contains a list of all smiles strings that you have downloaded separated by commans.

[TARGETNAME]\_combined.sdf may also be present which will contain all the ligand sdf files in a single sdf file.

## Aligned directory

The aligned directory contains a subdirectory for each ligand that was selected for downloading.

## Contents of aligned ligand subdirectory

Depending on your selection of options when downloading the data the follow file suffixes may be present

- [ligand name] apo.pdb protein model without ligand bound
- [ligand name] bound.pdb protein model with ligand bound
- [ligand\_name]\_event.(map/ccp4) Event Electron density cut to around 12 Angstrom around the ligand. This has a higher signal-to-noise ratio which will amplify the evidence of ligand occupancy
- [ligand\_name]\_2fofc.(map/ccp4) estimate of the true electron density from diffraction data and atomic model. Cut to around 12 Angstrom around the ligand.

- [ligand\_name]\_fofc.(map/ccp4) difference electron density map, negative density typically represents where no electron density is found but exists in the atom model. Positive densities represent electron density without mapped atom model. Cut to around 12 Angstrom around the ligand.
- [ligand\_name].sdf The Ligand molecule in sdf format
- [ligand\_name]\_transform.json Tranformation matrix and vector in json format used to align all data together.

## Crystallographic directory

The crystallographic folder contains the unprocessed versions of all data found in the aligned folder. As one crystal can have multiple ligands we provide the input crystallographic files once to avoid redundancy and keep download sizes to a minimum.

## Contents of crystal subdirectory

Depending on your selection of options when downloading the data the follow file suffixes may be present:

- [crystal name].pdb
- [crystal name].mtz Reflection data corresponding to pdb file.
- [crystal\_name]\_event.mtz Event Backgroud corrected reflection data corresponding to pdb file.
- [crystal\_name]\_event.(map/ccp4) This has a higher signal-to-noise ratio which will amplify the evidence of ligand occupancy.
- [crystal\_name]\_2fofc.(map/ccp4) estimate of the true electron density from diffraction data and atomic model.
- [crystal\_name]\_fofc.(map/ccp4) difference electron density map, negative density typically represents where no electron density is found but exists in the atom model. Positive densities represent electron density without mapped atom model.

#### extra\_files

If this is present the files in this folder will have been added by the uploader of the data and has no defined structure. As a result we cannot guess what the contents of the file may be but we hope that the uploader of the extra files will have provided a similar Files in this folder will be added by the uploader and are largely freeform. Hopefully there will be a readme inside to describe each of the added files.

#### Files included

```
Mac1 combined.sdf
aligned/Mac1-DLS-EU0034 0A/Mac1-DLS-EU0034 0A bound.pdb
aligned/Mac1-DLS-EU0046 0A/Mac1-DLS-EU0046 0A bound.pdb
aligned/Mac1-DLS-EU0046 0B/Mac1-DLS-EU0046 0B bound.pdb
aligned/Mac1-DLS-EU0056 0A/Mac1-DLS-EU0056 0A bound.pdb
aligned/Mac1-DLS-EU0087 0A/Mac1-DLS-EU0087 0A bound.pdb
aligned/Mac1-DLS-EU0123 0A/Mac1-DLS-EU0123 0A bound.pdb
aligned/Mac1-DLS-EU0144 0A/Mac1-DLS-EU0144 0A bound.pdb
aligned/Mac1-DLS-EU0172 0A/Mac1-DLS-EU0172 0A bound.pdb
aligned/Mac1-DLS-EU0238\_0A/Mac1-DLS-EU0238\_0A\_bound.pdb
aligned/Mac1-DLS-EU0241_0A/Mac1-DLS-EU0241_0A_bound.pdb
aligned/Mac1-DLS-EU0291 0A/Mac1-DLS-EU0291 0A bound.pdb
aligned/Mac1-DLS-EU0293 0A/Mac1-DLS-EU0293 0A bound.pdb
aligned/Mac1-DLS-EU0342 0A/Mac1-DLS-EU0342 0A bound.pdb
aligned/Mac1-DLS-EU0424 0A/Mac1-DLS-EU0424 0A bound.pdb
aligned/Mac1-DLS-EU0481 0A/Mac1-DLS-EU0481 0A bound.pdb
aligned/Mac1-DLS-EU0526_0A/Mac1-DLS-EU0526_0A_bound.pdb
aligned/Mac1-DLS-EU0569 0A/Mac1-DLS-EU0569 0A bound.pdb
aligned/Mac1-DLS-EU0704 0A/Mac1-DLS-EU0704 0A bound.pdb
aligned/Mac1-DLS-EU0716 0A/Mac1-DLS-EU0716 0A bound.pdb
aligned/Mac1-DLS-EU0744 0B/Mac1-DLS-EU0744 0B bound.pdb
aligned/Mac1-DLS-EU0815 0A/Mac1-DLS-EU0815 0A bound.pdb
aligned/Mac1-DLS-EU0844 0A/Mac1-DLS-EU0844 0A bound.pdb
aligned/Mac1-DLS-EU0860 0A/Mac1-DLS-EU0860 0A bound.pdb
aligned/Mac1-DLS-EU0906 0A/Mac1-DLS-EU0906 0A bound.pdb
aligned/Mac1-DLS-EU0960 0A/Mac1-DLS-EU0960 0A bound.pdb
aligned/Mac1-DLS-X0091\_0B/Mac1-DLS-X0091\_0B\_bound.pdb
aligned/Mac1-DLS-X0104_0A/Mac1-DLS-X0104_0A_bound.pdb
aligned/Mac1-DLS-X0142 0A/Mac1-DLS-X0142 0A bound.pdb
aligned/Mac1-DLS-X0158 0B/Mac1-DLS-X0158 0B bound.pdb
aligned/Mac1-DLS-X0159 0B/Mac1-DLS-X0159 0B bound.pdb
aligned/Mac1-DLS-X0173_0B/Mac1-DLS-X0173_0B_bound.pdb
aligned/Mac1-DLS-X0216 0A/Mac1-DLS-X0216 0A bound.pdb
aligned/Mac1-DLS-X0228\_0A/Mac1-DLS-X0228\_0A\_bound.pdb
aligned/Mac1-DLS-X0228 0B/Mac1-DLS-X0228 0B bound.pdb
aligned/Mac1-DLS-X0253 0A/Mac1-DLS-X0253 0A bound.pdb
aligned/Mac1-DLS-X0259 0A/Mac1-DLS-X0259 0A bound.pdb
aligned/Mac1-DLS-X0299 0A/Mac1-DLS-X0299 0A bound.pdb
aligned/Mac1-DLS-X0301 0B/Mac1-DLS-X0301 0B bound.pdb
aligned/Mac1\text{-}DLS\text{-}X0334\_0A/Mac1\text{-}DLS\text{-}X0334\_0A\_bound.pdb}
aligned/Mac1-DLS-X0371 0A/Mac1-DLS-X0371 0A bound.pdb
aligned/Mac1-DLS-X0380 0B/Mac1-DLS-X0380 0B bound.pdb
aligned/Mac1-DLS-X0417 0B/Mac1-DLS-X0417 0B bound.pdb
aligned/Mac1-DLS-X0421_0A/Mac1-DLS-X0421_0A_bound.pdb
```

```
aligned/Mac1-DLS-X0423 0B/Mac1-DLS-X0423 0B bound.pdb
aligned/Mac1-DLS-X0436\_0B/Mac1-DLS-X0436\_0B\_bound.pdb
aligned/Mac1-DLS-X0465 0A/Mac1-DLS-X0465 0A bound.pdb
aligned/Mac1-DLS-X0469 0B/Mac1-DLS-X0469 0B bound.pdb
aligned/Mac1-DLS-X0471 0A/Mac1-DLS-X0471 0A bound.pdb
aligned/Mac1-DLS-X0496 0A/Mac1-DLS-X0496 0A bound.pdb
aligned/Mac1-DLS-X0516 0A/Mac1-DLS-X0516 0A bound.pdb
aligned/Mac1-DLS-X0524 0A/Mac1-DLS-X0524 0A bound.pdb
aligned/Mac1-DLS-X0548 0A/Mac1-DLS-X0548 0A bound.pdb
aligned/Mac1-DLS-X0548 0B/Mac1-DLS-X0548 0B bound.pdb
aligned/Mac1-DLS-X0587 0A/Mac1-DLS-X0587 0A bound.pdb
aligned/Mac1-DLS-X0591\_0A/Mac1-DLS-X0591\_0A\_bound.pdb
aligned/Mac1-DLS-X0592_0A/Mac1-DLS-X0592_0A_bound.pdb
aligned/Mac1-DLS-X0598 0A/Mac1-DLS-X0598 0A bound.pdb
aligned/Mac1-DLS-X0600 0A/Mac1-DLS-X0600 0A bound.pdb
aligned/Mac1-DLS-X0626\_0A/Mac1-DLS-X0626\_0A\ bound.pdb
aligned/Mac1-DLS-X0628 0A/Mac1-DLS-X0628 0A bound.pdb
aligned/Mac1-DLS-X0631 0A/Mac1-DLS-X0631 0A bound.pdb
aligned/Mac1-DLS-X0655\_0B/Mac1-DLS-X0655\_0B\_bound.pdb
aligned/Mac1-DLS-X0662 0A/Mac1-DLS-X0662 0A bound.pdb
aligned/Mac1-DLS-X0676 0B/Mac1-DLS-X0676 0B bound.pdb
aligned/Mac1-DLS-X0681 0A/Mac1-DLS-X0681 0A bound.pdb
aligned/Mac1-DLS-X0685 0A/Mac1-DLS-X0685 0A bound.pdb
aligned/Mac1-DLS-X0685 1A/Mac1-DLS-X0685 1A bound.pdb
aligned/Mac1-DLS-X0689 0A/Mac1-DLS-X0689 0A bound.pdb
aligned/Mac1-DLS-X0711 0A/Mac1-DLS-X0711 0A bound.pdb
aligned/Mac1-DLS-X0722 0A/Mac1-DLS-X0722 0A bound.pdb
aligned/Mac1-DLS-X0724 0A/Mac1-DLS-X0724 0A bound.pdb
aligned/Mac1-DLS-X0729_0A/Mac1-DLS-X0729_0A_bound.pdb
aligned/Mac1-DLS-X0729\_0B/Mac1-DLS-X0729\_0B\_bound.pdb
aligned/Mac1-DLS-X0729_1B/Mac1-DLS-X0729_1B bound.pdb
aligned/Mac1-DLS-X0737 0B/Mac1-DLS-X0737 0B bound.pdb
aligned/Mac1-DLS-X0742 0A/Mac1-DLS-X0742 0A bound.pdb
aligned/Mac1-DLS-X0766_0A/Mac1-DLS-X0766_0A_bound.pdb
aligned/Mac1-DLS-X0766 0B/Mac1-DLS-X0766 0B bound.pdb
aligned/Mac1-DLS-X0792\_0A/Mac1-DLS-X0792\_0A\_bound.pdb
aligned/Mac1-DLS-X0796 0B/Mac1-DLS-X0796 0B bound.pdb
aligned/Mac1-DLS-X0797 0B/Mac1-DLS-X0797 0B bound.pdb
aligned/Mac1-DLS-X0805 0A/Mac1-DLS-X0805 0A bound.pdb
aligned/Mac1-DLS-X0814 0B/Mac1-DLS-X0814 0B bound.pdb
aligned/Mac1-DLS-X0822 0A/Mac1-DLS-X0822 0A bound.pdb
aligned/Mac1-DLS-X0837_0A/Mac1-DLS-X0837_0A_bound.pdb
aligned/Mac1-DLS-X0844 0A/Mac1-DLS-X0844 0A bound.pdb
aligned/Mac1-DLS-X0852 0B/Mac1-DLS-X0852 0B bound.pdb
aligned/Mac1-DLS-X0895 0A/Mac1-DLS-X0895 0A bound.pdb
aligned/Mac1-DLS-X0895\_1A/Mac1-DLS-X0895\_1A\_bound.pdb
```

```
\bullet \ \ aligned/Mac1-DLS-X0900\_0A/Mac1-DLS-X0900\_0A\_bound.pdb
```

- $\bullet \ \, aligned/Mac1-DLS-X0900\_1A/Mac1-DLS-X0900\_1A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0905\_0A/Mac1-DLS-X0905\_0A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0905\_0B/Mac1-DLS-X0905\_0B\_bound.pdb$
- aligned/Mac1-DLS-X0910\_0A/Mac1-DLS-X0910\_0A\_bound.pdb
- $\bullet \ \ aligned/Mac1-DLS-X0910\_0B/Mac1-DLS-X0910\_0B\_bound.pdb$
- aligned/Mac1-DLS-X0910\_1A/Mac1-DLS-X0910\_1A\_bound.pdb
- $\bullet \ \ aligned/Mac1-DLS-X0918\_0A/Mac1-DLS-X0918\_0A\_bound.pdb$
- $aligned/Mac1-DLS-X0918\_0B/Mac1-DLS-X0918\_0B\_bound.pdb$
- aligned/Mac1-DLS-X0918 $_1$ A/Mac1-DLS-X0918 $_1$ A $_2$ bound.pdb
- $\bullet \ \ aligned/Mac1-DLS-X0918\_1B/Mac1-DLS-X0918\_1B\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0926\_0A/Mac1-DLS-X0926\_0A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0933\_0A/Mac1-DLS-X0933\_0A\_bound.pdb$
- $\bullet \ \, aligned/Mac1-DLS-X0933\_0B/Mac1-DLS-X0933\_0B\_bound.pdb$
- aligned/Mac1-DLS-X0933\_1A/Mac1-DLS-X0933\_1A\_bound.pdb
- $\bullet \ \ aligned/Mac1-DLS-X0933\_1B/Mac1-DLS-X0933\_1B\_bound.pdb$
- aligned/Mac1-DLS-X0933\_2A/Mac1-DLS-X0933\_2A\_bound.pdb
- aligned/Mac1-DLS-X0950\_0A/Mac1-DLS-X0950\_0A\_bound.pdb
- $\bullet \ \ aligned/Mac1-DLS-X0950\_1A/Mac1-DLS-X0950\_1A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0962\_0A/Mac1-DLS-X0962\_0A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0962\_0B/Mac1-DLS-X0962\_0B\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0962\_1A/Mac1-DLS-X0962\_1A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0962\_2A/Mac1-DLS-X0962\_2A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0967\_0A/Mac1-DLS-X0967\_0A\_bound.pdb$
- $\bullet \ \ aligned/Mac1-DLS-X0969\_0A/Mac1-DLS-X0969\_0A\_bound.pdb$
- aligned/Mac1-DLS-X1015\_0A/Mac1-DLS-X1015\_0A\_bound.pdb
  aligned/Mac1-DLS-X1018\_0A/Mac1-DLS-X1018\_0A\_bound.pdb
- 1: 1/M 1 DIC V1000 OD /M 1 DIC V1000 OD 1 1 1 11
- aligned/Mac1-DLS-X1092\_0B/Mac1-DLS-X1092\_0B\_bound.pdb
- $aligned/Mac1-J1042\_0A/Mac1-J1042\_0A\_bound.pdb$
- $aligned/Mac1-J1071\_0A/Mac1-J1071\_0A\_bound.pdb$
- aligned/Mac1-UCSF-C058 0A/Mac1-UCSF-C058 0A bound.pdb
- aligned/Mac1-UCSF-C102 0A/Mac1-UCSF-C102 0A bound.pdb
- aligned/Mac1-UCSF-C120\_0A/Mac1-UCSF-C120\_0A\_bound.pdb
- aligned/Mac1-UCSF-C137 0A/Mac1-UCSF-C137 0A bound.pdb
- aligned/Mac1-UCSF-C189\_0A/Mac1-UCSF-C189\_0A\_bound.pdb
- aligned/Mac1-UCSF-C194\_0A/Mac1-UCSF-C194\_0A\_bound.pdb
- aligned/Mac1-UCSF-C242 0A/Mac1-UCSF-C242 0A bound.pdb
- aligned/Mac1-UCSF-C257 0A/Mac1-UCSF-C257 0A bound.pdb
- aligned/Mac1-UCSF-C279\_0A/Mac1-UCSF-C279\_0A\_bound.pdb
- aligned/Mac1-UCSF-C295 0A/Mac1-UCSF-C295 0A bound.pdb
- aligned/Mac1-UCSF-C309\_0A/Mac1-UCSF-C309\_0A\_bound.pdb
- aligned/Mac1-UCSF-C327 0A/Mac1-UCSF-C327 0A bound.pdb
- aligned/Mac1-UCSF-C362 0A/Mac1-UCSF-C362 0A bound.pdb
- aligned/Mac1-UCSF-P0115 0A/Mac1-UCSF-P0115 0A bound.pdb
- aligned/Mac1-UCSF-P0115\_1A/Mac1-UCSF-P0115\_1A\_bound.pdb

```
aligned/Mac1-UCSF-P0116 0A/Mac1-UCSF-P0116 0A bound.pdb
aligned/Mac1-UCSF-P0123 0A/Mac1-UCSF-P0123 0A bound.pdb
aligned/Mac1-UCSF-P0124 0A/Mac1-UCSF-P0124 0A bound.pdb
aligned/Mac1-UCSF-P0124 1A/Mac1-UCSF-P0124 1A bound.pdb
aligned/Mac1-UCSF-P0131 0A/Mac1-UCSF-P0131 0A bound.pdb
aligned/Mac1-UCSF-P0132 0A/Mac1-UCSF-P0132 0A bound.pdb
aligned/Mac1-UCSF-P0137 0A/Mac1-UCSF-P0137 0A bound.pdb
aligned/Mac1-UCSF-P0138 0A/Mac1-UCSF-P0138 0A bound.pdb
aligned/Mac1-UCSF-P0139 0A/Mac1-UCSF-P0139 0A bound.pdb
aligned/Mac1-UCSF-P0139 1A/Mac1-UCSF-P0139 1A bound.pdb
aligned/Mac1-UCSF-P0142 0A/Mac1-UCSF-P0142 0A bound.pdb
aligned/Mac1-UCSF-P0148_0A/Mac1-UCSF-P0148_0A_bound.pdb
aligned/Mac1-UCSF-P0159_0A/Mac1-UCSF-P0159_0A_bound.pdb
aligned/Mac1-UCSF-P0161 0A/Mac1-UCSF-P0161 0A bound.pdb
aligned/Mac1-UCSF-P0163 0A/Mac1-UCSF-P0163 0A bound.pdb
aligned/Mac1-UCSF-P0178 0A/Mac1-UCSF-P0178 0A bound.pdb
aligned/Mac1-UCSF-P0179 0A/Mac1-UCSF-P0179 0A bound.pdb
aligned/Mac1-UCSF-P0180 0A/Mac1-UCSF-P0180 0A bound.pdb
aligned/Mac1-UCSF-P0182\_0A/Mac1-UCSF-P0182\_0A\_bound.pdb
aligned/Mac1-UCSF-P0188 0A/Mac1-UCSF-P0188 0A bound.pdb
aligned/Mac1-UCSF-P0190 0A/Mac1-UCSF-P0190 0A bound.pdb
aligned/Mac1-UCSF-P0193 0A/Mac1-UCSF-P0193 0A bound.pdb
aligned/Mac1-UCSF-P0204 0A/Mac1-UCSF-P0204 0A bound.pdb
aligned/Mac1-UCSF-P0206 0A/Mac1-UCSF-P0206 0A bound.pdb
aligned/Mac1-UCSF-P0212 0A/Mac1-UCSF-P0212 0A bound.pdb
aligned/Mac1-UCSF-P0213 0A/Mac1-UCSF-P0213 0A bound.pdb
aligned/Mac1-UCSF-P0223 0A/Mac1-UCSF-P0223 0A bound.pdb
aligned/Mac1-UCSF-P0224 0A/Mac1-UCSF-P0224 0A bound.pdb
aligned/Mac1-UCSF-P0226 0A/Mac1-UCSF-P0226 0A bound.pdb
aligned/Mac1-UCSF-P0227 0A/Mac1-UCSF-P0227 0A bound.pdb
aligned/Mac1-UCSF-P0228_0A/Mac1-UCSF-P0228_0A_bound.pdb
aligned/Mac1-UCSF-P0231 0A/Mac1-UCSF-P0231 0A bound.pdb
aligned/Mac1-UCSF-P0255 0A/Mac1-UCSF-P0255 0A bound.pdb
aligned/Mac1-UCSF-P0263 0A/Mac1-UCSF-P0263 0A bound.pdb
aligned/Mac1-UCSF-P0271 0A/Mac1-UCSF-P0271 0A bound.pdb
aligned/Mac1-UCSF-P0277_0A/Mac1-UCSF-P0277_0A_bound.pdb
aligned/Mac1-UCSF-P0282 0A/Mac1-UCSF-P0282 0A bound.pdb
aligned/Mac1-UCSF-P0283 0A/Mac1-UCSF-P0283 0A bound.pdb
aligned/Mac1-UCSF-P0284 0A/Mac1-UCSF-P0284 0A bound.pdb
aligned/Mac1-UCSF-P0301 0A/Mac1-UCSF-P0301 0A bound.pdb
aligned/Mac1-UCSF-P0302 0A/Mac1-UCSF-P0302 0A bound.pdb
aligned/Mac1-UCSF-P0303_0A/Mac1-UCSF-P0303_0A_bound.pdb
aligned/Mac1-UCSF-P0305 0A/Mac1-UCSF-P0305 0A bound.pdb
aligned/Mac1-UCSF-P0306 0A/Mac1-UCSF-P0306 0A bound.pdb
aligned/Mac1-UCSF-P0306 1A/Mac1-UCSF-P0306 1A bound.pdb
aligned/Mac1-UCSF-P0309\_0B/Mac1-UCSF-P0309\_0B\_bound.pdb
```

```
aligned/Mac1-UCSF-P0319 0A/Mac1-UCSF-P0319 0A bound.pdb
aligned/Mac1-UCSF-P0321 0A/Mac1-UCSF-P0321 0A bound.pdb
aligned/Mac1-UCSF-P0326 0A/Mac1-UCSF-P0326 0A bound.pdb
aligned/Mac1-UCSF-P0328 0A/Mac1-UCSF-P0328 0A bound.pdb
aligned/Mac1-UCSF-P0333 0A/Mac1-UCSF-P0333 0A bound.pdb
aligned/Mac1-UCSF-P0337 0A/Mac1-UCSF-P0337 0A bound.pdb
aligned/Mac1-UCSF-P0338 0A/Mac1-UCSF-P0338 0A bound.pdb
aligned/Mac1-UCSF-P0338 1A/Mac1-UCSF-P0338 1A bound.pdb
aligned/Mac1-UCSF-P0341 0A/Mac1-UCSF-P0341 0A bound.pdb
aligned/Mac1-UCSF-P0343 0B/Mac1-UCSF-P0343 0B bound.pdb
aligned/Mac1-UCSF-P0344 0A/Mac1-UCSF-P0344 0A bound.pdb
aligned/Mac1-UCSF-P0345_0A/Mac1-UCSF-P0345_0A_bound.pdb
aligned/Mac1-UCSF-P0346_0A/Mac1-UCSF-P0346_0A_bound.pdb
aligned/Mac1-UCSF-P0347 0A/Mac1-UCSF-P0347 0A bound.pdb
aligned/Mac1-UCSF-P0348 0A/Mac1-UCSF-P0348 0A bound.pdb
aligned/Mac1-UCSF-P0354 0A/Mac1-UCSF-P0354 0A bound.pdb
aligned/Mac1-UCSF-P0357_0A/Mac1-UCSF-P0357_0A_bound.pdb
aligned/Mac1-UCSF-P0357 1A/Mac1-UCSF-P0357 1A bound.pdb
aligned/Mac1-UCSF-P0358\_0A/Mac1-UCSF-P0358\_0A\_bound.pdb
aligned/Mac1-UCSF-P0360 0A/Mac1-UCSF-P0360 0A bound.pdb
aligned/Mac1-UCSF-P0361 0A/Mac1-UCSF-P0361 0A bound.pdb
aligned/Mac1-UCSF-P0365 0A/Mac1-UCSF-P0365 0A bound.pdb
aligned/Mac1-UCSF-P0365 1A/Mac1-UCSF-P0365 1A bound.pdb
aligned/Mac1-UCSF-P0371 0A/Mac1-UCSF-P0371 0A bound.pdb
aligned/Mac1-UCSF-P0371 0B/Mac1-UCSF-P0371 0B bound.pdb
aligned/Mac1-UCSF-P0373 0A/Mac1-UCSF-P0373 0A bound.pdb
aligned/Mac1-UCSF-P0375 0A/Mac1-UCSF-P0375 0A bound.pdb
aligned/Mac1-UCSF-P0378 0B/Mac1-UCSF-P0378 0B bound.pdb
aligned/Mac1-UCSF-P0379_0A/Mac1-UCSF-P0379_0A_bound.pdb
aligned/Mac1-UCSF-P0380 0A/Mac1-UCSF-P0380 0A bound.pdb
aligned/Mac1-UCSF-P0381 0B/Mac1-UCSF-P0381 0B bound.pdb
aligned/Mac1-UCSF-P0385 0A/Mac1-UCSF-P0385 0A bound.pdb
aligned/Mac1-UCSF-P0385 1A/Mac1-UCSF-P0385 1A bound.pdb
aligned/Mac1-UCSF-P0387 0A/Mac1-UCSF-P0387 0A bound.pdb
aligned/Mac1-UCSF-P0392 0A/Mac1-UCSF-P0392 0A bound.pdb
aligned/Mac1-UCSF-P0394_0A/Mac1-UCSF-P0394_0A_bound.pdb
aligned/Mac1-UCSF-P0396 0A/Mac1-UCSF-P0396 0A bound.pdb
aligned/Mac1-UCSF-P0396 1A/Mac1-UCSF-P0396 1A bound.pdb
aligned/Mac1-UCSF-P0397 0A/Mac1-UCSF-P0397 0A bound.pdb
aligned/Mac1-UCSF-P0398 0A/Mac1-UCSF-P0398 0A bound.pdb
aligned/Mac1-UCSF-P0402 0A/Mac1-UCSF-P0402 0A bound.pdb
aligned/Mac1-UCSF-P0404_0A/Mac1-UCSF-P0404_0A_bound.pdb
aligned/Mac1-UCSF-P0411 0A/Mac1-UCSF-P0411 0A bound.pdb
aligned/Mac1-UCSF-P0412 0A/Mac1-UCSF-P0412 0A bound.pdb
aligned/Mac1-UCSF-P0415 0A/Mac1-UCSF-P0415 0A bound.pdb
aligned/Mac1-UCSF-P0417\_0A/Mac1-UCSF-P0417\_0A\_bound.pdb
```

```
aligned/Mac1-UCSF-P0433 0A/Mac1-UCSF-P0433 0A bound.pdb
aligned/Mac1-UCSF-P0436 0A/Mac1-UCSF-P0436 0A bound.pdb
aligned/Mac1-UCSF-P0437 0A/Mac1-UCSF-P0437 0A bound.pdb
aligned/Mac1-UCSF-P0439 0A/Mac1-UCSF-P0439 0A bound.pdb
aligned/Mac1-UCSF-P0441 0A/Mac1-UCSF-P0441 0A bound.pdb
aligned/Mac1-UCSF-P0444 0A/Mac1-UCSF-P0444 0A bound.pdb
aligned/Mac1-UCSF-P0451 0A/Mac1-UCSF-P0451 0A bound.pdb
aligned/Mac1-UCSF-P0453 0A/Mac1-UCSF-P0453 0A bound.pdb
aligned/Mac1-UCSF-P0455 0A/Mac1-UCSF-P0455 0A bound.pdb
aligned/Mac1-UCSF-P0472 0A/Mac1-UCSF-P0472 0A bound.pdb
aligned/Mac1-UCSF-P0482 0B/Mac1-UCSF-P0482 0B bound.pdb
aligned/Mac1-UCSF-P0496_0A/Mac1-UCSF-P0496_0A_bound.pdb
aligned/Mac1-UCSF-P0509_0A/Mac1-UCSF-P0509_0A_bound.pdb
aligned/Mac1-UCSF-P0510 0A/Mac1-UCSF-P0510 0A bound.pdb
aligned/Mac1-UCSF-P0511 0B/Mac1-UCSF-P0511 0B bound.pdb
aligned/Mac1-UCSF-P0511 1B/Mac1-UCSF-P0511 1B bound.pdb
aligned/Mac1-UCSF-P0522 0A/Mac1-UCSF-P0522 0A bound.pdb
aligned/Mac1-UCSF-P0524 0A/Mac1-UCSF-P0524 0A bound.pdb
aligned/Mac1-UCSF-P0527_0A/Mac1-UCSF-P0527_0A_bound.pdb
aligned/Mac1-UCSF-P0546 0A/Mac1-UCSF-P0546 0A bound.pdb
aligned/Mac1-UCSF-P0555 0A/Mac1-UCSF-P0555 0A bound.pdb
aligned/Mac1-UCSF-P0564 0A/Mac1-UCSF-P0564 0A bound.pdb
aligned/Mac1-UCSF-P0564 1A/Mac1-UCSF-P0564 1A bound.pdb
aligned/Mac1-UCSF-P0565 0A/Mac1-UCSF-P0565 0A bound.pdb
aligned/Mac1-UCSF-P0567 0A/Mac1-UCSF-P0567 0A bound.pdb
aligned/Mac1-UCSF-P0568 0A/Mac1-UCSF-P0568 0A bound.pdb
aligned/Mac1-UCSF-P0570 0A/Mac1-UCSF-P0570 0A bound.pdb
aligned/Mac1-UCSF-P0570 0B/Mac1-UCSF-P0570 0B bound.pdb
aligned/Mac1-UCSF-P0572 0A/Mac1-UCSF-P0572 0A bound.pdb
aligned/Mac1-UCSF-P0576_0A/Mac1-UCSF-P0576_0A_bound.pdb
aligned/Mac1-UCSF-P0582_0A/Mac1-UCSF-P0582_0A_bound.pdb
aligned/Mac1-UCSF-P0584 0A/Mac1-UCSF-P0584 0A bound.pdb
aligned/Mac1-UCSF-P0587 0A/Mac1-UCSF-P0587 0A bound.pdb
aligned/Mac1-UCSF-P0588 0A/Mac1-UCSF-P0588 0A bound.pdb
aligned/Mac1-UCSF-P0588 1A/Mac1-UCSF-P0588 1A bound.pdb
aligned/Mac1-UCSF-P0590\_0A/Mac1-UCSF-P0590\_0A\_bound.pdb
aligned/Mac1-UCSF-P1444 0A/Mac1-UCSF-P1444 0A bound.pdb
aligned/Mac1-UCSF-P1444 1A/Mac1-UCSF-P1444 1A bound.pdb
aligned/Mac1-UCSF-P1493 0A/Mac1-UCSF-P1493 0A bound.pdb
aligned/Mac1-UCSF-P1494 0A/Mac1-UCSF-P1494 0A bound.pdb
aligned/Mac1-UCSF-P1494 0B/Mac1-UCSF-P1494 0B bound.pdb
aligned/Mac1-x10173_0A/Mac1-x10173_0A_bound.pdb
```

- metadata.csv
- $\bullet$  smiles.smi