

## Core Principle

To consistently obtain long, high-depth responses, you must clearly signal:

- **Length expectation**
  - **Reasoning depth**
  - **Structural scope**
- 

# 1 Explicit Length Instructions (Baseline Control)

LLMs expand output when you directly specify scale.

## Use measurable constraints

### Examples:

- Write at least **1,000 words**
- Provide a detailed explanation in **10+ sections**
- Give a **comprehensive long-form analysis**

## Avoid weak signals

- ✗ “Explain more”
- ✗ “Be detailed”

These are vague and ineffective.

---

## **2 Ask for Structured Expansion (Very Powerful)**

Structure forces the model to generate more tokens because each section must be filled.

### **Example Pattern**

Explain cloud computing with:

1. Definition
2. History
3. Architecture
4. Advantages
5. Disadvantages
6. Real-world examples
7. Future trends

### **Why this works:**

The model allocates tokens to each section.

---

## **3 Use Depth Signals (Triggers Long Reasoning)**

Certain phrases activate analytical response patterns learned during training.

### **High-Impact Phrases**

- “Comprehensive”
- “In-depth”

- “Step-by-step”
- “Detailed analysis”
- “Include examples and explanations”

**Example:**

Provide a comprehensive, in-depth, step-by-step explanation with examples.

---

## **4 Request Multi-Layered Content**

Force the model to generate multiple types of information.

**Example**

For each concept include:

- Definition
- Example
- Analogy
- Real-world application

Each layer multiplies output length.

---

## **5 Ask for Reasoning Steps (Massive Length Increase)**

This triggers reasoning expansion.

**Example:**

Explain your reasoning step-by-step before giving the final answer.

This often doubles or triples output size.

---

## **6 Use Iterative Expansion Prompts**

Chain prompts to extend outputs beyond a single response.

### **Technique**

**Step 1:** Give a detailed overview.

**Step 2:** Expand each section.

**Step 3:** Add advanced technical details.

This bypasses single-response limits.

---

## **7 API Method — Increase max\_tokens (Hard Control)**

When using APIs, you must increase generation caps.

**Example:**

```
max_tokens = 2000
```

Without this, long outputs are impossible.

---

## **8 Reduce Compression Signals**

Avoid instructions that trigger summarization.

- ✗ “Summarize”
- ✗ “Be concise”
- ✗ “Short explanation”

These drastically shrink output.

---

## **9 Ask for Teaching Mode**

High-impact technique.

### **Example:**

Explain this as if teaching a full lecture.

This activates:

- Examples
- Clarifications
- Stepwise reasoning
- Repetition for clarity

Result: significantly longer responses.

---

## **10 Use Expansion Keywords**

Reliable expansion phrases:

- “Cover all aspects”
  - “Leave no important detail out”
  - “Explain thoroughly”
  - “Discuss extensively”
-



## Why Models Sometimes Stop Early

Two main reasons:

- Token limit reached
- Natural stopping prediction

### Fix

Say:

Continue until the topic is fully covered.

---



## Best Formula for Long Outputs

Use this template:

Provide a comprehensive, in-depth explanation.

Structure it into multiple sections.

Include examples, reasoning steps, and real-world applications.

Do not summarize or shorten the response.