Practice Problems SET-5 Sample Solution

Type 1: Simple Integration

University of **Nottingham**

1. Evaluate the following integrals: (i) $\int \left(\frac{3}{x} + \sqrt[3]{x} - \frac{4}{\sqrt{x}}\right) dx$

Solution:

$$\int \left(\frac{3}{x} + \sqrt[3]{x} - \frac{4}{\sqrt{x}}\right) dx$$

$$= \int \left(\frac{3}{x}\right) dx + \int \left(\sqrt[3]{x}\right) dx - \int \left(\frac{4}{\sqrt{x}}\right) dx$$

$$= 3\ln|x| + \frac{3}{4}x^{\frac{3}{4}} - 8\sqrt{x} + C$$

Type 2: The method of substitution for integration

2. Evaluate the following integrals by using appropriate substitutions: (i) $\int (3x+2)^4 dx$

Solution:

Let
$$t = 3x + 2$$

$$\frac{dt}{dx} = 3$$

$$dx = \frac{1}{3}dt$$

$$I = \frac{1}{3} \int (t)^4 dt$$
$$= \frac{1}{3} \cdot \frac{1}{5} t^5 + C$$
$$= \frac{1}{15} (3x+2)^5 + C$$

2. Evaluate the following integrals by using appropriate substitutions: (xi) $\int (x+3)^2(x-5)^5 dx$

Solution:

Let
$$t = x - 5$$

$$\frac{dt}{dx} = 1$$

$$dx = dt$$

$$I = \int (t+8)^2 t^5 dt$$

$$= \int (t^7 + 16t^6 + 64t^5) dt$$

$$= \frac{t^8}{8} + \frac{16t^7}{7} + \frac{32t^6}{3} + C$$

$$= \frac{(x-5)^8}{8} + \frac{16(x-5)^7}{7} + \frac{32(x-5)^6}{3} + C$$

Type 3: Trigonometric integrals

3. Evaluate the following integrals by using appropriate substitutions: (i) $\int \frac{\sec^2 x}{\sqrt{\tan^2 x - 9}} \ dx$

Solution:

Let
$$t = \tan x$$

$$\frac{dt}{dx} = \sec^2 x$$

$$\sec^2 x dx = dt$$

$$I = \int \frac{1}{\sqrt{t^2 - 3^2}} dt$$

$$= \ln \left| t + \sqrt{t^2 - 3^2} \right| + C$$

$$= \ln \left| \tan x + \sqrt{\tan^2 x - 9} \right| + C$$

Type 4: Integrals in the form
$$\int f(ax+b) dx$$

4. Evaluate the following integrals: (i) $\int \sec(5x-1) \cdot \tan(5x-1) \ dx$

Solution:

As
$$\int \sec(x) \cdot \tan(x) \ dx = \sec(x) + C$$
$$\int \sec(5x - 1) \cdot \tan(5x - 1) \ dx$$
$$= \frac{1}{5} \sec(5x - 1) + C$$