IMSP revision

Jenny

2025 May 9

Contents

1 List

1.1 unordered list

- A
- B

1.2 ordered list

1. A
2. B

1.3 nested list

1. A
   - a
   - b
2. B
   - a
   - b

2 table

2.1 table environment

1	2	3	4
A	B	C	D

Table 1: Table1

2.2 simple table using tabular

1	2	3	4
A	B	C	D

3 figure



Figure 1: Figure 1

4 code

4.1 single line

```
single-line program code or command
```

4.2 multiple-line codes

```
multiple-line program codes
```

5 Font

tiny>scriptsize>footnotesize>small
large<Large<LARGE<dhuge<Huge **boldface text**
italics text
underlined text
SMALLCAPS TEXT
`teletype text`

6 math

6.1 simple inline math

$f(x) = x^2$
$\sqrt{1-2x} = 0 \Rightarrow x = \frac{1}{2}$

6.2 display math

$$x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$$

$$(1+x)^n \approx 1 + nx + \frac{n(n-1)}{2}x^2$$

6.3 special characters

6.4 equation environment

$$\int_0^1 2x\,dx = [x^2]_0^1 = 1 \tag{1}$$

6.5 eqnarray environment

$$\begin{aligned} \frac{d}{dx}(\sin^{-1} x) &= \frac{1}{\sqrt{1-x^2}} && (2)\\ \frac{d}{dx}(\cos^{-1} x) &= \frac{-1}{\sqrt{1-x^2}} && (3)\\ \cos^2\theta + \sin^2\theta &= 1 && (4)\\ \tan^2\theta + 1 &= \sec^2\theta && (5) \end{aligned}$$

6.6 align environment

$$\cos^2\theta + \sin^2\theta = 1 \tag{6}$$

$$\tan^2\theta + 1 = \sec^2\theta \tag{7}$$

6.7 matrix in parentheses( )

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix} \tag{8}$$

6.8 matrix in brackets [ ]

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \tag{9}$$

6.9 matrix in vertical lines

$$\begin{vmatrix} a & b \\ c & d \end{vmatrix} \tag{10}$$

6.10 matrix using array environment

$$\left(\begin{array}{cc} a & b \\ c & d \end{array} \right) \tag{11}$$