



85

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

NAMES AND LABELS

- ▲ Links do not have a discernible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

TABLES AND LISTS

- ▲ Lists do not contain only `` elements and script supporting elements (`<script>` and `<template>`).



These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (23)

[Show](#)

NOT APPLICABLE (30)

Show

■ Captured at Oct 27, 2025,
5:12 PM GMT+3
■ Initial page load

■ Emulated Moto G Power with
Lighthouse 12.8.2
■ Slow 4G throttling

■ Single page session
■ Using Chromium 141.0.0.0
with devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)