



Kara Metal Çelik

TR

EN

HOME

CORPORATE

PRODUCTS

SERVICES

STEEL PROPERTIES

TECHNICAL INFORMATION

CONTACT

/ 20KH13

Application Information

Public Id

X20Cr13 - 1.4021

Grade (EU)	X20Cr13	
Number	1.4021	
EU - EN	X20Cr13	
USA	420 s42010	
Germany, DIN, WNr	X20Cr13	
Germany, DIN, WNr	X20Cr13	
Japan, JIS	SUS420J1	
England, BS	420S29	420S37
China, GB	2Cr13	X20Cr13
Sweden, SS	2303	
Poland, PN	2H13	
Czechia, CSN	17022	
Russia, GOST	20KH13	

Classification

X20Cr13 - 1.4021

EN 10088-2: 2005
 EN 10088-3: 2005
 EN 10151: 2003
 EN 10250-4: 2000
 EN 10250-4: 2000
 EN 10088-1: 2005
 EN 10088-5: 2009
 EN 10088-4: 2009


Kara Metal Çelik

TR

EN

HOME

CORPORATE

PRODUCTS

SERVICES

STEEL PROPERTIES

TECHNICAL INFORMATION

CONTACT

Cr 12 - 14

Mechanical Properties

X20Cr13 - 1.4021

Rm - Tensile strength (MPa) (+QT) 650 - 950

X20Cr13 - 1.4021

R_{p0.2} 0.2% proof strength (MPa) (+QT) 450 - 600

X20Cr13 - 1.4021

KV - Impact energy (J) longitud +20° - 20-25

X20Cr13 - 1.4021

A - Min. elongation at fracture (%) (+QT) 10 - 12

X20Cr13 - 1.4021

Vickers hardness (HV): (+A) 190 - 240

Vickers hardness (HV): (+QT) 480 - 520

Brinell hardness (HB): (+A) 230

X6CrNi17-1 - 1.4017

Equivalent References

Grade	X6CrNi17-1
Number	1.4017

X12Cr13 - 1.4006

Equivalent References

USA	410
France, AFNOR	Z10C13
England, BS	410S21

X20Cr13 - 1.4021

Equivalent References

USA	420
France, AFNOR	X20Cr13
England, BS	420S29

**Kara Metal Çelik**

TR

EN

HOME

CORPORATE

PRODUCTS

SERVICES

STEEL PROPERTIES

TECHNICAL INFORMATION

CONTACT

France, AFNOR 1.4028
England, BS 420S45
Russia, GOST 30KH13

Number 1.4419
--- ---
--- ---

Poland, PN 4H13
Russia, GHOST 40KH13
--- ---

Detailed Feature Table...

Detailed Feature Table...

Detailed Feature Table...

KARA METAL ÇELİK © 2005 - 2020

Esenşehir Mahallesi Des Sanayi Sitesi 113.Sokak C8 Blok No:2
P.K.34776 Yukarı Dudullu - Ümraniye / İSTANBUL - TURKEY

0216 466 90 10

Design by Taşkın Teknoloji