

# Pom properties data sheet \_ gehr

Sep 11, 2012 • 1 like • 2,085 views

AI-enhanced description

M manda [Follow](#)

This technical data sheet provides  
physical, mechanical, thermal, ...

[Read more](#)

[Download now](#)

Download to read offline

1

| Technical Data Sheet                          |             |         |       |
|-----------------------------------------------|-------------|---------|-------|
| Polyoxymethylene POM-C                        |             |         |       |
| 1. Product Properties                         |             |         |       |
| 1.1 Name of product                           | POM-C       | MD      | 100   |
| 1.2 Material description                      | POM-C       | MD      | 100   |
| 1.3 Material description                      | POM-C       | MD      | 100   |
| 2. Mechanical Properties                      |             |         |       |
| 3. Physical Properties                        |             |         |       |
| 3.1 Specific gravity at 23°C                  | Test method | Unit    | Value |
| 3.2 Water absorption (g/100 g)                | ISO 1183    | g/100 g | 0.19  |
| 3.3 Water absorption (g/100 g) (24 h at 23°C) | ISO 1183    | g/100 g | 0.19  |
| 3.4 Water absorption (g/100 g) (24 h at 23°C) | ISO 1183    | g/100 g | 0.19  |
| 3.5 Water absorption (g/100 g) (24 h at 23°C) | ISO 1183    | g/100 g | 0.19  |
| 4. Mechanical Properties                      |             |         |       |
| 4.1 Tensile strength at yield                 | Test method | Unit    | Value |
| 4.2 Elongation at yield (%)                   | ISO 527     | %       | 10    |
| 4.3 Tensile strength at break (MPa)           | ISO 527     | MPa     | 50    |
| 4.4 Elongation at break (%)                   | ISO 527     | %       | 20    |
| 4.5 Heat deflection temperature (HDT)         | ISO 7179    | °C      | 100   |
| 4.6 Heat deflection temperature (HDT)         | ISO 7179    | °C      | 100   |
| 4.7 Heat deflection temperature (HDT)         | ISO 7179    | °C      | 100   |
| 4.8 Heat deflection temperature (HDT)         | ISO 7179    | °C      | 100   |
| 4.9 Heat deflection temperature (HDT)         | ISO 7179    | °C      | 100   |
| 4.10 Heat deflection temperature (HDT)        | ISO 7179    | °C      | 100   |
| 4.11 Heat deflection temperature (HDT)        | ISO 7179    | °C      | 100   |
| 4.12 Heat deflection temperature (HDT)        | ISO 7179    | °C      | 100   |
| 5. Thermal Properties                         |             |         |       |
| 5.1 Melting point (°C)                        | Test method | Unit    | Value |
| 5.2 Glass transition temperature (Tg) (°C)    | ISO 11357   | °C      | 100   |
| 5.3 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.4 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.5 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.6 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.7 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.8 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.9 Heat of fusion (J/g)                      | ISO 11357   | J/g     | 100   |
| 5.10 Heat of fusion (J/g)                     | ISO 11357   | J/g     | 100   |
| 6. Electrical Properties                      |             |         |       |
| 6.1 Volume resistivity                        | Test method | Unit    | Value |
| 6.2 Surface resistivity                       | ISO 10310   | Ω·m     | 100   |
| 6.3 Dielectric constant at 1 MHz (ε')         | ISO 10310   | ε'      | 1.5   |
| 6.4 Dielectric loss factor at 1 MHz (tan δ)   | ISO 10310   | tan δ   | 0.001 |
| 6.5 Dielectric strength                       | ISO 10310   | kV/mm   | 100   |
| 6.6 Tracking resistance                       | ISO 10310   | hV      | 100   |
| 7. Additional Data                            |             |         |       |
| 7.1 Test grade                                | Test method | Unit    | Value |
| 7.2 Test grade                                | ISO 10310   | hV      | 100   |
| 7.3 Test grade                                | ISO 10310   | hV      | 100   |
| 7.4 Test grade                                | ISO 10310   | hV      | 100   |
| 7.5 Test grade                                | ISO 10310   | hV      | 100   |
| 8. Additional Data                            |             |         |       |
| 8.1 Test grade                                | Test method | Unit    | Value |
| 8.2 Test grade                                | ISO 10310   | hV      | 100   |
| 8.3 Test grade                                | ISO 10310   | hV      | 100   |
| 8.4 Test grade                                | ISO 10310   | hV      | 100   |
| 8.5 Test grade                                | ISO 10310   | hV      | 100   |

AD

# More Related Content

## What's hot (20)

JOINING PROCESSES

An all-inclusive term covering processes such as:

- Welding
- Brazing
- Soldering
- Adhesive bonding
- Mechanical fastening

Topic 7 joining process welding brazing soldering fastening 160214

Huai123



## Instituto Nacional de Engenharia de Superfícies


17 slides • 5.6K views



## Tool wear

cpandiv

17 slides • 14.6K views



## Metal Joining Processes

Vishal Shinde


63 slides • 14.4K views



## As adhesive bonding process

sharmaabhi

8 slides • 1.2K views



## Welding of aluminum alloys

Chayen Mondal


24 slides • 7.4K views



## Testing of Adhesives

Dung Lee


30 slides • 8.8K views



## Heat treatment Process

Keval Patil

51 slides • 8.1K views



## Sheet metal theory

39 slides • 2.8K views



## CDie casting

Akash Maurya

36 slides • 2.9K views



## Superfinishing process

Shrikunj Patel

5 slides • 2.6K views



## Material Selection

Pankaj Khandelwal


50 slides • 3.6K views



## Ch 10 grinding and finishing

Nandan Choudhary

121 slides • 15.4K views



## Cutting fluids

raxit varmora


15 slides • 9K views



## Tool wear, tool life & machinability

DENNY OTTARACKAL

30 slides • 20.9K views




## Welding Robots



## Laser Beam Machining

Sahil Dev

22 slides • 50.2K views



## Blow moulding

Lahiru Dilshan


15 slides • 7.9K views



## Injection moulding ppt

Kundan Kumar

26 slides • 5.7K views




## Sheet Metal Forming

vins049

83 slides • 36.2K views


## Similar to Pom properties data sheet \_ gehr (20)



## Pe uhmw properties data-sheet \_ gehr

mandalika3

1 slide • 1.9K views




## Pmma properties data sheet \_ gehr

mandalika3

1 slide • 1.9K views




## Polypropilene properties data sheet\_ gehr



## Pvdf properties data sheet \_gehr

mandalika3

1 slide • 469 views



## Pvc u properties data sheet \_gehr

mandalika3

1 slide • 3K views



## Peek virgin properties data sheet \_gehr

mandalika3

1 slide • 1.1K views



## Peek mod properties data-sheet \_gehr

mandalika3

1 slide • 534 views



## Ectfe properties data sheet \_gehr

mandalika3

1 slide • 234 views



## Ficha Técnica - Styrolution Lustran H802

APTA Resinas Termoplásticas

2 slides • 705 views



## Ficha Técnica - Styrolution Lustran H950

APTA Resinas Termoplásticas

2 slides • 331 views

## APTA Resinas Termoplásticas

2 slides • 786 views

## Ficha Técnica - Styrolution Novodur P2H-AT

### APTA Resinas Termoplásticas

2 slides • 860 views

## Ficha Técnica - Styrolution Lustran H604

### APTA Resinas Termoplásticas

2 slides • 1.7K views

## Ficha Técnica - Styrolution Novodur P2M-AT

### APTA Resinas Termoplásticas

2 slides • 368 views

## Ficha Técnica - Styrolution Lustran H702

### APTA Resinas Termoplásticas

2 slides • 756 views

## Ficha Técnica - Styrolution Lustran E211 INS013

### APTA Resinas Termoplásticas

2 slides • 209 views

## Peek mod properties datasheet tecapeek\_pvx\_ensinger

mandalika3


2 slides • 804 views



## Peek virgin properties datasheet tecapeek\_ensinger

mandalika3

1 slide • 544 views



## PAI data sheet energetic plastics

ENERGETIC Plastics

1 slide • 88 views



## Uhmwpe properties data sheet energetic plastics

ENERGETIC Plastics

1 slide • 330 views

AD

## More from mandalika3 (20)



## Pvc u sheet komadur wa kommerling

mandalika3





mandalika3

1 slide • 688 views



Guidelines for machining  gehr

mandalika3


4 slides • 529 views



Guidelines for machining  ensinger

mandalika3

5 slides • 910 views



Brochure plexyglas gs solid sheet (cast acrylic)  evonik

mandalika3

6 slides • 1.1K views



Pvc u sheet komadur wa  kommerling

mandalika3

6 slides • 608 views



Katalog pvc u  gehr

mandalika3

11 slides • 1.4K views



Katalog pp  gehr

mandalika3

8 slides • 938 views



## Katalog pom c tecaform ensinger

mandalika3

4 slides • 871 views



## Katalog pom c gehr

mandalika3

7 slides • 1.2K views



## Katalog peek tecapeek ensinger

mandalika3

11 slides • 991 views



## Katalog peek gehr

mandalika3

8 slides • 865 views



## Katalog pe uhmw gehr

mandalika3

7 slides • 1K views



## Katalog acrylic tube gehr

mandalika3

9 slides • 1.6K views



## Brochure pe uhmw murdotec

mandalika3

21 slides • 882 views



mandalika3

4 slides • 233 views



**Agru purad high purity piping systems pvdf uhp, pp pure, polypure, ectfe, pvd...**

mandalika3

8 slides • 1.5K views



**Agru polypure natural polypropylene piping system**

mandalika3

12 slides • 661 views



**Agru one stop shopping ectfe system**

mandalika3

8 slides • 1.3K views



**Agru industrial piping systems for industrial application**

mandalika3

8 slides • 1.2K views

AD

# Pom properties data sheet \_ gehr

1. **Technical Data Sheet** Polyoxymethylene POM-C I. Physical Properties Test method Unit Value 1. Specific gravity ( $\rho$ ) ISO 1183 g/cm<sup>3</sup> 1,39 2. Water absorption DIN 53495 % 0,2 3. Maximum permissible service temp - - - (no stronger mechanical stress involved) Upper temperature limit - °C 110 Lower temperature limit - °C -50 II. Mechanical Properties Test method Unit Value 1. Tensile strength at yield ISO 527 MPa 63 2. Elongation at yield. ( $\epsilon$ S) ISO 527 % 10 3. Tensile strength at break ( $\sigma$ R) ISO 527 MPa - 4. Elongation at break ( $\epsilon$ R) ISO 527 % 31 5. Impact strength (an) ISO 179 kJ/m<sup>2</sup> no break 6. Notch impact strength (ak) ISO 179 kJ/m<sup>2</sup> 6 7. Ball indentation / Rockwell hardness ISO 2039-1 MPa 135 8. Shore-D DIN 53505 85 9. Flexural strength ( $\sigma$ B 3,5 %) ISO 178 MPa - 10. Modulus of elasticity (Et) ISO 527 MPa 2600 III. Thermal Properties Test method Unit Value 1. Vicat-softening point VST/B/50 ISO 306 °C 150 VST/A/50 ISO 306 °C - 2. Heat deflection temperature HDT/B ISO 75 °C 155 HDT/A ISO 75 °C 95 3. Coefficient of linear thermal expansion  $\alpha$  DIN 53752 K-1\*10<sup>-4</sup> 1,1 4. Thermal conductivity at 20 °C ( $\lambda$ ) DIN 52612 W/(m\*K) 0,31 IV. Electrical Properties Test method Unit Value 1. Volume resistivity VDE 0303  $\Omega$ \*cm  $\geq 10^{13}$  2. Surface resistivity (Ro) VDE 0303  $\Omega \geq 10^{13}$  3. Dielectric constant at 1MHz ( $\epsilon$ r) DIN 53483 - 3,8 4. Dielectric loss factor at 1 MHz ( $\tan\delta$ ) DIN 53483 - 0,005 5. Dielectric strength VDE 0303 kV/mm 40 6. Tracking resistance DIN 53480 - CTI 600 V. Additional Data Test method Unit Value 1. Bond ability - - fair 2. Friction coefficient DIN 53375 - 0,35 3. Flammability UL 94 - HB 4. UV stabilisation - - fair All values are attributes of the used raw materials. The physical data contained in this table are typical values. They are obtained on test specimens under specific conditions and represent average values of a large number of tests. The results obtained on this tests specimens cannot be applied to finished parts without reservations, as behaviour is influenced by processing and shaping. Reproduction only with our definite permission. Subject to change without notice. Page 1 of 1 Date: 11/04

[Download](#)

[About](#)

[Support](#)

[Terms](#)

[Privacy](#)

[Copyright](#)

[Cookie Preferences](#)

[English](#)

[Do not sell or share my personal information](#)