$RWorksheet_Gonzaga\#3a$

sHAMEL GONZAGA

2024-10-02

VECTORS

```
LETTERS <- c("A", "B", "C", "D", "E", "F", "G", "H", "I", "J", "K", "L", "M", "N", "O", "P", "Q", "R", letters <- c("a", "b", "c", "d", "e", "f", "g", "h", "i", "j", "k", "l", "m", "n", "o", "p", "q", "r",
```

a.

```
firstLet <- LETTERS[1:11]
firstLet</pre>
```

```
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
```

b.

```
oddNum <- LETTERS[seq(1, 26, by = 2)]
oddNum
```

```
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
```

c.

```
vowels <- LETTERS[c(1, 5, 9, 15, 21)]
vowels</pre>
```

```
## [1] "A" "E" "I" "O" "U"
```

d.

```
lowerCase <- letters[22:26]</pre>
lowerCase
## [1] "v" "w" "x" "y" "z"
e.
lowerCase <- letters[15:24]</pre>
lowerCase
## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"
2
a.
city <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban", "Samal Island", "Davao City")
city
## [1] "Tuguegarao City" "Manila" "Iloilo City" "Tacloban"
## [5] "Samal Island" "Davao City"
b.
temp \leftarrow c(42, 39, 34, 34, 30, 27)
temp
## [1] 42 39 34 34 30 27
c.
dfCityAndTemp <- data.frame(city, temp)</pre>
{\tt dfCityAndTemp}
##
               city temp
## 1 Tuguegarao City 42
## 2
             Manila 39
## 3
      Iloilo City 34
## 4
          Tacloban 34
## 5 Samal Island 30
## 6
        Davao City 27
```

d.

```
names(dfCityAndTemp) <- c("City", "Temperature")</pre>
dfCityAndTemp
               City Temperature
## 1 Tuguegarao City
            Manila
                            39
      Iloilo City
                            34
## 3
## 4
        Tacloban
                            34
                            30
## 5 Samal Island
## 6 Davao City
                            27
```

e.

```
## 'data.frame': 6 obs. of 2 variables:
## $ City : chr "Tuguegarao City" "Manila" "Iloilo City" "Tacloban" ...
## $ Temperature: num 42 39 34 34 30 27
```

It represents the count, number of observations, and variables, and also the type of data of the 2 variables. This time the contents of the data frame are presented row wise. Besides, it only depicted the initial records of the variable, City.

f.

```
dfCityAndTemp[3:4, ]

## City Temperature
## 3 Iloilo City 34
## 4 Tacloban 34
g.
```

```
highestTemp <- dfCityAndTemp$City[which.max(dfCityAndTemp$Temperature)]
lowestTemp <- dfCityAndTemp$City[which.min(dfCityAndTemp$Temperature)]
highestTemp</pre>
```

```
## [1] "Tuguegarao City"
lowestTemp
## [1] "Davao City"
```

MATRICES

2.

a.

```
matOne <- matrix(c(1,2,3,4,5,6,7,8,11,12,13,14),3,4)
matOne

## [,1] [,2] [,3] [,4]
## [1,] 1 4 7 12
## [2,] 2 5 8 13
## [3,] 3 6 11 14</pre>
```

b.

```
timesTwo <- matOne * 2
timesTwo

## [,1] [,2] [,3] [,4]
## [1,] 2 8 14 24
## [2,] 4 10 16 26</pre>
```

c.

```
rowTwo <- matOne [2, ]
rowTwo</pre>
```

[1] 2 5 8 13

[3,] 6 12 22 28

d.

```
colRow <- matOne [1:2, 3:4]</pre>
colRow
## [,1] [,2]
## [1,] 7 12
## [2,] 8 13
e.
oneRow <- matOne [3, 2:3]</pre>
oneRow
## [1] 6 11
f.
colFour <- matOne [, 4]</pre>
colFour
## [1] 12 13 14
\mathbf{g}.
colFour <- matOne [, 4]</pre>
colFour
## [1] 12 13 14
h.
dim(matOne) <- c(6, 2)</pre>
matOne
## [,1] [,2]
## [1,] 1 7
## [2,] 2 8
## [3,] 3 11
## [4,] 4 12
## [5,] 5 13
## [6,] 6 14
```

ARRAY

3.

a.

```
repArr <- rep(c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1), 2)
arra \leftarrow array(repArr, dim = c(2, 4,3))
## , , 1
##
## [,1] [,2] [,3] [,4]
## [1,] 1 3 7 9
## [2,] 2 6 8 0
## , , 2
##
## [,1] [,2] [,3] [,4]
## [1,] 3 5 1 3
## [2,] 4 1 2 6
##
## , , 3
##
## [,1] [,2] [,3] [,4]
## [1,] 7 9 3 5
## [2,] 8 0 4 1
```

b.

```
dim(arra)
## [1] 2 4 3
```

c.

```
rownames(arra) <- c("a", "b")
colnames(arra) <- c("A", "B", "C", "D")
dimnames(arra)[[3]] <- c("1st-Dimensional Array", "2nd-Dimensional Array", "3rd-Dimensional Array")
arra

## , , 1st-Dimensional Array
## ## A B C D
## a 1 3 7 9</pre>
```

```
## b 2 6 8 0

##

## , , 2nd-Dimensional Array

##

## a 3 5 1 3

## b 4 1 2 6

##

## , , 3rd-Dimensional Array

##

## a 7 9 3 5

## b 8 0 4 1
```