201633029 컴퓨터과학과 정수아

[오류들 정리]

이번과제는 결과를 도출하지 못하였습니다. 월요일 오후 실습때부터 지금까지 고민도 해보고 여러 번 고쳐보고 정정해보았는데 어디의 문제인지 잘 모르겠습니다..

제 생각에는 controller들이 꼬여서 서버가 연결이 안되어지는 것 같습니다. ppt대로 만들면 빨간 오류가 뜨고 그래서 이클립스의 안내에 따라 정정하면 강제변환이 되어서 잘 안되는 걸로 예상합니다. 아직 오류의 원인이 정확히 어디인가는 찾지 못했습니다.

http://localhost:8080/sa/login.jsp

HTTP Status 404 – Not Found

Type Status Report

Message /sa/login.jsp

Description The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.

Apache Tomcat/9.0.7

http://localhost:8080/sa/insertBoard.jsp

HTTP Status 404 – Not Found

Type Status Report

Message /sa/insertBoard.jsp

Description The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.

Apache Tomcat/9.0.7

http://localhost:8080/sa/getBoard.jsp

HTTP Status 404 – Not Found

Type Status Report

Message /sa/getBoard.jsp

Description The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.

Apache Tomcat/9.0.7

\<소스\>

Login.jsp

```jsp
 1 <%@ page language="java" contentType="text/html; charset=UTF-8"
 2    pageEncoding="UTF-8"%>
 3 <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
 4 <html>
 5 <head>
 6 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
 7 <title>로그인</title>
 8 </head>
 9 <body>
10 <%if(session.getAttribute("sessionId")==null){ %>
11     <div align="center">
12     <h2>로그인</h2>
13     <font color="red">${error }</font>
14     <hr>
15     <form action="login_proc.do" method="post">
16     <table border="1" cellpadding="0" cellspacing="0">
17     <tr>
18        <td bgcolor="orange">아이디</td>
19        <td><input type="text" name="id" /></td>
20     </tr>
21     <tr>
22        <td bgcolor="orange">비밀번호</td>
23        <td><input type="password" name="password" /></td>
24     </tr>
25     <tr>
26        <td colspan="2" align="center"><input type="submit" value="로그인" /></td>
27     </tr>
28 </table>
29 </form>
30 </div>
31 <%} else{}%>
32 </body>
33 </html>
```

→login_proc.do로 갈 수 없는 것 같음

Login_proc.jsp

```jsp
<%@ page import="ac.yongin.sa.user.dao.UserDAO" %>
<%@ page import="ac.yongin.sa.user.vo.UserVO" %>

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%
    String id=request.getParameter("id");
    String password=request.getParameter("password");

    UserVO vo=new UserVO();
    vo.setId(id);
    vo.setPassword(password);

    UserDAO dao=new UserDAO();
    UserVO user=dao.getUser(vo);

    if(user!=null){
        response.sendRedirect("getBoardList.jsp");
    }
    else{
        response.sendRedirect("login.jsp");
    }
%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Insert title here</title>
</head>
```

→혹시나 /login.jsp로도 해주었는데 그래도 연결이 되지 않습니다...

InsertBoard.jsp

```jsp
<%@ page import="ac.yongin.sa.user.dao.UserDAO" %>
<%@ page import="ac.yongin.sa.user.vo.UserVO" %>

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%
        String id=request.getParameter("id");
        String password=request.getParameter("password");
        String name = (String)session.getAttribute("sessionname");

        UserVO vo=new UserVO();
        vo.setId(id);
        vo.setPassword(password);

        UserDAO dao=new UserDAO();
        UserVO user=dao.getUser(vo);
%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>새글등록</title>
</head>
<body>
<div align="center">
<h2>글 등록</h2>
<a href="Logout_proc.jsp">Log-out</a>
<hr>
<form action="insertBoard_proc.jsp" method="post">
<table border="1" cellpadding="0" cellspacing="0">
        <tr>
                <td bgcolor="orange" width="70">제목</td>
                <td align="left"><input name="title" type="text" /></td>
        </tr>
        <tr>
                <td bgcolor="orange">작성자</td>
                <td align="left"><%= name %></td>
        </tr>
        <tr>
                <td bgcolor="orange">내용</td>
                <td align="left"><textarea name="content" cols="40" rows="10"></textarea></td>
        </tr>
        <tr>
                <td colspan="2" align="center"><input type="submit" value=새글등록 /></td>
        </tr>
</table>
</form>
<hr>
<a href="getBoardList.jsp">글목록</a>
</div>
</body>
</html>
```

Insertboard_proc.jsp

```jsp
<%@ page import="java.util.*" %>
<%@ page import="ac.yongin.sa.board.dao.BoardDAO" %>
<%@ page import="ac.yongin.sa.board.vo.BoardVO" %>
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>

<%
        //String id = (String)session.getAttribute("sessionId");

        //request.setCharacterEncoding("UTF-8");
        //String title=request.getParameter("title");
        //String writer=request.getParameter("writer");
        //String content=request.getParameter("content");

        //BoardVO vo=new BoardVO();
        //vo.setTitle(title);              →전에 했던 부분을 주석처리 해놓았습
        //vo.setWriter(writer);             니다!!
        //vo.setContent(content);

        //BoardDAO dao=new BoardDAO();
        //dao.inserBoard(vo);

        //response.sendRedirect("getBoardList.jsp");

%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>새글등록</title>

</head>
<body>
<div align="center">

<h2>글 등록</h2>
<a href="logout_proc.do">Log-out</a>
<hr>
<form action="insertBoard_proc.do" method="post">
<table border="1" cellpadding="0" cellspacing="0">
        <tr>
                <td bgcolor="orange" width="70">제목</td>
                <td align="left"><input name="title" type="text" /></td>
        </tr>

        <tr>
                <td bgcolor="orange">작성자</td>
                <td align="left"><input name="writer" type="text"></td>
        </tr>
        <tr>
                <td bgcolor="orange">내용</td>
                <td align="left"><textarea name="content" cols="40" rows="10"></textarea></td>
        </tr>
        <tr>
                <td colspan="2" align="center"><input type="submit" value=새글등록 /></td>
        </tr>
</table>
</form>
<hr>
<a href="getBoardList.jsp">글목록</a>
</div>
```

```
</body>
</html>
```

GetBoardList.jsp

```jsp
<%@ page import="java.util.*" %>
<%@ page import="ac.yongin.sa.board.dao.BoardDAO" %>
<%@ page import="ac.yongin.sa.board.vo.BoardVO" %>
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>

<%
        List<BoardVO> boardList=(List)request.getAttribute("boardList");
%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Insert title here</title>
</head>
<body>
<div align="center">

<h2>글목록</h2>

<h3>테스트님 환영합니다...<a href="logout_proc.do">Log-out</a></h3>

<form action="getBoardList.do" method="post">
<table border="1" cellpadding="0" width="700">
<tr><td align="right">
        <select name="serarchCondition">
        <option value="TITLE">제목
        <option value="CONTENT">내용
        </select>
        <input name="serarchKeyword" type="text"/>
        <input type="submit" value="검색" />
        </td>
</tr>
</table>
</form>

<table border="1" cellpadding="0" cellspacing="0" width="700">
<tr>
<th bgcolor="orange" width="100">번호</th>
<th bgcolor="orange" width="200">제목</th>
<th bgcolor="orange" width="150">작성자</th>
<th bgcolor="orange" width="150">등록일</th>
<th bgcolor="orange" width="100">조회수</th>
</tr>

<% for(BoardVO board : boardList){ %>
<tr>
        <td><%= board.getSeq() %></td>
        <td align="left"><a href="getBoard_proc.do?seq=<%= board.getSeq() %>"><%=
board.getTitle()%></a></td>
        <td><%= board.getWriter() %></td>
        <td><%= board.getRegDate() %></td>
        <td><%= board.getCnt() %></td>
</tr>
<% } %>
</table>
```

```
<br>
<a href="insertBoard.jsp">새글등록</a>
<a href="deleteBoard.jsp">글삭제</a>
</div>
</body>
</html>
```

GetBoard.jsp

```
<%@ page import="ac.yongin.sa.board.dao.BoardDAO" %>
<%@ page import="ac.yongin.sa.board.vo.BoardVO" %>
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%
        BoardVO board=(BoardVO)request.getAttribute("board");

        //String seq=request.getParameter("seq");
        //BoardVO vo=new BoardVO();
        //vo.setSeq(Integer.parseInt(seq));

        //BoardDAO boardDao = new BoardDAO();
        //BoardVO board=boardDao.getBoard(vo);
%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Insert title here</title>
</head>
<body>
<div align="center">
<h2>글 상세</h2>
<a href="logout_proc.do">Log-out</a>
<hr>
<form action="updateBoard_proc.do" method="post">
<input type="hidden" name="seq" value="<%= board.getSeq() %>"/>
<table border="1" cellpadding="0" cellspacing="0">
        <tr>
                <td bgcolor="orange" width="70">제목</td>
                <td align="left"><input name="title" type="text" value="<%=board.getTitle() %>"
/></td>
        </tr>
        <tr>
                <td bgcolor="orange">작성자</td>
                <td align="left"><%=board.getWriter() %></td>
        </tr>
        <tr>
                <td bgcolor="orange">내용</td>
                <td align="left"><textarea name="content" cols="40" rows="10">
                <%=board.getContent() %></textarea></td>
        </tr>
        <tr>
                <td bgcolor="orange">등록일</td>
                <td align="left"><%=board.getRegDate() %></td>
        </tr>
        <tr>
                <td bgcolor="orange">조회수</td>
                <td align="left"><%=board.getCnt() %></td>
        </tr>
```

```html
            <tr>
                    <td colspan="2" align="center"><input type="submit" value=글수정 /></td>
            </tr>
</table>
</form>
<hr>
<a href="insertBoard.jsp">글등록</a> |
<a href="deleteBoard_proc.do?seq=<%=board.getSeq()%>">글삭제</a> |
<a href="getBoardList_proc.do">글목록</a>
</div>
</body>
</html>
```

UpdateBoard_proc.jsp

```jsp
<%@ page import="ac.yongin.sa.board.dao.BoardDAO" %>
<%@ page import="ac.yongin.sa.board.vo.BoardVO" %>
<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>

<%
        request.setCharacterEncoding("UTF-8");
        String title=request.getParameter("title");
        String seq=request.getParameter("seq");
        String content=request.getParameter("content");

        BoardVO vo=new BoardVO();
        vo.setTitle(title);
        vo.setSeq(Integer.parseInt(seq));
        vo.setContent(content);

        BoardDAO dao=new BoardDAO();
        dao.updateBoard(vo);

        response.sendRedirect("getBoardList.jsp");
%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Insert title here</title>
</head>
<body>

</body>
</html>
```