

박정모 리액트 클론코딩 1

2022-04-29

Gourmet au Catering

About Menu Contact



Le Catering



About Catering

Tradition since 1889

The Catering was founded in blabla by Mr. Smith in lorem ipsum dolor sit amet, consectetur adipiscing elit consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. We only use seasonal ingredients.

Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Our Menu

Bread Basket

Assortment of fresh baked fruit breads and muffins 5.50

Honey Almond Granola with Fruits

Natural cereal of honey toasted oats, raisins, almonds and dates 7.00

Belgian Waffle

Vanilla flavored batter with malted flour 7.50

Scrambled eggs

Scrambled eggs, roasted red pepper and garlic, with green onions 7.50

Blueberry Pancakes

With syrup, butter and lots of berries 8.50



Contact

We offer full-service catering for any event, large or small. We understand your needs and we will cater the food to satisfy the biggest criteria of them all, both look and taste. Do not hesitate to contact us.

Catering Service, 42nd Living St, 43043 New York, NY

You can also contact us by phone 00553123-2323 or email catering@catering.com, or you can send us a message here:

Name

How many people


2020-11-16 오후 08:00

Message \ Special requirements

SEND MESSAGE

Powered by w3.css

소스코드 구조



Index.js

```

import React from 'react';
import ReactDOM from 'react-dom/client';
import App from './App';
import { BrowserRouter } from 'react-router-dom';
import GlobalStyles from './GlobalStyles';
import Meta from './Meta';

const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <React.StrictMode>
    <GlobalStyles />
    <Meta />
    <BrowserRouter>
      <App />
  </React.StrictMode>
);

```

```

    </BrowserRouter>
  </React.StrictMode>
);

```

GlobalStyles.js

```

/**
 * @filename: GlobalStyles.js
 * @description: 전역으로 적용될 기본 스타일시트. reset을 적용하였음.
 * @author: 박정모 (ooperbjm@gmail.com)
 */

import { createGlobalStyle } from "styled-components";

/**
 * 전역 스타일 시트를 정의한 객체
 * @type {GlobalStyleComponent<{}, DefaultTheme>}
 */
const GlobalStyles = createGlobalStyle`
  * {
    font-family: 'Times New Roman', Georgia, Serif;
  }

  html, body {
    box-sizing: border-box;
  }

  a{
    text-decoration: none;
    color: #000000;
  }

  /** reset.css 참조 */

  /* http://meyerweb.com/eric/tools/css/reset/
    v2.0 | 20110126
    License: none (public domain)
  */

  html, body, div, span, applet, object, iframe,
  h1, h2, h3, h4, h5, h6, p, blockquote, pre,
  a, abbr, acronym, address, big, cite, code,
  del, dfn, em, img, ins, kbd, q, s, samp,
  small, strike, strong, sub, sup, tt, var,
  b, u, i, center,
  dl, dt, dd, ol, ul, li,

```

```
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td,
article, aside, canvas, details, embed,
figure, figcaption, footer, header, hgroup,
menu, nav, output, ruby, section, summary,
time, mark, audio, video {
  margin: 0;
  padding: 0;
  border: 0;
  font-size: 100%;
  font: inherit;
  vertical-align: baseline;
}

/* HTML5 display-role reset for older browsers */
article, aside, details, figcaption, figure,
footer, header, hgroup, menu, nav, section {
  display: block;
}

body {
  line-height: 1;
}

ol, ul {
  list-style: none;
}

blockquote, q {
  quotes: none;
}

blockquote:before, blockquote:after,
q:before, q:after {
  content: '';
  content: none;
}

table {
  border-collapse: collapse;
  border-spacing: 0;
}
`;

export default GlobalStyles;
```

Meta.js

```

/**
 * SEO 처리를 정의한 객체
 * @param props
 * @returns {JSX.Element}
 */
const Meta = (props) => {
  return (
    <HelmetProvider>
      <Helmet>
        <title>Clone Coddig 1 ::: by React</title>
        <meta charSet="utf-8"/>
        { /* SEO 태그 */ }
        <meta name='description' content={props.description}/>
        <meta name='keywords' content={props.keywords}/>
        <meta name='author' content={props.author}/>
        <meta property='og:type' content='website'/>
        <meta property='og:title' content={props.title}/>
        <meta property='og:description' content={props.description}/>
        <meta property='og:image' content={props.image}/>
        <meta property='og:url' content={props.url}/>
      </Helmet>
    </HelmetProvider>
  );
};

Meta.defaultProps = {
  title: 'React Example',
  description: 'React.js 예제 입니다.',
  keywords : 'React',
  author : '박정모',
  url: window.location.href,
};

export default Meta;

```

App.js

```

import React from 'react';
import Navbar from './components/Navbar';
import Header from './components/Header';
import Content from './pages/Content';
import Footer from './components/Footer';

function App() {
  return (
    <div className="App">
      <Navbar />
      <Header />

```

```

        <Content />
        <Footer />
      </div>
    );
  }

  export default App;

```

Navbar.js

```

import React from "react";
import { Link } from "react-router-dom";
import styled from "styled-components";

const Nav = styled.div`
  width: 100%;
  height: 40px;
  padding: 10px;
  margin: 0px;
  box-shadow: 0px 2px 3px #a1a1a1;
  position: fixed;
  background-color: #ffffff;
  z-index: 100;

  a {
    display: block;
    letter-spacing: 4px;
    cursor: pointer;
    float: left;
    height: 30px;
    padding: 10px 10px 0px 10px;
    /* margin-bottom: 10px; */
    font-size: 15px;
    line-height: 20px;

    &:hover {
      background-color: #27272747;
    }
    &: first-child {
      position: absolute;
      left: 20px;
    }
  }

  .right3 {
    position: absolute;
    right: 30px;
  }
  .right2 {

```

```

    position: absolute;
    right: 140px;
  }

  .right1 {
    position: absolute;
    right: 220px;
  }

  &:after {
    float: none;
    clear: both;
    display: block;
    content: "";
  }
`;

const Navbar = () => {
  return (
    <Nav>
      <Link to="#"> Gourmet au Catering </Link>
      <Link to="#" className="right1">
        {" "}
        About{" "}
      </Link>
      <Link to="#" className="right2">
        {" "}
        Menu{" "}
      </Link>
      <Link to="#" className="right3">
        {" "}
        Contact{" "}
      </Link>
    </Nav>
  );
};

export default Navbar;

```

Header.js

```

import React from "react";
import Hamburger from "../assets/img/hamburger.jpg";
import styled from "styled-components";

const Headercontainer = styled.header`
  position: relative;
  width: 1600px;
  margin: auto;

```

```

img {
  display: block;
  width: 100%;
  margin: auto;
  position: relative;
  z-index: -1;
}
h1 {
  display: block;
  font-size: 36px;
  color: #505050;
  position: absolute;
  bottom: 60px;
  left: 40px;
  letter-spacing: 5px;
}
&:after {
  content: "";
  display: block;
  float: none;
  clear: both;
}
`;

const Header = () => {
  return (
    <Headercontainer>
      <img src={Hamburger} alt="Le Catering" />
      <h1>Le Catering</h1>
    </Headercontainer>
  );
};

export default Header;

```

Content.js

```

import React from "react";
import Post1 from "../components/Post1";
import Post2 from "../components/Post2";
import Contact from "../components/Contact";

const Content = () => {
  return (
    <div>
      <Post1 />
      <Post2 />

```



```
        <Contact />
      </div>
    );
  };

  export default Content;
```

Post1.js

```
import React from "react";
import Img1 from "../assets/img/tablesetting2.jpg";
import styled from "styled-components";

const About = styled.div`
  width: 1080px;
  max-width: 100%;
  margin: auto;
  padding-top: 50px;

  * {
    vertical-align: middle;
  }

  img {
    display: block;
    margin: auto;
    width: 50%;
    max-width: 80%;
    min-width: 30%;
    border-radius: 4px;
    float: left;
    margin-right: 40px;
    opacity: 0.8;
  }

  h2 {
    font-size: 35px;
    text-align: center;
    line-height: 300%;
    letter-spacing: 5px;
    padding-bottom: 10px;
  }

  .content1 {
    max-height: 750px;
    text-overflow: ellipsis;
    overflow: hidden;

    .subtitle {
```

```

        text-align: center;
        font-size: 18px;
        font-weight: 100;
        letter-spacing: 5px;
        padding-bottom: 20px;
    }

    p {
        font-size: 16px;
        line-height: 25px;

        &:last-child {
            color: #5f5f5f;
            padding-top: 10px;
        }
    }
}
&:after {
    float: none;
    clear: both;
    content: "";
    display: block;
    padding-bottom: 200px;
}
`;

const Post1 = () => {
    return (
        <About>
        <div className="image">
            <img src={Img1} alt="tablesetting" />
        </div>
        <h2>About Catering</h2>
        <div className="content1">
            <p className="subtitle">Tradition since 1889</p>
            <p>
                The Catering was founded in blabla by Mr. Smith in lorem ipsum dolor
                sit amet, consectetur adipiscing elit consectetur adipiscing elit, sed
                do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim
                ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
                aliquip ex ea commodo consequat. Duis aute iruredolor in reprehenderit
                in voluptate velit esse cillum dolore eu fugiat nulla pariatur.We only
                use seasonal ingredients.
            </p>
            <p>
                Excepteur sint occaecat cupidatat non proident, sunt in culpa qui
                officia deserunt mollit anim id est laborum consectetur adipiscing
                elit, sed do eiusmod temporincidunt ut labore et dolore magna
                aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
                laboris nisi ut aliquip ex ea commodo consequat.
            </p>
        </div>
        </About>
    );
};

```

```
};  
  
export default Post1;
```

Post2.js

```
import React from 'react';  
import Img1 from '../assets/img/tablesetting.jpg';  
import styled from 'styled-components';  
  
const Menu = styled.div`  
  width: 1080px;  
  max-width: 100%;  
  margin: auto;  
  
  img {  
    display: block;  
    margin: auto;  
    width: 45%;  
    max-width: 80%;  
    min-width: 30%;  
    border-radius: 4px;  
    float: right;  
    margin-left: 40px;  
    opacity: 0.8;  
  }  
  h2 {  
    font-size: 35px;  
    text-align: center;  
    line-height: 300%;  
    letter-spacing: 5px;  
    padding-bottom: 10px;  
  }  
  h3 {  
    font-size: 21px;  
    font-weight: 500;  
    letter-spacing: 4px;  
    padding-bottom: 20px;  
  }  
  p {  
    font-size: 12px;  
    line-height: 25px;  
    padding-bottom: 40px;  
    color: #5f5f5f;  
  }  
  &:after {  
    float: none;  
    clear: both;  
    content: '';
```

```

    display: block;
  }
},

const Post2 = () => {
  return (
    <Menu>
      <img src={Img1} alt="tablesetting2"/>
      <h2>Our Menu</h2>
      <ul>
        <li>
          <h3>Bread Basket</h3>
          <p>Assortment of fresh baked fruit breads and muffins 5.50</p>
        </li>
        <li>
          <h3>Honey Almond Granola with Fruits</h3>
          <p>Natural cereal of honey toasted oats, raisins, almonds and
dates 7.00</p>
        </li>
        <li>
          <h3>Belgian Waffle</h3>
          <p>Vanilla flavored batter with malted flour 7.50</p>
        </li>
        <li>
          <h3>Scrambled eggs</h3>
          <p>Scrambled eggs, roasted red pepper and garlic, with green
onions 7.50</p>
        </li>
        <li>
          <h3>Blueberry Pancakes</h3>
          <p>With syrup, butter and lots of berries 8.50</p>
        </li>
      </ul>
    </Menu>
  );
};

export default Post2;

```

Contact.js

```

import React from 'react';
import styled from 'styled-components';

const Contactcontainer = styled.div`
  display: block;
  width: 1080px;
  height: auto;
  margin: auto;

```

```
padding-left: 10px;

h2 {
  font-size: 35px;
  font-weight: 400;
  line-height: 300%;
  letter-spacing: 5px;
  padding-bottom: 10px;
}
p {
  font-size: 13px;
  line-height: 25px;
  font-weight: 400;
  padding-bottom: 20px;

  &:nth-child(3) {
    font-size: 15px;
    color: #667c89;
    font-weight: bolder;
  }
}

input {
  display: block;
  width: 100%;
  border: none;
  line-height: 60px;
  border-bottom: 1px solid #505050;
}

a {
  line-height: 100px;
  font-size: 0.9em;
  background-color: #eee;
  padding: 10px;

  &:hover{
    background-color: #8d8d8d;
  }
}
,

const Contact = () => {
  return (
    <Contactcontainer>
      <h2>Contact</h2>
      <p>We offer full-service catering for any event, large or small. We
understand your needs and we will cater the food to satisfy the biggerst criteria
of them all, both look and taste. Do not hesitate to contact us.</p>
      <p>Catering Service, 42nd Living St, 43043 New York, NY</p>
      <p>You can also contact us by phone 00553123-2323 or email
catering@catering.com, or you can send us a message here:</p>
      <fieldset>
```

```

        <input type="text" placeholder="Name" id="name" />
        <input type="number" placeholder="How many people" />
        <input type="datetime-local" value="2020-11-16T20:00" />
        <input type="text" placeholder="Message \ Special requirements" />
      </fieldset>
      <a href="#name">SEND MESSAGE</a>
    </Contactcontainer>
  );
};

export default Contact;

```

Footer.js

```

import React from 'react';
import styled from 'styled-components';

const Footercontainer = styled.div`
  line-height: 100px;
  margin-top: 50px;
  background-color: #eee;
  text-align: center;
`;

const Footer = () => {
  return (
    <Footercontainer>
      <address>Powered by w3.css</address>
    </Footercontainer>
  );
};

export default Footer;

```

후기

그리 오래되진 않은 시점에 진행했던 클론코딩인데 지금 보니 DOM이 어색하게 되어있는 부분들이 보여서 살짝 다듬어야 했습니다. 뭔가 리액트를 하다보니 DOM을 어떻게 짜야할지 좀 더 큰 시점(?)에서 봐야한다는 걸 알았습니다.