BUS 491/591 Python and Simulation



BUS 491/591 Python and Simulation




sd SimQueue.getNextEventTime
: SimQueue
: Server
loop
[for every Server]
1: getNextEventTime() : double
Powered By Visual Paradigm Community Edition


sd Customer Service Completion
: Simulation
: SimQueue
: Server
: Customer
: Experience
: CustomerDestination
1: processEvent(simtime : double) : Customer
1.1: processEvent(time : double) : Customer
1.1.1: logServiceCompletion(simtime : double)
1.1.1.1: logServiceCompletion(serviceCompletionTime : double)
opt
[Customer != None]
1.2: acceptArrival(simtime : double, customer : Customer) : boolean
Powered By Visual Paradigm Community Edition

BUS 491/591 Python and Simulation




sd Simulation Cycle
: Simulation
: SimulationStage
loop
[while simtime <= endtime]
1: getNextEventTime() : double
opt
[nextEventTime == min(nextEventTime[])]
2: processEvent(simtime : double) : Customer
Powered By Visual Paradigm Community Edition

BUS 491/591 Python and Simulation




Server.acceptCustomer Activity Diagram
return False
[isAvailable() == False]
Server Availability
return False
[type != Customer]
Customer Validity
setBusy
ask customer to log entry
return True
Powered By Visual Paradigm Community Edition

BUS 491/591 Python and Simulation




Server.setBusy
update custInSvc
nextEventType =
SERVICE_COMPLETION
get service time from
svcTimeDist
nextEventTime =
serviceCompletionTime
Powered By Visual Paradigm Community Edition