gemini-conversation

Exported on: 11/18/2025, 1:30:37 PM

User

Homework2
PDF

HW2
PDF

Gemini

Here is the review of the assignment based on the provided prompt and student submission.

1. Executive Summary

Overall Assessment: The report demonstrates a solid understanding of the theoretical underpinnings of Bayesian inversion and Tikhonov regularization. The derivations in Section 1 are mathematically sound, and the numerical experiments in Section 2 generally align with the prompt's objectives. However, the work is significantly undermined by a failure to use the specific parameters provided in the problem statement for Problem 1. This alters the noise characteristics and prior variance, meaning the results presented—while internally consistent—do not solve the specific problem posed.

Priority Revisions:

- **Parameter Discrepancy (Critical):** In Problem 1, you utilized $\gamma = 10^{-1}$ and $\sigma = 10^{-3}$. The prompt explicitly specifies $\gamma = 1.0$ and $\sigma = 10^{-2}$. This order-of-magnitude difference alters the signal-to-noise ratio and the regularization strength (α), rendering the specific numerical results incorrect relative to the prompt.
- **Sample Size:** In Problem 1(b), the prompt requests "say 100" samples. You provided plots for $N = 5$ and $N = 500$. While illustrative, you should include the requested sample size or explicitly justify the deviation.
- **Interpretation of Discrepancy Principle:** In Problem 2(d), you note that the safety factor $\nu = 1.05$ negatively impacts the result. You must explain *why* this occurs in the context of the specific noise realization or the smoothness of the solution, rather than just noting the observation.

---

2. Detailed Section-by-Section Analysis

1) 1D Heat Problem

1.a) Deriving the Ordinary Tikhonov Solution

- **Completeness:** You successfully derive the Tikhonov form and demonstrate the covariance inequality.
- **Correctness:**
  - The derivation of the posterior mean and covariance using the "completing the square" method and the Woodbury matrix identity is mathematically correct.
  - The proof that $\Gamma_{post} < \gamma^2 I$ is logically sound, relying correctly on the positive definiteness of the inverse term.
- **Clarity:** The steps are well-structured and easy to follow. The transition from equation (10) to (12) clearly connects the Bayesian result to the deterministic Tikhonov regularizer.

1.b) Analytical and Sampled Bayesian Estimation

- **Completeness:** You computed sample statistics and plotted the required curves (mean, posterior mean, CI). However, as noted in the Executive Summary, you did not use the requested sample size ($N = 100$).
- **Correctness:**
  - **Parameter Error:** The results in Figure 1 generate a posterior based on $\sigma = 10^{-3}$ and $\gamma = 0.1$. The prompt specifies $\sigma = 10^{-2}$ and $\gamma = 1$. Consequently, your posterior is much tighter (lower variance) than the problem intends.
  - The implementation of the sampling and confidence intervals appears algorithmically correct based on the figures provided.
- **Clarity:** The discussion regarding finite sampling effects is clear and well-illustrated by the comparison between $N = 5$ and $N = 500$.

1.c) Reduced Observational Region

- **Completeness:** You analyzed the reduced observation region. You included an unrequested analysis of a different terminal time ($T = 0.005$), which, while interesting, distracts slightly from the direct comparison of the observation operator A versus its submatrix.
- **Correctness:**
  - The observation that uncertainty increases in unobserved regions and reverts to the prior is correct.
  - Your claim that "shorter terminal times ordinarily resulting in a less ill-posed problem" is generally true for heat flow (less smoothing), but your analysis of $T = 0.005$ showing the estimate reverting to the prior is a consequence of the *lack of information propagation* to the unobserved region in short time, not necessarily ill-posedness in the observed region. Be careful with this distinction.
- **Clarity:** The comparison in Figure 2 is effective, though the discussion should focus more strictly on the "missing information" aspect required by the prompt's hint.

2) Abel Problem and H^1-Regularisation

2.a) Show that $x(s) \in H^1(0,1)$

- **Completeness:** Addressed fully.
- **Correctness:**
  - The integration of $x(s)^2$ is correct.
  - The integration of the derivative $(x'(s))^2 \propto s^{-1/2}$ is correct ($9/8 < \infty$).
- **Clarity:** The breakdown of the calculation is precise and easy to verify.

2.b) Uniqueness and Existence

- **Completeness:** Addressed fully.
- **Correctness:**
  - The use of the Weierstrass Extreme Value Theorem relying on coercivity is the standard and correct approach for existence.
  - The proof of uniqueness via the strict convexity of the objective function (positive definite Hessian) is correct. You correctly identified that adding αI ensures the Hessian is strictly positive definite even if $A^T A$

or $D^T D$ are singular.

- **Clarity:** Good use of definitions and clear logical progression.

2.c) Ordinary Tikhonov and Discrepancy Principle

- **Completeness:** You solved the problem and plotted the error relative to the optimal α.
- **Correctness:**
  - The application of the discrepancy principle appears correct based on the intersection shown in Figure 3.
  - The "Optimal" marker in Figure 3 aligns with the minimum of the error norm, demonstrating a correct validation method.
- **Clarity:** Figure 3 is highly legible. The dual-axis/dual-panel presentation separates the residual analysis from the error analysis effectively.

2.d) Generalised Tikhonov and Discrepancy Principle

- **Completeness:** You compared the generalized solution to the ordinary one.
- **Correctness:**
  - The discretization of D (Equation 30) is standard.
  - You identified that the safety factor $\nu = 1.05$ caused over-regularization in this specific instance.
- **Clarity:** The comparison in Figure 5 clearly demonstrates the advantage of H^1 regularization for smooth functions.

---

3. Analysis of Missed Insights

- **Singularity and Regularization:** In Problem 2, the function $x(s) = s^{3/4} - 1$ has a derivative $x'(s) \propto s^{-1/4}$. While this is in L^2, it approaches infinity as $s \to 0$. Regularization involving $||Dx||_2^2$ penalizes large derivatives. You should have analyzed how the Generalized Tikhonov solution behaves specifically near $s = 0$ compared to the Ordinary Tikhonov solution. Does the penalization of the derivative cause a larger bias near the singularity? Figure 5 suggests a deviation near $s = 0$ for the generalized case, but the text does not discuss this specific trade-off.
- **Correlation Length in 1(c):** When discussing the reduced observation region, you mention the estimate reverts to the prior. A deeper insight would be to discuss the *correlation length* implied by the posterior covariance. In the heat equation, information diffuses; the distance into the unobserved region that the posterior variance remains lower than the prior variance is a direct measure of the "information horizon" at time T.
- **Impact of Safety Factor ν:** In 2(d), you noted $\nu = 1.05$ hurt performance. A missed insight is *why*. The Discrepancy Principle is known to over-smooth when the noise level is overestimated or when the solution is extremely smooth. Since the true solution is very smooth (save for the singularity), the "optimal" α allows for very little regularization. The safety factor forces higher α, pushing the solution away from this optimum.

---

4. Formatting and Notation Review

- **Citation Format:** The report adheres to the requested numeric citation style.
- **Figures:** The figures are well-labeled with clear legends and captions.
- **Math Notation:** Notation is consistent (e.g., Γ_{post}, $\overline{x}$).
- **Structure:** The report structure mirrors the assignment structure well, aiding readability.

- **Code:** The code is referenced as being in the appendix (though not reviewed here), satisfying the submission requirement.

User

Please also find any grammatical errors that may be present. Feel free to be pedantic

Gemini

Here is a pedantic review of grammatical, typographical, and stylistic errors found in the report.

1. Typographical and Orthographical Errors

- **Source 22:** "Where is a realisation of the prior..."
  - **Error:** Missing subject.
  - **Correction:** "Where x is a realisation..." or "Where X is a realisation...".
- **Source 39:** Equation derivation lines.
  - **Error:** The terms "y_{dan}" and "y_{dab}" appear in the expansion. These appear to be severe typos for y_{obs}.
  - **Correction:** Replace with y_{obs}.
- **Source 73:** "...we seek to use the the Weierstrass Extreme Value Theorem..."
  - **Error:** Repetition of the word "the".
  - **Correction:** "...use **the** Weierstrass...".
- **Source 74:** Equation (14).
  - **Error:** "$||z|_2^2$"
  - **Correction:** Missing the closing vertical bar: "$||z||_2^2$".
- **Source 88, 106, 137:** Figure Captions.
  - **Error:** Multiple misspellings of the subscript "obs" in the figure captions and text, specifically "y_{otxs}" and "y_{ohs}".
  - **Correction:** Ensure consistent notation: y_{obs}.
- **Source 162:** "...we seek to use the the Weierstrass..."
  - **Error:** Repetition of the word "the" (Note: This error appears in both the derivation reference in section 1.a and section 2.b, suggesting a copy-paste error).
  - **Correction:** "...use **the** Weierstrass...".
- **Source 208:** "...we also display the error norma..."
  - **Error:** "norma".
  - **Correction:** "**norm**".
- **Source 209:** "...regularisation parameter very close the the optimal value."

- **Error:** Missing preposition "to" and repetition of "the".
- **Correction:** "...very close **to the** optimal value".

2. Grammatical and Syntactical Errors

- **Source 106:** "...prior standard deviation $\gamma = 10^{-1}$ The black line..."
  - **Error:** Run-on sentence; missing punctuation after the mathematical expression.
  - **Correction:** "...$\gamma = 10^{-1}$. The black line...".
- **Source 137:** "...prior standard deviation $\gamma = 10^{-1}$ Only the region..."
  - **Error:** Run-on sentence; missing punctuation.
  - **Correction:** "...$\gamma = 10^{-1}$. Only the region...".
- **Source 167:** "...to conclude that a global minimiser exists on arbitrarily chosen sublevel set S_c."
  - **Error:** Missing article.
  - **Correction:** "...exists on **an** arbitrarily chosen sublevel set...".
- **Source 246:** "...appears negatively impact the performance..."
  - **Error:** Missing infinitive marker "to".
  - **Correction:** "...appears **to** negatively impact...".

3. Stylistic and Consistency Issues

- **Spelling Consistency (British vs. American):**
  - The assignment prompt uses American English spelling (e.g., "modeled" , "Regularization" , "Discretize").
  - Your report predominantly uses British English (e.g., "modelled" , "Regularisation" , "discretised" , "realisation" , "minimiser"). While acceptable, it is generally preferred to match the dialect of the publication or prompt you are addressing.
- **Repetitive Phrasing:**
  - The phrase "As such" is used excessively as a transition (Sources 23, 26, 65, 77, 155, 188, 248). Consider varying your transitional phrases (e.g., "Consequently," "Therefore," "Thus," "Hence").
- **Notation Consistency:**
  - In Source 193, you utilize the symbol `\top` ($A^\top$) for the transpose, whereas in the majority of the text (e.g., Source 41, 48, 58), you use `T` (A^T). Select one notation and adhere to it strictly.

4. Formatting Artifacts

- **Source 39:** "$= exp(-\frac{1}{2})x^T$..."

- **Observation:** The closing parenthesis for the exponential function appears prematurely or is syntactically incorrect in the LaTeX source. It reads as if you are multiplying $e^{-1/2}$ by the quadratic form, rather than the quadratic form being the argument of the exponential.

- **Source 54:** "[2, Eq. 2.18]"
  - **Observation:** In the text extraction, this citation appears broken across lines. Ensure non-breaking spaces are used in LaTeX (e.g., `Eq.~2.18`) to prevent valid references from being orphaned.