


Testing using Apollo Studio Explorer

User Service


Create User

```
mutation {  
  createUser(name: "Alice", email: "alice@example.com") {  
    id  
    name  
    email  
  }  
}
```




Read User

```
query {  
  users {  
    id  
    name  
    email  
  }  
}
```




Update User

```
mutation {  
  updateUser(id: 1, name: "Updated Name", email:  
"updatedemail@example.com") {  
    id  
    name  
    email  
  }  
}
```



Delete User

```
mutation {
  deleteUser(id: 1) {
    id
    name
    email
  }
}
```



Go to graph index

Documentation

Root > Query

Query

Fields

user(_): User

users: [User!]!

Operation

```
1 query {
2   users {
3     id
4     name
5     email
6   }
7 }
8
```

Variables

1

Add files

Response


```
{
  "data": {
    "users": []
  }
}
```

200 10.0ms 22B

Posts Service


Create Post

```
mutation {  
  createPost(title: "Sample Post", content: "This is a sample post  
content.") {  
    id  
    title  
    content  
  }  
}
```




Read Post

```
query {  
  posts {  
    id  
    title  
    content  
  }  
}
```



Update Post

```
mutation {
  updatePost(id: 1, title: "Updated Post Title", content: "Updated post content.") {
    id
    title
    content
  }
}
```



Delete Post

```
mutation {  
  deletePost(id: 1) {  
    id  
    title  
    content  
  }  
}
```

The screenshot shows the GraphQL Playground interface. The left sidebar has 'Query' selected. The 'Operation' editor contains the following GraphQL mutation:

```
1 mutation {  
2   deletePost(id: 1) {  
3     id  
4     title  
5     content  
6   }  
7 }  
8
```

The 'Response' tab shows the JSON output:

```
{  
  "data": {  
    "deletePost": {  
      "id": 1,  
      "title": "Updated Post  
Title",  
      "content": "Updated post  
content."  
    }  
  }  
}
```

At the bottom, the 'Variables' tab is active, showing an empty object: `{}`.

The screenshot shows the GraphQL Playground interface. The left sidebar has 'Query' selected. The 'Operation' editor contains the following GraphQL query:

```
1 query {  
2   posts {  
3     id  
4     title  
5     content  
6   }  
7 }  
8
```

The 'Response' tab shows the JSON output:

```
{  
  "data": {  
    "posts": []  
  }  
}
```

At the bottom, the 'Variables' tab is active, showing an empty object: `{}`.

