



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***Euclid Hosp Cleveland Clin Hlth Syst
Pathology Department
Euclid, Ohio***

Susan E. Porter, MD

LAP Number: 1652801

AU-ID: 1182366

CLIA Number: 36D0705599

*has met all applicable standards for accreditation and
is hereby accredited by the College of American Pathologists'
Laboratory Accreditation Program. Reinspection should occur prior
to August 31, 2014 to maintain accreditation.*

Accreditation does not automatically survive a change in director, ownership,
or location and assumes that all interim requirements are met.

Frank R Rudy

Chair, Commission on Laboratory Accreditation

Stanley Althoff MD

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

**Hillcrest Hospital
Main Laboratory
Mayfield Heights, Ohio
Carlos Nunez, MD**

LAP Number: 1653601

AU-ID: 1182376

CLIA Number: 36D0337861

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to July 18, 2014 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

Frank R Rudy

Chair, Commission on Laboratory Accreditation

Stanley H. Rothman, MD

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

**Lakewood Hospital
Clinical Laboratory
Lakewood, Ohio
Anne E. Sierk, MD**

LAP Number: 1651401

AU-ID: 1182324

CLIA Number: 36D0667424

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to June 29, 2015 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

RMSearles

Chair, Commission on Laboratory Accreditation

Myrtle Robinson, FRCAP

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***Fairview Hospital
Clinical Laboratory
Cleveland, Ohio
Paul A. Stagno, MD, PhD***

LAP Number: 1651801

AU-ID: 1182350

CLIA Number: 36D0698449

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to February 8, 2015 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

Frank R Rudy

Chair, Commission on Laboratory Accreditation

Stanley Rothberg MD

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***Lutheran Hospital
Main Laboratory
Cleveland, Ohio
Shalini Mohindra, MD***

LAP Number: 1652201

AU-ID: 1182356

CLIA Number: 36D0336529

*has met all applicable standards for accreditation and
is hereby accredited by the College of American Pathologists'
Laboratory Accreditation Program. Reinspection should occur prior
to January 12, 2016 to maintain accreditation.*

Accreditation does not automatically survive a change in director, ownership,
or location and assumes that all interim requirements are met.

RM Seaman

Chair, Commission on Laboratory Accreditation

Shalini Mohindra, FRCR

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***South Pointe Hospital
Laboratory***

***Warrensville Heights, Ohio
Sebouh Setrakian, MD***

LAP Number: 1653401

AU-ID: 1182372

CLIA Number: 36D0668631

*has met all applicable standards for accreditation and
is hereby accredited by the College of American Pathologists'
Laboratory Accreditation Program. Reinspection should occur prior
to January 30, 2015 to maintain accreditation.*

Accreditation does not automatically survive a change in director, ownership,
or location and assumes that all interim requirements are met.

Frank R Rudy

Chair, Commission on Laboratory Accreditation

Stanley A. Hershman

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***Marymount Hospital
Laboratory***

Garfield Heights, Ohio

Laura O. Rabinowitz, MD

LAP Number: 1653801

AU-ID: 1182384

CLIA Number: 36D0688090

*has met all applicable standards for accreditation and
is hereby accredited by the College of American Pathologists'
Laboratory Accreditation Program. Reinspection should occur prior
to February 22, 2015 to maintain accreditation.*

Accreditation does not automatically survive a change in director, ownership,
or location and assumes that all interim requirements are met.

RM Scanlon

Chair, Commission on Laboratory Accreditation

Mythia Adams, F-ACP

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

Medina Hospital

Main Laboratory

Medina, Ohio

Anne E. Sierk, MD

LAP Number: 1656901

AU-ID: 1182418

CLIA Number: 36D0340082

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to April 19, 2016 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

DM Scanlan

Chair, Commission on Laboratory Accreditation

Mythia Adams, FCAP

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***Marymount Hospital
Med Ctr Laboratory-Broadview Heights
Broadview Heights, Ohio
Laura O. Rabinowitz, MD***

LAP Number: 2636801

AU-ID: 1189084

CLIA Number: 36D0339430

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to February 22, 2015 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

DM Scanlan

Chair, Commission on Laboratory Accreditation

Myrtle A. Brown, FACP

President, College of American Pathologists



Advancing Excellence

Accredited Laboratory



The College of American Pathologists

certifies that the laboratory named below

***South Pointe Hospital
Sagamore Medical Center
Sagamore Hills, Ohio
Sebouh Setrakian, MD***

LAP Number: 3161901

AU-ID: 1189722

CLIA Number: 36D0691983

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to January 30, 2015 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

Frank R Rudy

Chair, Commission on Laboratory Accreditation

Stanley H. Rudy, MD

President, College of American Pathologists