

Security Audit Report

pip-audit results

```
{ "dependencies": [ { "name": "aiohappyeyeballs", "version": "2.6.2", "vulns": [] }, {
"name": "aiohttp", "version": "3.14.0", "vulns": [] }, { "name": "aiohttp-retry",
"version": "2.9.1", "vulns": [] }, { "name": "aiosignal", "version": "1.4.0", "vulns":
[] }, { "name": "asgiref", "version": "3.11.1", "vulns": [] }, { "name": "attrs",
"version": "26.1.0", "vulns": [] }, { "name": "bandit", "version": "1.9.4", "vulns": []
}, { "name": "boolean-py", "version": "5.0", "vulns": [] }, { "name": "cachecontrol",
"version": "0.14.4", "vulns": [] }, { "name": "certifi", "version": "2026.5.20",
"vulns": [] }, { "name": "charset-normalizer", "version": "3.4.7", "vulns": [] }, {
"name": "cloudbinary", "version": "1.44.2", "vulns": [] }, { "name": "colorama",
"version": "0.4.6", "vulns": [] }, { "name": "cyclonedx-python-lib", "version":
"11.7.0", "vulns": [] }, { "name": "defusedxml", "version": "0.7.1", "vulns": [] }, {
"name": "dj-database-url", "version": "3.1.2", "vulns": [] }, { "name": "django",
"version": "6.0.5", "vulns": [] }, { "name": "django-cloudbinary-storage", "version":
"0.3.0", "vulns": [] }, { "name": "django-enviro", "version": "0.13.0", "vulns": [] },
{ "name": "django-formtools", "version": "2.6.1", "vulns": [] }, { "name":
"django-otp", "version": "1.7.0", "vulns": [] }, { "name": "django-phonenumbers-field",
"version": "8.4.0", "vulns": [] }, { "name": "django-ratelimit", "version": "3.0.1",
"vulns": [] }, { "name": "django-two-factor-auth", "version": "1.18.1", "vulns": [] },
{ "name": "djangorestframework", "version": "3.17.1", "vulns": [] }, { "name":
"djangorestframework-simplejwt", "version": "5.5.1", "vulns": [] }, { "name":
"filelock", "version": "3.29.0", "vulns": [] }, { "name": "freetype-py", "version":
"2.3.0", "vulns": [] }, { "name": "frozenlist", "version": "1.8.0", "vulns": [] }, {
"name": "gunicorn", "version": "26.0.0", "vulns": [] }, { "name": "idna", "version":
"3.16", "vulns": [] }, { "name": "license-expression", "version": "30.4.4", "vulns": []
}, { "name": "markdown-it-py", "version": "4.2.0", "vulns": [] }, { "name": "mdurl",
"version": "0.1.2", "vulns": [] }, { "name": "msgpack", "version": "1.1.2", "vulns": []
}, { "name": "multidict", "version": "6.7.1", "vulns": [] }, { "name":
"packageurl-python", "version": "0.17.6", "vulns": [] }, { "name": "packaging",
"version": "26.2", "vulns": [] }, { "name": "phonenumbers", "version": "8.13.11",
"vulns": [] }, { "name": "pillow", "version": "12.2.0", "vulns": [] }, { "name": "pip",
"version": "24.3.1", "vulns": [ { "id": "CVE-2025-8869", "fix_versions": [ "25.3" ] },
"aliases": [ "GHSA-4xh5-x5gv-qwph" ] }, { "description": "When extracting a tar archive pip
may not check symbolic links point into the extraction directory if the tarfile module
doesn't implement PEP 706. Note that upgrading pip to a \"fixed\" version for this
vulnerability doesn't fix all known vulnerabilities that are remediated by using a
Python version that implements PEP 706. Note that this is a vulnerability in pip's
fallback implementation of tar extraction for Python versions that don't implement PEP
706 and therefore are not secure to all vulnerabilities in the Python 'tarfile' module.
If you're using a Python version that implements PEP 706 then pip doesn't use the
\"vulnerable\" fallback code. Mitigations include upgrading to a version of pip that
includes the fix, upgrading to a Python version that implements PEP 706 (Python
>=3.9.17, >=3.10.12, >=3.11.4, or >=3.12), applying the linked patch, or inspecting
source distributions (sdist) before installation as is already a best-practice." }, {
"id": "CVE-2026-1703", "fix_versions": [ "26.0" ], "aliases": [ "GHSA-6vgw-5pg2-w6jp"
] }, { "description": "When pip is installing and extracting a maliciously crafted wheel
archive, files may be extracted outside the installation directory. The path traversal
is limited to prefixes of the installation directory, thus isn't able to inject or
overwrite executable files in typical situations." }, { "id": "CVE-2026-3219",
"fix_versions": [ "26.1" ], "aliases": [ "GHSA-58qw-9mgm-455v" ] }, { "description": "pip
handles concatenated tar and ZIP files as ZIP files regardless of filename or whether a
file is both a tar and ZIP file. This behavior could result in confusing installation
behavior, such as installing \"incorrect\" files according to the filename of the
archive. New behavior only proceeds with installation if the file identifies uniquely as
a ZIP or tar archive, not as both." }, { "id": "CVE-2026-6357", "fix_versions": [ "26.1"
] }, { "aliases": [ "GHSA-jp4c-xjxw-mgf9" ] }, { "description": "pip prior to version 26.1 would
run self-update check functionality after installing wheel files which required
importing well-known Python modules names. These module imports were intentionally
deferred to increase startup time of the pip CLI. The patch changes self-update
functionality to run before wheels are installed to prevent newly-installed modules from
being imported shortly after the installation of a wheel package. Users should still
review package contents prior to installation." } ] }, { "name": "pip-api", "version":
"0.0.34", "vulns": [] }, { "name": "pip-audit", "version": "2.10.0", "vulns": [] }, {
"name": "pip-requirements-parser", "version": "32.0.1", "vulns": [] }, { "name":
```

```

"platformdirs", "version": "4.10.0", "vulns": [] }, { "name": "propcache", "version":
"0.5.2", "vulns": [] }, { "name": "psycopg2-binary", "version": "2.9.12", "vulns": [] },
{ "name": "py-serializable", "version": "2.1.0", "vulns": [] }, { "name": "pycairo",
"version": "1.29.0", "vulns": [] }, { "name": "pygments", "version": "2.20.0", "vulns":
[] }, { "name": "pyjwt", "version": "2.13.0", "vulns": [] }, { "name": "pyparsing",
"version": "3.3.2", "vulns": [] }, { "name": "pypng", "version": "0.20220715.0",
"vulns": [] }, { "name": "pytz", "version": "2026.2", "vulns": [] }, { "name": "pyyaml",
"version": "6.0.3", "vulns": [] }, { "name": "qrcode", "version": "7.4.2", "vulns": []
}, { "name": "reportlab", "version": "4.0.0", "vulns": [] }, { "name": "requests",
"version": "2.34.2", "vulns": [] }, { "name": "rich", "version": "15.0.0", "vulns": []
}, { "name": "rplycairo", "version": "0.4.0", "vulns": [] }, { "name": "six", "version":
"1.17.0", "vulns": [] }, { "name": "sortedcontainers", "version": "2.4.0", "vulns": []
}, { "name": "sqlparse", "version": "0.5.5", "vulns": [] }, { "name": "stevedore",
"version": "5.8.0", "vulns": [] }, { "name": "tomli", "version": "2.4.1", "vulns": [] },
{ "name": "tomli-w", "version": "1.2.0", "vulns": [] }, { "name": "twilio", "version":
"8.4.0", "vulns": [] }, { "name": "typing-extensions", "version": "4.15.0", "vulns": []
}, { "name": "tzdata", "version": "2026.2", "vulns": [] }, { "name": "urllib3",
"version": "2.7.0", "vulns": [] }, { "name": "whitenoise", "version": "6.12.0",
"vulns": [] }, { "name": "yarl", "version": "1.24.2", "vulns": [] } ], "fixes": [] }

```

Bandit results

```

{ "errors": [], "generated_at": "2026-06-03T05:20:10Z", "metrics": { "_totals": {
"CONFIDENCE.HIGH": 2, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 2, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 1645, "nosec": 0, "skipped_tests": 0 },
"filemanager\\__init__.py": { "CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0,
"CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW":
0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0, "loc": 0, "nosec": 0,
"skipped_tests": 0 }, "filemanager\\admin.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 32, "nosec": 0, "skipped_tests": 0 }, "filemanager\\apps.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 3, "nosec": 0, "skipped_tests": 0 },
"filemanager\\forms.py": { "CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0,
"CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW":
0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0, "loc": 159, "nosec": 0,
"skipped_tests": 0 }, "filemanager\\management\\commands\\escalate_tickets.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 25, "nosec": 0, "skipped_tests": 0 },
"filemanager\\management\\commands\\init_roles.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 55, "nosec": 0, "skipped_tests": 0 },
"filemanager\\management\\commands\\seed_categories.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 17, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0001_initial.py": { "CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW":
0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0,
"SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0, "loc": 20, "nosec":
0, "skipped_tests": 0 }, "filemanager\\migrations\\0002_vaultfile_user.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 15, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0003_incidentticket.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 29, "nosec": 0, "skipped_tests": 0 }, "filemanager\\migrations\\0004_category_au
ditlog_knowledgebasearticle_ticket_and_more.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 85, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0005_ticketcomment.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,

```

```

"loc": 23, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0006_incidentticket_assignee.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 15, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0007_incidentticket_category_incidentticket_priority.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 18, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0008_incidentticket_affected_assets_and_more.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 64, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0009_incidentattachment.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 21, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\0010_alter_incidentattachment_file_and_more.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 18, "nosec": 0, "skipped_tests": 0 },
"filemanager\\migrations\\__init__.py": { "CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0,
"CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW":
0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0, "loc": 0, "nosec": 0,
"skipped_tests": 0 }, "filemanager\\models.py": { "CONFIDENCE.HIGH": 0,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 554, "nosec": 0, "skipped_tests": 0 }, "filemanager\\tests.py": {
"CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0,
"CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW": 0, "SEVERITY.MEDIUM": 0,
"SEVERITY.UNDEFINED": 0, "loc": 1, "nosec": 0, "skipped_tests": 0 },
"filemanager\\urls.py": { "CONFIDENCE.HIGH": 0, "CONFIDENCE.LOW": 0,
"CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0, "SEVERITY.HIGH": 0, "SEVERITY.LOW":
0, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0, "loc": 52, "nosec": 0,
"skipped_tests": 0 }, "filemanager\\views.py": { "CONFIDENCE.HIGH": 2,
"CONFIDENCE.LOW": 0, "CONFIDENCE.MEDIUM": 0, "CONFIDENCE.UNDEFINED": 0,
"SEVERITY.HIGH": 0, "SEVERITY.LOW": 2, "SEVERITY.MEDIUM": 0, "SEVERITY.UNDEFINED": 0,
"loc": 439, "nosec": 0, "skipped_tests": 0 }, "results": [ { "code": "435
print('ADMIN_DASHBOARD_TRACEBACK:\\n' + tb, flush=True)\\n436 except Exception:\\n437
pass\\n438 \\n", "col_offset": 12, "end_col_offset": 20, "filename":
"filemanager\\views.py", "issue_confidence": "HIGH", "issue_cwe": { "id": 703, "link":
"https://cwe.mitre.org/data/definitions/703.html" }, "issue_severity": "LOW",
"issue_text": "Try, Except, Pass detected.", "line_number": 436, "line_range": [ 436,
437 ], "more_info":
"https://bandit.readthedocs.io/en/1.9.4/plugins/b110_try_except_pass.html", "test_id":
"B110", "test_name": "try_except_pass" }, { "code": "479
print('ADMIN_DASHBOARD_TRACEBACK:\\n' + tb, flush=True)\\n480 except Exception:\\n481
pass\\n482 \\n", "col_offset": 12, "end_col_offset": 20, "filename":
"filemanager\\views.py", "issue_confidence": "HIGH", "issue_cwe": { "id": 703, "link":
"https://cwe.mitre.org/data/definitions/703.html" }, "issue_severity": "LOW",
"issue_text": "Try, Except, Pass detected.", "line_number": 480, "line_range": [ 480,
481 ], "more_info":
"https://bandit.readthedocs.io/en/1.9.4/plugins/b110_try_except_pass.html", "test_id":
"B110", "test_name": "try_except_pass" } ] }

```

Django check --deploy

System check identified some issues: WARNINGS: ?: (security.W004) You have not set a value for the SECURE_HSTS_SECONDS setting. If your entire site is served only over SSL, you may want to consider setting a value and enabling HTTP Strict Transport Security. Be sure to read the documentation first; enabling HSTS carelessly can cause serious, irreversible problems. ?: (security.W008) Your SECURE_SSL_REDIRECT setting is not set to True. Unless your site should be available over both SSL and non-SSL connections, you may want to either set this setting True or configure a load balancer or reverse-proxy server to redirect all connections to HTTPS. ?: (security.W009) Your SECRET_KEY has less than 50 characters, less than 5 unique characters, or it's prefixed with 'django-insecure-' indicating that it was generated automatically by Django. Please generate a long and random value, otherwise many of Django's security-critical features will be vulnerable to attack. ?: (security.W012) SESSION_COOKIE_SECURE is not set to

True. Using a secure-only session cookie makes it more difficult for network traffic sniffers to hijack user sessions. ?: (security.W016) You have 'django.middleware.csrf.CsrfViewMiddleware' in your MIDDLEWARE, but you have not set CSRF_COOKIE_SECURE to True. Using a secure-only CSRF cookie makes it more difficult for network traffic sniffers to steal the CSRF token. ?: (security.W018) You should not have DEBUG set to True in deployment. System check identified 6 issues (0 silenced).