

# 9

## Plant Water-Use Efficiency from ECOSTRESS

### Quick Links To Sections

---

[Motivation : Natural Climate Solutions](#)

[9.1 Accessing ECOSTRESS ET Component & WUE Data through AppEEARS](#)

[9.1.1 ECOSTRESS Evapotranspiration \(ET\) & Water Use Efficiency \(WUE\) Data Variables](#)

[9.1.2 Requesting loblolly pine ET & WUE data from AppEEARS](#)

[9.1.3 Requesting longleaf ET & WUE data from AppEEARS](#)

[9.1.4 Visualizing loblolly pine ET Component Data in AppEEARS](#)

[9.1.5 Downloading loblolly pine WUE Data](#)

[9.2 Visualizing ECOSTRESS WUE Data in QGIS](#)

[9.2.1 Adding a Google Satellite Basemap](#)

[9.2.2 Add in the Water Use Efficiency \(WUE\) layer](#)

[9.3 Add Map Elements](#)

[9.4 Make the Same Map for Longleaf Pines](#)

[Make a Map Assignments](#)

[Datafiles](#)

---

### Objectives:

1. Consider the different components (transpiration, interception and evaporation) that comprise measurements of evapotranspiration.
2. Compare water use rates and water use efficiency to address questions of ecosystem function.
3. Practice visualizing and interpreting the data from ECOSTRESS.




## Motivation For Today's Tutorial: Natural Climate Solutions



“

Globally, natural climate solutions could deliver more than a third of the emission reductions needed by 2030 to avoid the worst impacts of climate change.



Natural climate solutions are actions that scientists have identified to protect, manage, and restore nature while reducing greenhouse gas emissions and storing carbon. Combined with the transition away from fossil fuels, natural climate solutions offer immediate and cost-effective ways to address the climate crisis, while also supporting healthy and thriving ecological communities and ecosystems.

Examples of natural climate solutions include reforestation, agriculture, and timber management, and protection of ecosystems known to capture and store large amounts of carbon. Reducing carbon emissions into the atmosphere is key to achieving the goal of the Paris Climate Agreement of maintaining warming below 2 ° C. Scientists use remote sensing data, such as evapotranspiration and water use efficiency from ECOSTRESS, to help assess the impact of natural climate solution actions.



## 9.1 ACCESSING ECOSTRESS ET COMPONENT & WUE DATA THROUGH AppEEARS

### 9.1.1 ECOSTRESS Evapotranspiration (ET) & Water Use Efficiency (WUE) Data Variables

Data Product	Description	Pixel Size*	Temporal Resolution (days)
ECO1BRAD.001	Radiometric Calibration	70 x 70	Over continental United States and target areas**, every 1-7 days
ECO1BATT.001	Attitude and Ephemeris		
ECO1BMAPRAD.001	Radiometric Calibration		
ECO1BGEO.001	Geometric Calibration		
ECO2LSTE.001	Land Surface Temperature and Emissivity		
ECO2CLD.001	Cloud mask		
ECO3ETPTJPL.001	Evapotranspiration (PT-JPL model enhanced)		
ECO3ANCQA.001	Ancillary Data Quality		
ECO3ETALEXIU.001	Evapotranspiration (ALEXI model enhanced)	30 x 30***	
ECO4ESIPTJPL.001	Evaporative Stress Index derived from L3_ET_PT-JPL	70 x 70	
ECO4ESIALEXIU.001	Evaporative Stress Index derived from L3_ET_ALEXI	30 x 30***	
ECO4WUE.001	Water Use Efficiency	70 x 70	

\*More accurately referred to as pixel spacing resolution (m) because of dependencies on ISS altitude, which varies.  
\*\*For more info, please visit ECOSTRESS Gmap to see where data has been acquired  
\*\*\*70 x 70 is resampled to 30 x 30 (meters)

In the last tutorial, we learned that ECOSTRESS uses land surface temperatures to estimate evapotranspiration (ET), the sum of all processes that return water from the land surface to the atmosphere (evaporation + transpiration). The Level 3 (ECO3) ET data that we worked with last time ( $ET_{inst}$  &  $ET_{daily}$ ) represent the total ET, but ECOSTRESS also has data that allow us to track the individual components of ET:

#### ECOSTRESS Evapotranspiration PT-JPL ECO3ETPTJPL.001, 70m, ISS-dependent, (2018-07-09 to Present)


EVAPOTRANSPIRATION_PT_JPL_ETcanopy	+
EVAPOTRANSPIRATION_PT_JPL_ETinterception	+
EVAPOTRANSPIRATION_PT_JPL_ETsoil	+

- $ET_{canopy}$  = transpiration of water from the leaves (through stomata in higher plants)
- $ET_{interception}$  = evaporation of water off of the surface of the plants (e.g., rain on the surface of a leaf)
- $ET_{soil}$  = evaporation of water from the soil

Water use efficiency (WUE), or the amount of carbon plants take up per unit of water lost, is a Level 4 (ECO4) ECOSTRESS data product that is derived, in part, from Level 3 (ECO3) ECOSTRESS daily ET data:

#### ECOSTRESS Water Use Efficiency ECO4WUE.001, 70m, ISS-dependent, (2018-07-09 to Present)

Water_Use_Efficiency_WUEavg	+
-----------------------------	---



## Today's Study System: Southern Pine Forests



**Table 1. Regional NCE ( $\text{Tg C yr}^{-1}$ , Mean  $\pm$  Their Stand Deviation) for Land Covers of the Conterminous U.S. Over the Period of 2001 to 2005**

Region	Croplands	Rangelands/Pasture	Urban	Forests	Shrublands	Grasslands	Other <sup>a</sup>	Total
Southeast	-9 $\pm$ 12	-2 $\pm$ 2	-1 $\pm$ 0	176 $\pm$ 26	0 $\pm$ 0	0 $\pm$ 1	-7 $\pm$ 1	156 $\pm$ 31
Midwest	-6 $\pm$ 17	-1 $\pm$ 3	0 $\pm$ 0	59 $\pm$ 11	0 $\pm$ 0	1 $\pm$ 4	12 $\pm$ 3	66 $\pm$ 35
Northeast	-2 $\pm$ 3	0 $\pm$ 0	-3 $\pm$ 1	42 $\pm$ 10	0 $\pm$ 0	0 $\pm$ 0	0 $\pm$ 1	39 $\pm$ 11
Northern Great Plains	13 $\pm$ 42	3 $\pm$ 25	0 $\pm$ 0	4 $\pm$ 2	0 $\pm$ 0	0 $\pm$ 1	0 $\pm$ 0	20 $\pm$ 65
Southwest	2 $\pm$ 11	0 $\pm$ 16	1 $\pm$ 1	7 $\pm$ 11	5 $\pm$ 22	1 $\pm$ 2	0 $\pm$ 1	15 $\pm$ 57
Northwest	3 $\pm$ 6	0 $\pm$ 1	0 $\pm$ 0	11 $\pm$ 5	0 $\pm$ 2	0 $\pm$ 0	0 $\pm$ 0	14 $\pm$ 12
Southern Great Plains	2 $\pm$ 29	-2 $\pm$ 32	0 $\pm$ 0	14 $\pm$ 4	0 $\pm$ 0	0 $\pm$ 1	0 $\pm$ 0	13 $\pm$ 65
Total	4 $\pm$ 80	-3 $\pm$ 60	-3 $\pm$ 2	313 $\pm$ 40	6 $\pm$ 22	1 $\pm$ 7	5 $\pm$ 3	323 $\pm$ 191

<sup>a</sup>Includes wetlands, mangrove, and bare lands.

- Longleaf pine (*Pinus palustris*) ecosystems once occupied 90 million acres in the Southeastern United States.
- Timber harvest, land conversion, and wild-fire suppression reduced the longleaf pine ecosystems to only 3.2 million acres. Fire is a part of their natural life cycle.
- Characterized by a tall overstory and a grassy forest floor, there has been a recent movement to restore these forests.
- Scientists have discovered that longleaf pine can tolerate droughts and capture more carbon than other trees, which means that this ecosystem as potential as a natural climate solution, especially since forests of the Southeast are already known to capture more carbon than any other forest region in the U.S.


## Hypotheses

- Today, we are going to compare two forests. Loblolly pine is a species used by the forest products industry and longleaf pine is a species researchers hope to restore to mitigate climate change. We are going to compare longleaf pine in a wet coastal site to loblolly pine in a dry upland site.
- Given what you have just read, write predictions about:

1) How would you predict the water use efficiency to compare between the two species? Why might you expect this?


## Longleaf Pine: A Tree for Our Time

Throughout the Southeast, a coordinated effort is underway to conserve and restore these rich and vital forests.



2) How would you predict the transpiration, evaporation, and interception (i.e., the components of ET) to compare between the two sites? Why might you expect this?





### A Quick Note About Models

- George E. P. Box, a British statistician, once wrote: “All models are wrong, but some models are useful. So the question you need to ask is not **Is the model true?** (it never is) but **Is the model good enough for this particular application?**”

“



- What he is saying here is that a model is an over-simplification or approximation of reality and hence can not possibly reflect all of the complex physical and biological components of the universe. However they can be useful when paired with an appropriate application.

ALL MODELS

ARE WRONG,

SOME ARE USEFUL.

- The [ECOSTRESS satellite](#) measures land surface temperature with a Thermal Infrared Radiometer (TIR). After that, each of the products we work with (evapotranspiration, water use efficiency, and evaporative stress index) are the outputs of model algorithms, formulas carefully derived to estimate quantities of interest, but are in fact, just approximations of the quantities.

### 9.1.2 Requesting loblolly pine ET & WUE data from AppEEARS


The procedure for downloading the ET component and the WUE data through the AppEEARS interface is the same as in the previous tutorials on land surface temperature.

1. First, begin by downloading these two GeoJSON files and saving them somewhere you can remember (as always, I suggest creating a folder for each tutorial):

1. Longleaf Pine (South Carolina Wet Coastal Environment): [LongleafSC.geojson](#)
2. Loblolly Pine (North Carolina Dry Upland Environment): [LoblollyNC.geojson](#)

**NOTE:** Depending on your web browser, you may need to right click and select *Save as*. Some web browsers may even display the contents of the GeoJSON file instead of prompting you to save it. If this happens, you can select the *File* dropdown menu and click on *Save as*.

2. Go to <https://appears.earthdatacloud.nasa.gov/> and login with your credentials.



The screenshot shows the 'Extract Area Sample' form in the AppEEARS interface. Red arrows with numbers 3 through 9 point to specific elements: 3 points to the 'Extract' dropdown menu; 4 points to the 'Enter a name to identify your sample' text input field containing 'Loblolly ET & WUE'; 5 points to the 'Drop a vector polygon file' section, which includes a dashed blue box for file upload and a map showing a green polygon; 6 points to the 'Start Date' and 'End Date' date pickers, both set to '07-21-2022'; 7 points to the 'Select the layers to include in the sample' section, showing a search bar with 'ECOSTRESS Water Use Efficiency' and a list of selected layers; 8 points to the 'Output Options' section, specifically the 'File Format' dropdown set to 'GeoTiff' and the 'Projection' dropdown set to 'Native Projection'; and 9 points to the 'Submit' button at the bottom right.

3. Use the *Extract* dropdown menu to select *Area*. Next, select *Start a new request*.
4. Enter a useful name for the request you are going to submit, maybe something like “Loblolly ET and WUE”.
5. Drag and drop (or use the *click here to select the file* link) to upload the GeoJSON file *LoblollyNC.geojson*. The map should be updated with a polygon around a forest in North Carolina.
6. Update the *Start* and *End* Date Fields for our preselected date of interest: 07/21/2022 to 07/21/2022.
7. Under *Select the layers to include in the sample* type the words “ECOSTRESS” and “Evapotranspiration.” Select *ECOSTRESS Evapotranspiration PT-JPL*. Click on the “+” signs to add the following layers to your cart:

- *EVAPOTRANSPIRATION\_PT\_JPL\_ETcanopy*
- *EVAPOTRANSPIRATION\_PT\_JPL\_ETinterception*
- *EVAPOTRANSPIRATION\_PT\_JPL\_ETsoil*



Next, clear the selection of the current category using the small “x” to the right of the *ECOSTRESS Evapotranspiration PT-JPL* box.

Then, under *Select the layers to include in the sample* type the words “ECOSTRESS” and “WUE.” Select *ECOSTRESS Water Use Efficiency*. Click on the “+” signs to add the following layers to your cart:

- *Water\_Use\_Efficiency\_WUEavg*

Clear the selection of the current category using the small “x” to the right of the *ECOSTRESS Water Use Efficiency* box.

8. Under *Output Options*, we want to use GeoTIFF (Geographic Tagged Image File Format; essentially an image file where the corresponding geographic information is embedded in the file) and *Native Projection* for projection.

9. Click *Submit* to complete the data request. At the top, you should see a green banner:

✓ The area sample request was successfully submitted. An email notification will be delivered once the request is complete.

### 9.1.3 Requesting longleaf ET & WUE data from AppEEARS

10. In the meantime, we are going to create a second request for this tutorial, as we need data for longleaf pines to compare to the loblolly pine data we just requested. Use the *Extract* dropdown menu to select *Area*. Next select *Start a New Request*. Enter a useful name to distinguish this request from the other, maybe something like “Longleaf ET and WUE”. Drag and drop (or use the *click here to select the file* link) to upload the GeoJSON file *LongleafSC.geojson*. The map should be updated with a polygon around a forest on the coast of South Carolina.

11. Repeat steps 6 - 9 above to retrieve the ET component and WUE data for the longleaf pine site on 7/26/2022.

**NOTE:** You may have noticed the dates are different for the longleaf and loblolly sites. Unfortunately, the two sites are too far apart to have a satellite overpass on the same day.

12. Use the *Explore* drop-down at the top to monitor the status of your request. Requests will likely go quickly, given that it is only one day’s worth of data.


Some MODIS/Terra Snow Cover v6.1 (MOD10A2) tiles are currently unavailable to AppEEARS. Requests containing MOD10A2 data may result in processing errors.

Please see [Sample Request Retention](#) for details on expired requests.

Showing requests 1 - 73 of 73

« Prev 1 Next »


Request	Type	Status	Details	Date Submitted	Date Completed
Longleaf ET & WUE	Area Sample	22%	<a href="#">i</a>	09-26-2023 8:00:07 AM PDT	<a href="#">i</a> <a href="#">u</a> <a href="#">d</a>
Loblolly ET & WUE	Area Sample	Done	<a href="#">i</a>	09-26-2023 7:58:28 AM PDT	09-26-2023 7:58:54 AM PDT <a href="#">i</a> <a href="#">u</a> <a href="#">d</a>



### 9.1.4 Visualizing loblolly pine ET Component Data in AppEEARS


13. When your first request (“Loblolly ET and WUE”) is complete, use the link on the *Explore* page to access the details. Let’s check out the data. First, a quick review of boxplots:

## How To Read A Boxplot



14. Our goal for the analysis of the evapotranspiration components is not to visualize the data on a map, but rather to compare the differences between the two forest ecosystems (loblolly vs. longleaf pine) as a whole. As a result, there is no need to download the GeoTIFF files and import the layers into QGIS. We can explore the data with the AppEEARS interface to get the information we need.



15. First, select the *EVAPOTRANSPIRATION\_PT\_JPL\_ETcanopy* layer:



Notice that the median value for the canopy component of evapotranspiration is 49.57. This means that the median value for pixels in our area of interest is 49.57, which means that 49.57% of the total evapotranspiration (the “EVAPOTRANSPIRATION\_PT\_JPL\_ETinst” variable) is coming from canopy transpiration. Although the overall distribution of the data is skewed towards higher values, there is no need to worry, as the range of the data (minimum to maximum observed value) is about 3%. Since our analysis is mostly concerned with the relative percentages of the different components of ET (canopy vs. interception vs. soil), it is reasonable to simply use the median value.


16. Next, select the *EVAPOTRANSPIRATION\_PT\_JPL\_ETinterception* layer.





Here, we observe that 41.24% of total evapotranspiration comes from interception.

17. Finally, select the *EVAPOTRANSPIRATION\_PT\_JPL\_ETsoil* soil layer.



So, the overall breakdown for the individual components of evapotranspiration is 49.57% canopy transpiration, 41.24% interception evaporation, and 9.15% soil evaporation. You will report this in the write-up that accompanies your “Map of the Week” assignment along with longleaf pine data that you will complete on your own.

### 9.1.5 Downloading loblolly pine WUE Data

18. From the *Layer* dropdown menu, choose “Water\_Use\_Efficiency\_WUEavg”, then expand the *Request* box above by clicking on the caret. Click the download button to continue.

Request: Loblolly ET & WUE

Start Date: 07-21-2022

End Date: 07-21-2022

Layers: EVAPOTRANSPIRATION\_PT\_JPL\_ETcanopy (ECO3ETPTJPL001)  
EVAPOTRANSPIRATION\_PT\_JPL\_ETinterception (ECO3ETPTJPL001)  
EVAPOTRANSPIRATION\_PT\_JPL\_ETsoil (ECO3ETPTJPL001)  
Water\_Use\_Efficiency\_WUEavg (ECO4WUE.001)

File Format: GeoTIFF

Request ID: 1497445e-c506-4b2e-baaf-e3b19caa8101

Shape: loblollync (GeoJSON)  
1 feature(s)

Projection: Native Projection

18

Download

18

Search keyword

1 Selected (3.16 KB)

Download

19

19

1 - 4 displayed, 4 in total

Name	Size
ECO3ETPTJPL001_EVAPOTRANSPIRATION_PT_JPL_ETcanopy_doy2022202224219_aid0001.tif	3.1 KB
ECO3ETPTJPL001_EVAPOTRANSPIRATION_PT_JPL_ETinterception_doy2022202224219_aid0001.tif	3.09 KB
ECO3ETPTJPL001_EVAPOTRANSPIRATION_PT_JPL_ETsoil_doy2022202224219_aid0001.tif	3.13 KB
ECO4WUE.001_Water_Use_Efficiency_WUEavg_doy2022202224219_aid0001.tif	3.16 KB

19. Select the following filename: *ECO4WUE.001\_Water\_Use\_Efficiency\_WUEavg\_doy2022202224219\_aid0001.tif*.




Download the files using the *Download* button, that for some reason does not look much like a button, on the top right corner of the screen. Save the files somewhere you can remember.

## 9.2 VISUALIZING ECOSTRESS WUE DATA IN QGIS

### 9.2.1 Adding a Google Satellite Basemap

20. Open QGIS and start a new project by selecting the *Project* menu, then *New*.

21. To add a basemap, find the *HCMGIS* menu bar, select *Basemap*, then pick your preferred map. For today's map, we will use *Google Satellite*. Note that clicking on a basemap type automatically adds a new layer to your map, as seen in the layer browser window.



### 9.2.2 Add in the Water Use Efficiency (WUE) layer

22. Use the *browser* window to find the folder where you saved the WUE file:


ECO4WUE.001\_Water\_Use\_Efficiency\_WUEavg\_doy2022202224219\_aid0001.tif

23. Double-click the ECO4WUE.001\_Water\_Use\_Efficiency\_WUEavg\_doy2022202224219\_aid0001.tif file to add it to your map. Again, notice that they are now also listed in the *Layers* window.

**NOTE:** Our loblolly data is at a pretty fine scale and might be hard to see if your basemap is zoomed out at the global scale. QGIS can automatically zoom to your layer's area of interest by right clicking (ctrl-click on Mac) on the layer and selecting *Zoom to Layer(s)*.

24. Now you have ECOSTRESS WUE data on your map, but we need to change it from grayscale. Right-click (ctrl-click on Mac) on the layer name in the *Layers* window and select *Layer Properties*.

25. On the menu bar to the left, select *Symbology* and change *Render type* to Singleband pseudocolor.



26. QGIS has automatically determined the minimum and maximum values from the datafiles; however, we are going to want to compare two types of ecosystem and we need to match them. Specify 0.35 as the minimum and 1 as the maximum.
27. Change the color ramp to something that you feel communicates WUE. I selected the “Blues” option. Click apply, then ok.
28. Finally, add the border from LoblollyNC.geojson by double clicking on it in the *Browser* window. Right-click (ctrl-click on Mac) on the layer in the *Layers* window and change the symbology to *outline red*.


## 9.3 ADD MAP ELEMENTS

29. Following the procedure described in [Tutorial #7 : Adding Elements To Maps](#), make a professional map complete with scalebars, labels, a legend, titles, and a North arrow. This map will be your part of your “Make a Map” assignment.

**NOTE:** It is not apparent in AppEEARS, but the units for WUE are  $gCkg^{-1}H_2O$ .

## 9.4 MAKE THE SAME MAP FOR LONGLEAF PINES

30. Follow the same procedure (steps 13 - 29) for our other request, “Longleaf ET & WUE”:
  1. Explore data for the ET components of the longleaf pine ecosystem in the AppEEARS interface to determine the relative contributions of the canopy, interception, and soil to total evapotranspiration. Note the differences between longleaf and loblolly. Submit this as part of your write-up for the “Map of the Week”.
  2. Download the water use efficiency GeoTIFF for longleaf pines.
  3. Visualize these WUE data in QGIS.
  4. Make a second professional map with the same color ramp scale for the WUE of the longleaf pine complete with scalebars, labels, a legend, titles, and a North arrow.
  5. Submit these two maps (one for longleaf, one for loblolly) as part of your “Map of the Week” assignment along with the write-up described below.



## Make a Map Assignments

1. Watch the YouTube Video: [Careers in Observing Earth from Above - Isis Frausto-Vicencio](#)
2. Make a WUE map for longleaf pine of the same format as the loblolly pine map we made in the tutorial. The map should be complete with scalebar(s), north arrow(s), legend(s), title(s), and label(s). Submit this longleaf map alongside the loblolly we made in the tutorial today.
3. Find a classmate and compare maps. Is your classmate doing anything differently that can help improve your map? If so, revise accordingly!
4. Submit your water-use efficiency maps, along with a short description of your maps and ET component data that includes your reflections on which tree species may be better suited to mitigate climate change given any differences in water use efficiency. Would you recommend that foresters plant longleaf pine trees instead of loblolly? Will longleaf pines have higher growth per unit water use? Address the limitations of your analysis.

## Datafiles

In case you encountered any issues with the AppEEARS database, here are copies of the ECOSTRESS GeoTIFF file for the loblolly WUE:

1. [ECO4WUE.001\\_Water\\_Use\\_Efficiency\\_WUEavg\\_doy2022202224219\\_aid0001.tif](#)

And longleaf WUE:

1. [ECO4WUE.001\\_Water\\_Use\\_Efficiency\\_WUEavg\\_doy2022207201636\\_aid0001.tif](#)

---

**Recommended Citation:** Forsythe, J.D., G.R. Goldsmith, and J.B. Fisher. 2023. Observing Earth from Above Tutorials. Chapman University. <https://jeremydforsythe.github.io/icecream-tutorials/>

This work is supported by funding from NASA ECOSTRESS Mission Grant #80NSSC23K0309 (I.C.E. C.R.E.A.M.: Integrating Communication of ECOSTRESS Into Community Research, Education, Applications, and Media) and is openly licensed via [CC BY-NC](#).