

## Title

The number of "#" is used to represent the size of a title

---

## Quotation

">" is used to introduce quotation

This is quotation

This is another quotation

---

## list

"-", "+", "\*" could be used to be add a list. "-" is used for subtitle

- list one
- list two
  - sublist
    - sub\_sublist

This is the example for task list

- ☐ Task list
- ☒ Task done

1. one

2. two

1. sub number list

1. can refuse creating a list

---

## Coding

```
for (int i = 1; i<10; i++;)
{cout << i}
```

```
<body>
  <p>這是一段 HTML 結構</p>
</body>
```

這是一段 HTML 結構

---

## Sepration line

"---" or "\*\*\*\*" of "\_\_\_" can be used

"<br/>" can be used for adding empty line

---

## Table

thread 1	thread 2	thread 3
td	td	td
left	middle	right

---

## Inline element

"\*" or "\_" for Italic

*italic*

*italic*

"\*\*" or "\_\_\_" for Bold

**Bold**

**Bold**

"~~" for Strikethrough

~~This is the example~~

``` for inline code

example for inline code `var a = 0`

---

## link and image

Format of link : `[Text](link)`

[google](#)

Format of image : `![name(elective)](link)`



## Mathematic Fomulars

[link for the symbol](#)

|        | $0^\circ$ | $30^\circ$ | $45^\circ$ | $60^\circ$ | $90^\circ$ |
|--------|-----------|------------|------------|------------|------------|
| $\sin$ |           |            |            |            |            |
| $\cos$ |           |            |            |            |            |
| $\tan$ |           |            |            |            |            |