

INDEX

Note: Page numbers followed by *f* indicate figures and *t* indicate tables.

Index Terms

Links

A

Abrasive erosion

cutting	112	
erosion rate	112	
friction coefficient	110–111	
impact angle	112–114	113 <i>f</i>
impact particle velocity	112–114	114 <i>f</i>
mechanical degradation/wear	110	
normal impact model	110–111	
particle erosion mechanism	112–114	113 <i>f</i>
ploughing	112	
rolling/sliding contact mechanism	110–111	
surface impact	110–111	111 <i>f</i>
theoretical dynamic analysis	112–114	

Acids	219	220–221 <i>f</i>	221–222 <i>t</i>
	249		

Adsorption	16–17	17 <i>t</i>
------------	-------	-------------

aerosol particles transport and deposition of 24–87

AFM (*see* Atomic force microscope (AFM))

AGiON[®] 770 783–784

brownian diffusion 103–104

centrifugation technique 135–136

cryogenic cleaning (*see* Argon/nitrogen
cryogenic aerosols)

<u>Index Terms</u>	<u>Links</u>		
Adsorption (<i>Cont.</i>)			
cutting of fine feather-like particles in			
abrasive sliding	153–154		
diffusion of contaminants, two-phase			
exponential model	273–276		
electron microscopy techniques for			
imaging and analysis of			
nanoparticles	396–442		
hamaker constant	93	127	582–583
	588	603–604	608
	612 <i>f</i>	720–721	
Hertz equation	130–131		
high efficiency particulate air (HEPA)	174–177	183	186–187
	190	200	202–203
	258–260	262–263	635–636
	642		
high-resolution transmission electron			
microscopy (HRTEM)			
bright field (BF) image	409–410		
dark field (DF) image	409–410		
hydrobromofluorocarbons (HBFCs)	485 <i>t</i>		
hydrodynamic force	585–587		
during aerosol jet cleaning	719–720		
isopropyl alcohol (IPA)	496	518 <i>t</i>	524 <i>t</i>
	526		
Joule–Thomson cooling effect	723		
Laplace equation	456		
lotus effect	763		
metal coatings for biological contamination			
prevention	776–777		

Index Terms

Links

Adsorption (*Cont.*)

Navier-Stokes equations	25–26	45–46
of organic contamination	465–466	

Aerosol

bond lengths	7	7t	
classes	3–4	4f	
energy levels	17–18	18f	
gas model	8–9	9t	
H ₂ O molecule	7–8	8f	
interaction model	18–19	19f	20t
particle interactions			
adsorption	16–17	17t	
coagulation	14	15t	
homogeneous nucleation	14–16	16f	
particles and gas molecules			
binding energy	12	12t	
bond strength	11–12	11t	
Brownian motion	13–14	14t	
collisions	12–13	13t	
kinetic theory	12–13		
Knudsen number	12–13	13t	
size fraction of molecules	10	10t	
surface energy	12	12t	
thermal random velocity	13	13t	
thermal sweep volume	12–13	13t	
particle sizes	4–5	4f	
positively charged clusters	18	18t	
probability distribution	5–6	6f	
quantum mechanics, application of	6–7		
radial density distribution	5–6	6f	

Index Terms

Links

AES. *See* Auger electron spectroscopy (AES)

Air analysis	218–232	219 <i>f</i>	
Acids	219	220–221 <i>f</i>	221–222 <i>t</i>
dopants	231–232	232–235 <i>f</i>	237 <i>f</i>
organic compounds	220–231	223 <i>t</i>	223–224 <i>f</i>
	225 <i>t</i>	251–264	
ester phosphates	230–231	258–259	
ester phthalates	224–230	256–258	
siloxanes	224	253–256	
Airborne molecular contaminants (AMCs)	199–202	629–630	
air analysis	218–232	219 <i>f</i>	
acids	219	220–221 <i>f</i>	221–222 <i>t</i>
dopants	231–232	232–235 <i>f</i>	237 <i>f</i>
organic compounds (<i>see</i> Organic compounds)			
analyst/chemist, contribution	311–312		
analytical methods	306–308		
chemical filter			
effect of	298	299 <i>f</i>	
evaluation methods	300		
published reports	299–300		
siloxanes concentration changes	296–297	297–298 <i>f</i>	298 <i>t</i>
total organic concentration changes	296	296 <i>f</i>	
chemistry			
carbonization phenomenon	285–286		
Clausius–Clapeyron relation	270–273	271–273 <i>f</i>	
diffusion, contaminants	273–276		
fruit-basket phenomenon	283–285		
monolayer and sub-monolayer			
contamination	267–269	267–270 <i>f</i>	

Index Terms

Links

Airborne molecular contaminants (AMCs)

chemistry (*Cont.*)

organic conceptual diagram,

contamination investigation

286–292

291*f*

staying tendency

283

sticking coefficient

277–283

281–282*f*

sticking probability

276

277–280*f*

278*t*

vaporization, two-phase exponential

model

273–276

classification

ITRS 1999

207–211

208–210*t*

SEMATECH Technology Transfer

Report No. 9505212A-TR

207

cleaning technology

301

302*t*

cleanroom construction

306

307*t*

construction materials, selection of

295–296

contamination

264–266

ammonia effects

265–266

HMDS effects

266

manufacturing process, reactions of

265

siloxanes effects

266

definition of

202–204

deleterious effects

205–207

Empore™ disk

306

endocrine disrupters

309–311

excursion of

in cleanroom

293

294*f*

concentration/organic contaminant

293–295

295*f*

data analysis

292

double-cylinder chamber test method

293–295

294*f*

Index Terms

Links

Airborne molecular contaminants (AMCs)

excursion of (*Cont.*)

field outgassing method 293 293*f*

laboratory outgassing method 293 293*f*

experiments and analysis environments 311

IMS-GC/MS 306

JACA 200–201

manufacturing process, problems 205

monitoring systems 301–302

outgassing method 232–247

IEST WG031 (*see* Institute of
Environmental Sciences and
Technology (IEST) WG031)

JACA 34-1999 (*see* JACA 34-1999)

properties of 247–264 248*f*

acids 249

bases 249–251

boron generation sources 259–263 261–262*t* 264*t*

ester phosphates 258–259

ester phthalates 256–258

GC/MS charts 253*f*

organic compounds analysis,

outdoor air 252*t*

outdoor air, effects of 248–249

phosphorus generation sources 263

siloxanes 253–256

SEMATECH Technology Transfer

Report 201

semiconductor integration, changes 201–202

sick house syndrome 309

Index Terms

Links

Airborne molecular contaminants

(AMCs) (*Cont.*)

Si wafer

air	303–306	304 <i>t</i>	
analysis	303		
cleanliness requirement	302–303		
substrate surface analysis			
solvent washing method	212–214	213 <i>t</i>	213 <i>f</i>
surface (instrumental) analysis	217–218		
target contaminant, changes	202		
technology developments	307		

Air ionization

applications

discharge requirements	192		
ISO Class 4 and 5 levels	189		
ISO Class 3 ballroom-style cleanrooms	189–190	191 <i>f</i>	
laminar flow benches	192–194	193 <i>f</i>	
utilizing ambient air flow	190	191 <i>f</i>	
work surfaces	192–194	193 <i>f</i>	

corona ionization

AC ionizer	184–185	185 <i>f</i>	
DC ionizer	185–187	186–187 <i>f</i>	
principles	184	184 <i>f</i>	

CPM

HEPA and ULPA filters

neutralizing surface charges

photoelectric ionization

positive and negative air ions

radioisotope ionization

Alpha ionization method

<u>Index Terms</u>	<u>Links</u>		
Alpha ionization method (<i>Cont.</i>)			
advantage	188		
disadvantages	189		
AMCs. <i>See</i> Airborne molecular contaminants			
(AMCs)			
American National Standards Institute (ANSI)	530		
Amines	220		
Amino alcohol	251		
Ammonia (NH ₃)	220	249	301
Ammonia/peroxide mixture (APM)	583	588–590	
Analytical techniques, wafer drying			
metal surface concentration, TXRF	822–825		
Wilhelmy plate method	824–825		
Antifouling paints			
biocides	778		
booster biocides	778		
industrially applicable coatings	777–778		
natural organic biocides	778–779		
organotin compounds	778		
photocatalytic TiO ₂	779		
Antimicrobial activity			
agar-diffusion test	756–757		
biocides	757		
colony test	756–757	757f	
fluorescent stains	756–757		
germ concentrations	755–756		
growth agar	757		
microbe-killing coating	756		
microbe-repelling coatings	756		
Argon/nitrogen cryogenic aerosols			

Index Terms

Links

Argon/nitrogen cryogenic aerosols (*Cont.*)

applications	744–747	746f
cleaning performance		
accelerated aerosol removal efficiency	743	743f
argon aerosol	738–739	738f
CMP	743	
defect maps	738–739	740f
etched aluminum lines	738–739	738f
patterned low- <i>k</i> dielectric material	744	745f
patterned silicon wafer	739	741f
physical mechanism	741–742	742f
SC-1	739–740	
size and velocity distributions	743	744f
TXRF measurements	739–740	742t
typical defects	738–739	739f
kinetics		
aerosol cleaning process	734	
ambient/process-generated particles	736	
cleaning performance	734	
improved process control and chamber		
design	736	
silicon nitride particles	736	737f
Tencor 6200 wafer scans	734	735f
test particles	734	736
tungsten particles	736	737f
liquid cleaning agents	717–718	
mechanisms		
adhesion and hydrodynamic forces	720–721	721f
advantages	718	
disadvantages	718	

Index Terms

Links

Argon/nitrogen cryogenic aerosols

mechanisms (*Cont.*)

energy transfer	720	
gaseous argon feed streams	718	
hydrodynamic shear	719f	720
particle collision	721f	722–723
particle motion	719–720	719f
process effluent gases	718	
reduced adhesion forces	720	
single wafer process	718–719	
subsonic/supersonic	719–720	
thermal contraction	720	
thermophoresis	720	
vapor burst	720	

production

alternative cooler design	725–726	
argon phase	724–725	724f
cleaning (<i>see</i> Cleaning systems)		
cost	732–734	733t
cryogenic cooler	724f	725–726
expansion and liquid component	725	725f
flow diagram	723	724f
linear nozzle	726	726f
mass flow controllers	725–726	
nozzle plenum conditions	724f	726–727
oil-free vacuum pump	727	
operating conditions	728–729	728–729t
parameters monitoring	728	
shutter-type vacuum valve	726–727	
well-sealed vacuum chamber	724f	727

Index Terms

Links

Argon/nitrogen cryogenic aerosols (<i>Cont.</i>)	
wet cleaning methods	717–718
Atmospheric pressure ionization mass	
spectrometry (API-MS)	302
Atomic force microscope (AFM)	137
Atomic resolution lattice imaging	
dynamic theory and image simulation	414–416
image formation	412–413
phase contrast imaging	410–412
thin samples, image interpretation	413–414
Auger electron spectroscopy (AES)	
applications	
Al-Li Alloy 2195	343–344
chemical etching	342–343
cleaning process	345–346
compound identification	341–342
corrosion	344–345
disk-drive industry	345
high-energy electron	342
ion beam milling	342–343
metallurgical community	343–344
surface-sensitive method	341–342
composition analysis, SEM	408
electrons	334
FIB sources	347
instrumentation	341
ODD	347
particle analysis	347
principles	
electron	339

Index Terms

Links

Auger electron spectroscopy (AES)

principles (*Cont.*)

emission process	336	336 <i>f</i>
high-energy electrons	338	
kinetic energy	336–337	
quantitative technique	338	
sampling depth	337	
sampling volumes	338	
sensitivity factors	338–339	
spectra of aluminum foil	339–340	340 <i>f</i>
spectrum	337	
X-ray emission	339	
properties	335 <i>t</i>	
speed	346–347	

B

Backscattered electrons (BSEs)

beam-specimen interaction	400	401 <i>f</i>
electron probe incident energy	400–402	
electron types	400	
energetic electrons	400	
Everhart–Thornley detector	402–403	
from gold particles, alumina substrate	403	404 <i>f</i>
high-resolution imaging	400–402	
lateral spatial resolution	402	
low-voltage imaging	403–405	
sample vs. image signal-to-noise ratio	402	
scattering event	400	
secondary electrons	400	
solid state detectors	403	

Index Terms

Links

Backscattered electrons (BSEs) (<i>Cont.</i>)		
of ZnO nanorods, gold nanoparticles	403	404f
Bacteria		
<i>Escherichia coli</i>	754	
<i>Pseudomonas aeruginosa</i>	754	
<i>Staphylococcus aureus</i>	754	
<i>Staphylococcus epidermidis</i>	754	
Bases	249–251	
B Clean	580	
Beam spatial coherency	397–398	
Bikerman method	455	455f
Biocides, antimicrobial drugs		
bactericides	757	
bacteriostats	757	
fungicides	757	
fungistats	757	
microbiocides	757	
microbiostatics	757	
Biological contaminants		
by air		
bacterial cells	754–755	
fungal spores	754–755	
algae	754	
antifouling paints	777–779	
antimicrobial and antifouling coatings	753–757	
antimicrobial surfaces, multiple action	779	
antiviral coatings	779	
bacteria	754	
barnacles and mussels	754	
biofilm contaminations	752	753f

Index Terms

Links

Biological contaminants (*Cont.*)

biofouling processes	752	
biomedical applications	780–783	
clams	754	
coating methods	757–760	
construction and ships	784	
by contact	754–755	
daily life products	783–784	
environmental toxicity	753–754	
food protection	783	
invertebrates	754	
metal coatings	776–777	
microbe attachment	752	
microbe killing/growth inhibiting coatings	764–776	
mode of contamination	754–755	
natural and industrial aquatic ecosystems	752	
non-adhesive coatings	760–764	
non-specific agents	757	
self-cleaning coatings	755	
surface cleaning, coating	779–780	780f
surfactants and ultrasound	753	
textiles	783	
transmission mode	752	
waterborne organisms		
biofilm formation	754–755	
biofouling	754–755	
yeast and fungi	754	

Biomedical applications

antimicrobial catheters	780–781	
antimicrobial coatings	781	781t

<u>Index Terms</u>	<u>Links</u>		
Biomedical applications (<i>Cont.</i>)			
catheter-related nocosomial infections	780–781		
nocosomial infections	781		
pin-tract infections	783		
wound dressings	783		
Bohr model	5–6		
Boron compounds	259–263	261–262 <i>t</i>	264 <i>t</i>
Brownian displacement	13–14	14 <i>t</i>	
Brownian dynamics simulations (BDS)	55		
Brownian rotation	13–14	14 <i>t</i>	

C

Carbon dioxide (CO ₂) snow cleaning	
applications	
additives	709
AFM sample preparation	704–705
art and historical artifacts	708
bedbugs	709
BMW (auto manufacturer)	709
clean and cool	709
<i>Escherichia coli</i> biofilms	708
hard-disk assemblies	708
materials	704
optics	706–707
siloxane monolayers	705–706
thin-film technologies	706
vacuum technologies	706
wafers	707
comparisons	
air blow-off	710

Index Terms

Links

Carbon dioxide (CO ₂) snow cleaning			
comparisons (<i>Cont.</i>)			
aqueous and solvent-based cleaning			
methods	710		
argon-nitrogen cryogenic aerosol	710		
costs	711		
liquid CO ₂ cleaning	711		
polymers	710–711		
supercritical CO ₂ cleaning	711		
vacuum methods	710		
wiping	710		
definition	695–696		
freeze-fracture process	698		
history and effectiveness	696		
hydrocarbon removal	697–698		
nozzles	699–701		
cleaning	702–703		
equipment	702		
purity	702		
static control	701–702		
surface cooling	701		
surface damage	703		
particle removal	697		
thermodynamics	696–697		
velocity	698–699		
Cetyl pyridinium chloride (CPC)	611–612	614 <i>f</i>	616 <i>f</i>
	619–620 <i>f</i>		
Cetyl trimethyl ammonium bromide (CTAB)			
concentration	613–617	615 <i>f</i>	
CFCs. <i>See</i> Chlorofluorocarbons (CFCs)			

<u>Index Terms</u>	<u>Links</u>		
Charged plate monitor (CPM)	185		
Chemical mechanical planarization (CMP)	743		
Chemical Safety Information, Site Security and Fuels Regulatory Relief Act	481		
Chlorofluorocarbons (CFCs)	482	495–496	
Clausius–Clapeyron relation	270–273		
Clean Air Act (CAA)	481		
Cleaning systems			
cassette-to-cassette wafer cleaning system	730	731 <i>f</i>	732
	733 <i>f</i>		
closed-cycle cryogenic refrigerator	730–731	731 <i>f</i>	
converging/diverging nozzle design	731		
dual-nozzle process	731	732 <i>f</i>	
loaded experimental design	730	730 <i>f</i>	
raster-type motion	730–731		
test results	731		
Clean Water Act (CWA)	481		
Closed cup tester	514		
Closed tank, flash point	514		
Coagulation	14	15 <i>t</i>	
Coating technologies			
brushes, pads and rolls	758		
chemical vapor deposition	759		
dip and flow coatings	758		
electroless plating	759		
electroplating	758		
physical vapor deposition	759		
spin coating	758		
spray application	758		
sputtering	759		

Index Terms

Links

Coating technologies (<i>Cont.</i>)		
surface modification	759–760	
Cohesion surface properties	448	
Colloidal probe microscopy (CPM)	137	189
Contact active antimicrobial surfaces		
chemical action	774	
microbiocidal coatings	772	773t
physicochemically active coatings		
chemical grafting techniques	776	
with immobilized biocides	775	775f
polymeric drugs	775–776	775f
SEM, killed <i>S. aureus</i> cells	776	776f
Contact angle analysis techniques	449	
Coulomb's law	105–107	
Covalent interactions	122–123	
Creeping flow	45	
Critical micelle concentration (CMC)	597–598	
Cryogenic cleaning. <i>See also</i> Argon/nitrogen		
cryogenic aerosols		

D

DCA analyzers (DCAAs)	456–459	458f
Debye interactions	126–127	
Deposition process	57–58	
Dermis	527	
Dielectric constant (DC)	523	524t
Dielectrophoresis	108–110	
Diffusion systems	764–772	
additives	770–771	
biodegradable polymer systems	771	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

Diffusion systems (*Cont.*)

biological release systems	771–772	
chemical/physico-chemical surface		
modification	768–769	
coating after impregnation	770	
coating material loading	769	
co-extrusion	769	
complexes	770	
drug loading	765	
drug release	765–768	
hydrolyzing labile bonds	771	
microbial contact	772	
microbiocidal drug	764–765	
sparingly soluble drugs	770	
swellable plastic	764–765	
Diffusophoresis	103	
Dilute HF (dHF)	588	
di(n-octyl) phthalate (DOP)	257	
DLVO theory	604–605	611–612
DMT theory	132	
Double-cylinder chamber test method	294 <i>f</i>	
Drift velocity		
electric	37–38	
gravitational	35	36 <i>f</i>
net particle	34–35	
thermophoretic	36–37	37 <i>f</i>
Dry cleaning	480	
Dry deposition		
boundary layer approach	102	
deposition data	102	102 <i>f</i>

Index Terms

Links

Dry deposition (*Cont.*)

factors	96	98 <i>t</i>
flux correction factor	96–100	100 <i>f</i>
in horizontal-flow clean hood	101–102	101 <i>f</i>
mechanisms	96	
numerical simulation	102	
in stagnation flow setting	96–100	
in vertical laminar flow cleanroom	96–101	101 <i>f</i>
in wafer carrier	101 <i>f</i>	102

Drying techniques

spin/centrifugal drying	799–800
surface tension gradient (Marangoni)	
based	800–802

Dynamic headspace-gas chromatography-

mass spectrometry (DHS-GC/ MS)	214
--------------------------------	-----

Dynamic theory and image simulation

complex and multiple scattering	414–415	
decahedral Au particle	416	416 <i>f</i>
dynamic diffraction process	414–415	
electron wave transmission	415–416	
phase modulation	415–416	
physical approach, multislice theory	414–415	415 <i>f</i>
propagation function	415–416	

E

EDS. *See* Energy dispersive X-ray spectroscopy
(EDS)

Electrodynamic forces	126
Electromagnetic interactions	122

Index Terms

Links

Electron energy-loss spectroscopy (EELS)		
bonding in transition metal oxides	438–440	
chemical microanalysis	436	
ELNES	438–440	
quantitative nanoanalysis	436–438	
Electron gun		
design, TEM	409	
ESEM	399–400	
SEM	396–397	
Electronic circuit manufacturing	595–596	
Electrophotographic process	121	
Electrostatic discharge (ESD)	643	
aerodynamic forces	175	
cleanroom electrostatic management		
dissipative-to-dissipative discharge	182	
grounding method	181–182	
metal-to-metal discharge	182	
neutralizing static charge	182–183	
static dissipative materials	181–182	
tweezers	181–182	
deposition velocity	174–175	176 <i>f</i>
diffusional forces	175	
disk drive assembly	177	
electrostatic charge control	178	
electrostatic forces	175	
ESA, rate of	174	
filter efficiency	176–177	176 <i>f</i>
gravitational forces	175	
HV power supply	174	
insulators vs. conductors		

Index Terms

Links

Electrostatic discharge (ESD)

insulators vs. conductors (*Cont.*)

conductive materials	179–181	180t
dissipative materials	180–181	180t
electrostatic shielding	180t	
insulative materials	180	180t
tribo-matching	180–181	

ionization (*see* Air ionization)

neutral vs. silicon wafer	174	175f
---------------------------	-----	------

PWP	177
-----	-----

robotic malfunction	177–178
---------------------	---------

static charge generation	177
--------------------------	-----

FOUP	179
------	-----

humidity	178–179
----------	---------

induction	179
-----------	-----

triboelectric charging	178
------------------------	-----

Electrostatic force

artificial electrostatic field	96f	105–107	
particle sizes and chemical compositions	108	108f	109t
precipitators	105–107		

Electrostatic forces	122	123f	124–125
	127–128		

Electrostatic interactions	122–125	125f
----------------------------	---------	------

Electrostatic precipitators	105–107
-----------------------------	---------

Emergency Planning & Community

Right-To-Know Act (EPCRA)	481
---------------------------	-----

Endangered Species Act (ESA)	481
------------------------------	-----

Endocrine disrupters	309–311
----------------------	---------

Energy dispersive microanalysis	441	441f
---------------------------------	-----	------

Index Terms

Links

Energy dispersive X-ray spectroscopy (EDS)

Bragg relation	406	
integrated intensity	437–438	
material analysis	437–438	
microanalysis	436–437	441
quantitative chemical analysis	436–437	437 <i>f</i>
SIGMAL program	438	

Energy-loss near edge structure (ELNES)

cation valence states	438–440	
electron diffraction	440	
L ₃ /L ₂ intensity ratios	438–440	439 <i>f</i>
transition-metal and rare-earth elements	438	438 <i>f</i>

Engineering test method

IEST WG031	234–236
JACA 34-1999	239

Environmental scanning electron microscope

(ESEM)	399–400
--------	---------

Epidermis	527
-----------	-----

Erosion rate	112
--------------	-----

Ester phosphates	258–259
------------------	---------

Ester phthalates	224–230	256–258
------------------	---------	---------

Everhart–Thornley detector	402–403
----------------------------	---------

F

Federal Food, Drug, and Cosmetic Act

(FFDCA)	481
---------	-----

Federal Insecticide, Fungicide and Rodenticide

Act (FIFRA)	481
-------------	-----

Field outgassing method	293 <i>f</i>
-------------------------	--------------

Film uniformity	812
-----------------	-----

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

Flammability issues

avoiding fire, procedures in	523–525	
body contact	525–527	
ingestion	527	
inhalation	526–527	
routes of entry	525–526	
skin contact	527–528	
solvents on human skin	528	
carcinogenicity	528–529	529t
combustion		
flammability limits vs. flash point	520	521t
flammability test equipment	520–522	
fuel	519	
LEL and UEL	520	
oxygen	520	
source of ignition	520	
economic hazards	534–535	
flash point		
data	517–518	518t
regulatory requirements	516–517	
test equipment	514–515	515t
hazards, protection from	529–534	
communication of information	532–534	
information	530–532	
sources of information	532	
legal/regulatory hazards	534	
static electricity	522–523	
DC	523	524t
taking action	534	

Index Terms

Links

Fluid transport

boundary conditions	43	
characteristic length and velocity	43	
parallel plates		
analytical and numerical techniques	33f	44–45
analytical simplification	45–46	
axial and radial velocity profiles	45	
constant-property flow	45	
creeping flow/Stokes flow regime	45	
FIDAP	45	47
fluid flow analysis	47	
quasi-1-D nature	45–46	
in showerhead holes	33f	43–44
Fluorinated greenhouse gases (f-gases)	509–510	
Food Quality Protection Act (FQPA)	481	
Fourth-order Runge–Kutta technique	58	68
Fractoemission	124	
Front-End-of-line (FEOL)	579–580	
Front opening universal pods (FOUPs)	179	190
Fruit-basket phenomenon	283–285	
Fuller’s earth	480	
Fungi		
<i>Aspergillus niger</i>	754	
<i>Penicillium notatum</i>	754	
<i>Stachybotrys chartarum</i>	754	
unicellular and multicellular	754	

G

Gas model	8–9	9t
GHS	532–533	

<u>Index Terms</u>	<u>Links</u>		
Globally Harmonized System (GHS)	532–533		
Global warming			
global warming potential			
environmental regulatory agencies			
concerns	508–509		
high-GWP gases	507–508	508 <i>t</i>	
solvent cleaning	507	508 <i>t</i>	
regulations affecting solvent cleaning			
atmospheric concerns	511	511 <i>t</i>	
greenhouse gases	509–510		
Kyoto protocol	509–510		
Montreal protocol	509	510 <i>t</i>	
terrestrial (thermal) radiation	507		
Gravitational forces	122	123 <i>f</i>	125
	127–128		
Gravitational interactions	122		
Greenhouse gases	509–510		

H

Hamaker's pairwise additive approach	127		
Hansen solubility parameter (HSP)	540–544		
data	541–544		
for polymeric soils	541	542 <i>t</i>	
for solvents	543 <i>t</i>		
Hard sphere model	8–9		
Hazard Communication (HAZCOM)	533		
Hazardous Substance Data Sheets (HSDSs)	531		
HAZCOM	533		
HCFCs	482		
Hexamethyldisilazane (HMDS)	204	249–251	

This page has been reformatted by Knovel to provide easier navigation.

<u>Index Terms</u>	<u>Links</u>		
HFCs	483		
HFEs	483		
High-efficiency particulate air (HEPA)	635–636		
High-resolution transmission electron microscopy (HRTEM)			
atomic resolution lattice imaging	410–416		
atomic scale structures	408–409		
direct imaging of atoms	408–409		
high spatial resolution chemical analysis	408–409		
TEM	409–410		
High-speed impinging jet			
apparatus and parameters	668–672	668–670 <i>f</i>	
contaminate remove	692		
environmental condition	680–682	680 <i>f</i>	681 <i>t</i>
	682 <i>f</i>		
monodispersed standard latex particles	668		
pre-charging method	682–684	683–686 <i>f</i>	
pulsed air jet	688–691	689 <i>t</i>	690–691 <i>f</i>
removal efficiency			
definition of	672	673 <i>f</i>	
impinging angle θ	675–679	675–676 <i>f</i>	678–679 <i>f</i>
pressure drop $f\zeta P_n$ and distance d	672–674	673–674 <i>f</i>	
relative humidity and drying time	692–693	692 <i>f</i>	
resuspension phenomenon	667–668		
vibrating air jet method	685–688	686–688 <i>f</i>	687 <i>t</i>
Hildebrand solubility parameter	536–540		
molecular forces			
dispersion forces	540		
hydrogen bonding forces	540		
polar interactions	540		

Index Terms

Links

Hildebrand solubility parameter		
molecular forces (<i>Cont.</i>)		
van der Waals forces	539	
one-dimensional	538–539	
for solvents	543 <i>t</i>	
Homogeneous nucleation	14–16	16 <i>f</i>
HSDSs	531	
Hydrochlorofluorocarbons (HCFCs)	482	
Hydrofluorocarbons (HFCs)	483	
Hydrofluoroethers (HFEs)	483	
Hydrophilic polymers and hydrogels		
anionic polymers	761	
chemical attachment of polymers	761–762	
free surface energy approach	760	
pluronics	762	
polymeric modification, surfaces	761–762	
usable polymers	760–761	
water-soluble polymer PEG	761–762	

I

IEST dynamic headspace screening test		
method	273	
ImageJ, image analysis software package	455–456	
Inertia-enhanced deposition		
coupled transport		
design equipment	82–83	
efficiency vs. particle diameter and		
pressure	83–84	83 <i>f</i>
efficiency vs. particle diameter and wafer		
temperature	84–85	84 <i>f</i>

Index Terms

Links

Inertia-enhanced deposition

coupled transport (*Cont.*)

external forces	79–80	80 <i>f</i>
grand design curves	78–79	78 <i>f</i>
hardware design	83	
jet to face–velocity ratio, effects of	76–77	76 <i>f</i>
parabolic profile	80–82	81 <i>f</i>
process conditions	82–83	
showerhead thickness, effects of	76–77	77 <i>f</i>

particle transport

critical stokes number vs. particle

dimensionless inlet velocity	74–75	74 <i>f</i>
------------------------------	-------	-------------

efficiency vs. stokes number	72–73	73 <i>f</i>
------------------------------	-------	-------------

numerical FIDAP and analytical

solutions	71–72	
-----------	-------	--

in showerhead holes	69–71	
---------------------	-------	--

Inertial effects

continuum regime limit	34	
free molecule regime limit	34	
nondimensionalization	33–34	33 <i>f</i>
parallel-plate reactor geometry	33–34	33 <i>f</i>
particle response/relaxation time	32	

Institute of Environmental Sciences and

Technology (IEST) WG031

engineering test method	234–236	
screening test method	233–234	

Interfacial forces

adhesion	606–607	
CPC	613–615	616 <i>f</i>
CTAB concentration	613–617	615 <i>f</i>

Index Terms

Links

Interfacial forces (*Cont.*)

DLVO theory	604–605	
electrostatic force	604	617
energy-based approach	618–620	619–620 <i>f</i>
hydrophilic surfaces	604	
inhibition approach	618	
non-ionic surfactant	617	
particle removal forces	607	
particle removal measurement	612–613	
polystyrene latex particle removal		
efficiency vs. silicon substrates,		
particle size	613–614	616 <i>f</i>
post-cleaning surfactant removal	617–618	
residual particle density	613–615	614–616 <i>f</i>
SAC	617	
surface forces measurement	605–606	605–606 <i>f</i>
surface forces, modification of	608–612	609–610 <i>f</i>
cationic surfactant molecule adsorption	608–609	609 <i>f</i>
cetyl trimethyl ammonium chloride	610	611 <i>f</i>
Derjaguin approximation	608	
hydrophobic force	610	
Lifshitz theory	608	
normalized DLVO force,		
comparison of	611–612	612 <i>f</i>
particle-substrate interaction	609–610	610 <i>f</i>
surfactant concentration	609–611	610 <i>f</i>
surfactant selection	618	
van der Waals forces	603–604	

Intergovernmental Panel on Climate Change

(IPCC)	507
--------	-----

<u>Index Terms</u>	<u>Links</u>		
Intermolecular forces	448		
International Agency for Research on Cancer (IARC)	529	529 <i>t</i>	
International Standards Organization (ISO)	499		
International Technology Roadmap for Semiconductors (ITRS)	203 579–580	207–211 581 <i>t</i>	208–210 <i>t</i>
Ion exchange model	807–808		
Ionic interactions	122–123		
Ion mobility spectrometry (IMS)	301		
Ions adsorption, silica surfaces and metal cation interaction			
ion exchange model	807–808		
maximum surface concentration	808–809		
pH effect	808		
silica–water interface	806–807		
IPCC	507		

J

JACA 34-1999	236–247	246–247 <i>f</i>
engineering test method	239	
onsite measuring method	245–247	246–247 <i>f</i>
screening test method	237–239	
static headspace method	237	
thermal desorption test method	239–245	245–246 <i>f</i>
Japan Air Cleaning Association (JACA)	200–201	
JKR theory	129–131	

K

Kauri Butanol (kb) test	536–537
-------------------------	---------

Index Terms

Links

Keesom interactions	126–127	
Kinetics		
aerosol cleaning process	734	
ambient/process-generated particles	736	
cleaning performance	734	
improved process control and chamber		
design	736	
silicon nitride particles	736	737f
Tencor 6200 wafer scans	734	735f
test particles	734	736
tungsten particles	736	737f
Kinetic theory	8–9	12–13
Knudsen number	12–13	13t

L

Laboratory outgassing method	293f	
Lagrangian approach		
in analysing parallel-plate tools	26	
electrostatic force	32	
fluid–particle drag force		
continuum regime limit	30	
Cunningham/slip correction factor	27–28	
electric charge and gas properties	27–28	28t
free molecule regime limit	30	
Millikan apparatus	27–28	
particle Reynolds number	27	
slip-corrected Stokes drag law	27	
slip correction factor	28–29	29f
free-molecule assumption	26	
gravitational force	31	

Index Terms

Links

Lagrangian approach (<i>Cont.</i>)		
thermophoretic force		
continuum regime limit	31–32	
formulation	31	
free molecule regime limit	32	
Langmuir method	456	
LEIS. <i>See</i> Low-energy ion scattering (LEIS)		
LEL. <i>See</i> Lower explosive limit (LEL)		
Lewis acid-base interactions	122–123	
Lifshitz theory	127	608
Literature models, wafer drying		
limitations, Marangoni-based drying	816	
rotating wafer system, vertical		
drying model	815–816	
spin drying	809–812	
vertical Marangoni-based	812–814	
Low-cycle fatigue mechanism	155–158	
Low-energy ion scattering (LEIS)	378	
applications		
corrosion	385	
efficiency of surface cleaning methods	385	
segregation on polymer surfaces	385–386	
surface contaminants	384–385	
disadvantages	387	
instrumentation	383	
principles		
atomic mass	382	
He ⁺	378–379	
intensity	381	
spectrum	379–380	
surface sensitivity	380	

Index Terms

Links

Lower explosive limit (LEL)	520	522–523
-----------------------------	-----	---------

M

Magnaflux devices	122
-------------------	-----

Magnetic interactions	122
-----------------------	-----

Marangoni-based drying, rotating wafer	
--	--

adsorption	840–841
------------	---------

drying speed	846
--------------	-----

horizontally rotating setups	821–822
------------------------------	---------

IPA, tensioactive component	847
-----------------------------	-----

limitations, model	
--------------------	--

surface forces	816
----------------	-----

surface tension gradient	816
--------------------------	-----

liquid dispensation effect	836–837
----------------------------	---------

liquid surface tension effect	838–840
-------------------------------	---------

manual tool	822
-------------	-----

mean surface tension gradient	844–846	845 <i>t</i>
-------------------------------	---------	--------------

nozzle speed effect	837–838
---------------------	---------

organic species residues	847–848
--------------------------	---------

salt test limits	843–844
------------------	---------

salt tracer tests	816–819
-------------------	---------

semi-automated tool	822
---------------------	-----

surface concentration of nickel	840	840 <i>f</i>
---------------------------------	-----	--------------

surface tension gradient based	802
--------------------------------	-----

wafer topography and	
----------------------	--

surface heterogeneity	846–847
-----------------------	---------

Material safety data sheet (MSDS)	530–532
-----------------------------------	---------

Maugis–Pollock (MP) theory	132–134
----------------------------	---------

Maxwellian velocity distribution	8–9
----------------------------------	-----

Metallic interactions	122–123
-----------------------	---------

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

Meta-tricresyl phosphate (TCP)	159		
Microabrasive technology	644–645	644 <i>f</i>	
abrasives types of			
alumina	637		
ceria	637		
corn starch	637		
crushed glass	637		
cubic boron nitride	637		
diamond	637		
dolomite	637		
glass bead	637		
kieserite	637		
plastic bead	637		
properties	637	638 <i>t</i>	
quality	640		
Reynolds number	27	29–30	43–45
	46 <i>f</i>	60–61	96–100
	103–104	586	812
	828–829	842–843	
selection	637–639		
silicon carbide	637		
sodium bicarbonate	637		
surface acoustic wave (SAW)	302		
titanium dioxide	637		
tungsten carbide	637		
ultra low penetration air (ULPA)	183	200	202–203
	296–297	298 <i>f</i>	298 <i>t</i>
vapor degreasing	561	563–564	
walnut shell	637		
water-soluble	637		

Index Terms

Links

Microabrasive technology

abrasives types of (*Cont.*)

wheat starch 635

Young's equation 130–133 137 450–451

ZAF correction 407

advantages 648–649

air treatment 640–642

alumina particle 634

applications 628

coatings remove 649–650 650*f*

complex three-dimensional structures,
 fabrication of 653

continuous cooperation 645 645*f*

cost 647–648

cutting brittle materials 653

dental applications 651 651*f*

disadvantages 649

dust collection 642

environmental and health concerns 646–647

etching microfluidic devices 650–651

high-precision and high-volume 646 647*f*

integrated system 646 646*f*

internal energy 634–635

machined components, deburring of 651

macro- and micro-contamination 628

medical device processing 652 652*f*

miscellaneous applications 653–654

nozzle materials and design 636

oil contamination 642

particle velocity 634

Index Terms

Links

Microabrasive technology (*Cont.*)

process control	633–634	
recycling and secondary waste	643	
respiratory effects	647	
safety concerns	646	
static charging	643	
surface cleanliness levels	629–630	
surface contamination	629–630	
surface films and coatings remove		
delamination remove	632–633	
dynamic effects	630	
erosion rate	630	
kinetic energy	630	634–635
mechanical erosion	630–631	632 <i>f</i>
particle impact process	630	
particles remove	633	
system description	635–636	635 <i>f</i>

Microoptoelectromechanical (MOEMS)

devices	120
---------	-----

Multiple twinned particles (MTP) 422–423

N

Nanocrystals (NC)

decahedron and icosahedron particles	422–423	422 <i>f</i>
FePt nanoparticle	423	423 <i>f</i>
MTP	422–423	
polyhedral shapes		
crystallographic planes	417	
cubo-octahedral	417	417 <i>f</i>
electron diffraction pattern	418	418 <i>f</i>

Index Terms

Links

Nanocrystals (NC)

polyhedral shapes (*Cont.*)

facet imaging 418

HRTEM images 418–419 419*f*

three-dimensional polyhedral shape 419–420 420*f*

thermodynamic properties, Au

nanoparticles

condensation and diffusion 431–432 431*f*

crystallographic shape 435 435*f*

formation process 431–432

growth kinetics 434–435 434*f*

platinum nanoparticles 436

shape transformation 436

surface sublimation 432 432*f*

twining structure and stacking faults 421–422

Nanodiffraction

experimental procedure 424–425

optics 424

Nanoparticles, imaging and analysis

EDS 441

EELS 436–440

HRTEM 408–416

in-situ TEM and nanomeasurements 430–436

nanodiffraction 423–425

NC shapes 417–423

SEM 396–408

STEM 425–430

National Environmental Policy Act (NEPA) 481 517

National Fire Protection Association (NFPA) 517

National Institute for Occupational Safety and

Health (NIOSH) 532 561

Index Terms

Links

Natural greenhouse effect	507
Nitrogen oxides (NO _x)	301
Non-adhesive coatings	
with hydrophilic polymers and hydrogels	760–762
proteins	763–764
surface net charge, microbial adhesion	763
ultrahydrophobic	762–763
Nonvolatile residue (NVR)	629

O

Occupational Safety and Health Act (OSHA)	481		
Oil Pollution Act of 1990 (OPA)	481		
Open tank, flash point	514		
Optical defect detection (ODD)	347		
Organic compounds	220–231	223 <i>t</i>	223–224 <i>f</i>
	225 <i>t</i>	251–264	
ester phosphates	230–231	258–259	
ester phthalates	224–230	256–258	
siloxanes	224	253–256	
Outgassing evaluation method	232–247		
IEST WG 031			
engineering test method	234–236		
screening test method	233–234		
JACA 34-1999	236–237	243–245 <i>f</i>	
engineering test method	239		
onsite measuring method	245–247	246–247 <i>f</i>	
screening test method	237–239		
static headspace method	237		
thermal desorption test method	239–245	245–246 <i>f</i>	

<u>Index Terms</u>	<u>Links</u>		
Ozone-depleting chemicals (ODCs)	482–484	486	495
	509	512	
Ozone hole	483	484 <i>f</i>	494

P

Parallel-plate geometry	47		
Parallel plate reactor			
acceleration	48		
analytical expressions	42		
axisymmetric geometry	33 <i>f</i>	41	
critical trajectory	48–49	49 <i>f</i>	
diffusion-enhanced deposition	67–69		
dimensional results			
mass flow rate effects	64–65	65 <i>f</i>	
pressure effects	63–64	63 <i>f</i>	
thermophoresis, effects of	65–67	66 <i>f</i>	
trap height effects	62–63	62 <i>f</i>	
Eulerian formulation	42–43		
external force limit	49–50		
fluid/thermal transport equations	42		
fluid transport equations			
(see Fluid transport)			
Lagrangian formulation	42–43		
nondimensional results			
efficiency vs. Peclet number	58	59 <i>f</i>	
fourth-order Runge–Kutta technique	58		
intermediate Peclet numbers	58–61	59 <i>f</i>	61 <i>f</i>
local and global error control parameters	58		
particle collection efficiency	42	47–48	
particle generation mechanisms	42		

This page has been reformatted by Knovel to provide easier navigation.

<u>Index Terms</u>	<u>Links</u>		
Parallel plate reactor (<i>Cont.</i>)			
showerhead design	41–42		
traps/in situ nucleation (<i>see</i> Traps)			
velocity and temperature fields	42		
Parallel-plate reactor geometry	33–34	33 <i>f</i>	
Participates in atmospheric photochemical reactions (PAPRs)	497		
Particle adhesion			
AFM	137–138		
air contamination control	120–121		
cell detaching	120		
centrifuge method	136		
charge variation	125		
CPM	137		
definition	135		
direct bearing	120		
electric charge, effect of	124–125	125 <i>f</i>	
electrophotographic process	121		
electrostatic air cleaning	119–120		
electrostatic technique	136–137		
factors	134–135	134 <i>f</i>	
forces			
electrodynamic	126		
electrostatic	122	123 <i>f</i>	124–125
	127–128		
gravitational	122	123 <i>f</i>	125
	127–128		
van der Waals	122	123 <i>f</i>	126–128
HEPA filtration	119–120		
interactions			

Index Terms

Links

Particle adhesion

interactions (*Cont.*)

electromagnetic	122	
electrostatic	122–125	125 <i>f</i>
gravitational	122	
ionic	122–123	
Keesom	126–127	
Lewis acid-base	122–123	
magnetic	122	
metallic	122–123	
strong	122	
van der Waals	119–120	127–128
weak	122	

mechanics of

DMT theory	132
elastically stored energy	129–130
elastic–plastic properties	131
JKR theory	129–132
mechanically stored energy	129–130
MP theory	132–134
plastic deformation	133–134
total energy	129–130

micro and nano-devices	120
------------------------	-----

particle roughness	128	129 <i>f</i>
--------------------	-----	--------------

toner	121
-------	-----

Particle collection efficiency	42	47–48
--------------------------------	----	-------

Particle removal efficiency (PRE)	585–586	586 <i>f</i>
-----------------------------------	---------	--------------

Particle–solid surface interactions

adhesion forces	93–94	94 <i>f</i>
agglomeration	93	

Index Terms

Links

Particle–solid surface interactions (*Cont.*)

blowing dry air/nitrogen jet	95–96		
electrostatic double-layer	93–94		
electrostatic film cleaner	95–96	96 <i>f</i>	97 <i>t</i>
electrostatic forces	93		
interfacial forces	93		
spherical unit-density particles	94	95 <i>t</i>	
surface roughness, effect of	94	95 <i>f</i>	
van der Waals forces	93	93 <i>f</i>	

Particles-per-wafer-pass (PWP) 177

Particle transport and deposition

drift velocity

electric	37–38	
gravitational	35	36 <i>f</i>
net particle	34–35	
thermophoretic	36–37	37 <i>f</i>

Eulerian formulation

nondimensional formulation	33 <i>f</i>	39–41
particle diffusion coefficient	39	40 <i>f</i>
particle transport	38	

inertia-enhanced deposition (*see* Inertia-enhanced deposition)

inertial effects

continuum regime limit	34	
free molecule regime limit	34	
nondimensionalization	33–34	33 <i>f</i>
parallel-plate reactor geometry	33–34	33 <i>f</i>
particle response/relaxation time	32	

kinetic-theory model 26

Knudsen number 25–26

Index Terms

Links

Particle transport and deposition (*Cont.*)

Lagrangian particle equation (*see* Lagrangian approach)

in parallel plate reactor (*see* Parallel plate reactor)

Peclet number 39–41

Phase contrast imaging

Abbe's theory of image formation 411–412 411*f*

Bragg reflected beams 410–411

diffraction contrast 410–411

scattering powers 412

Phase object approximation (POA) 412

Phosphorus compounds 263

Photochemical smog. *See* Smog

Photophoresis 103

Polar forces

chemisorption 447

physisorption 447

Pollution Prevention Act (PPA) 482

Poly(ethylene terephthalate) (PET) 351 352*f*

Polymethyl methacrylate (PMMA) particles 105 107*f*

Potent industrial greenhouse gases 509–510

Pre-charging method

agglomerated particles 684 685*f*

apparatus 682–683 683*f*

applied voltages 683 684*f*

removal efficiency 684 685*f*

Pulsed air jet 688–691 689*t* 690–691*f*

Index Terms

Links

Q

Quasi-1-D stagnation point flow 45–46

R

Radio frequency (RF) discharge 50–51

Rapid thermal processing (RTP) 730 730*f*

RCA cleaning method

batch spray processor 580

dHF clean 588

FEOL 579–580

native silicon oxide 580

particle challenge wafer preparation 587–588 587*f*

particle/surface interactions

electrostatic force 584–585 584*f* 585*t*

hydrodynamic force 582*f* 584*f* 585–587

586*f*

van der Waals force 581–583 582*f* 583*t*

584*f*

SC-1 580 588–590 589*f*

SC-2 580

supply-on-demand manufacture 579–580

wafer cleaning process 580

Reflection goniometry technique 464–465

Relative humidity (RH) 135

Release systems

biocide structure 764 765*f*

diffusion systems 764–772

microbiocidal coatings 764 766*t*

Rolling/sliding contact mechanism 110–111

<u>Index Terms</u>	<u>Links</u>	
Rotating wafer system, vertical drying model		
coordinate system, observer	815	
Coriolis effect	815	
gravitational acceleration	815	
Marangoni-based drying process	815–816	
qualitative behavior	815–816	
S		
Salt tracer tests		
deposition mechanisms	816–817	
interpretation	817–818	818 <i>f</i>
literature data		
Marangoni-based drying	819	
spin drying	818–819	
Marangoni-based drying, rotating wafer	826	
spin drying	825–826	
vertical Marangoni-based drying	826	
SAW. <i>See</i> Surface acoustic wave (SAW)		
Scanning electron microscopy (SEM)		
beam spatial coherency	397–398	
composition analysis		
Auger electrons	408	
X-rays	405–408	
condenser lens chromatic aberration	396–397	
depth of field, instrument resolution	398–399	398 <i>f</i>
electron gun	396–397	
electron lens design	397	
electron optics effects	397	
ESEM	399–400	
image interpretation	396	

Index Terms

Links

Scanning electron microscopy (SEM) (*Cont.*)

image resolution	398–399
imaging signals	
BSEs	400–403
low-voltage imaging	403–405
SEs	400–403
operating voltage and current selection	397
vibration isolation and shielding	399

Scanning transmission electron microscope (STEM)

composition-sensitive imaging	429–430	
electron trajectories	426	427 <i>f</i>
imaging modes	428–429	
imaging system	425	426 <i>f</i>
instrumentation	425–428	
nanoscale microanalysis	430	
optics reciprocity	425	

Sebum 527

Secondary electron (SEs)

amplifier	399–400	
beam-specimen interaction	400	401 <i>f</i>
and BSE imaging	400–403	

Selected area diffraction (SAD) aperture 410

SEM. *See* Scanning electron microscopy (SEM)

SEMATECH Technology Transfer Report No.

9505212A-TR	207
-------------	-----

Semiconductor Technology Roadmap

Committee in Japan (STRJ)	211
---------------------------	-----

Index Terms

Links

Semiconductor wafer drying	
analytical techniques	822–825
contaminants, suspended/soluble	797–798
drying techniques	799–802
evaporated liquid film thickness	799
ions adsorption, silica surfaces	805–809
literature models	809–816
materials and products, characterization	
liquid chemicals	825
metal salts	825
wafers	825
process performance	797–798
residual processing liquid	797
salt tracer tests	816–819
setups	
Marangoni-based drying, horizontally	
rotating	820–821
spin drying	819–820
vertical Marangoni-based drying	820–821
spin drying	799–800
surface cleanliness specifications	797–798
surface concentration, tracer elements	798–799
surface tension gradient (Marangoni)	
based drying	800–802
wetting films on silica	802–805
Short range repulsive interactions, wetting	
stability	
alcohol films	805
aqueous films, silica types	804–805
Sick house syndrome	309

Index Terms

Links

Siloxanes	224	253–256
Silver leaf	506 <i>t</i>	
Single wafer process	718–719	
Skin irritation	528	
Smog		
reaction leading to formation of	503–504	
from VOCs		
aldehyde (CHO)	505	505 <i>f</i>
combustion (oxidation)	504	
hydrocarbon radical (R*)	505	
hydroxy radical (HO*)	504–505	
peroxide radical (ROO*)	505	505 <i>f</i>
peroxyacetyl nitrates	504–505	506 <i>f</i>
reactive radical (O*)	504	
Solid particle erosion. <i>See</i> Abrasive erosion		
Solvent cleaning		
avoiding common mistakes		
environmental compliance, cost of	570	
price, focussing on	570	
supplier selection	569	
unwarranted repetition	569	
waste disposal, absence of attention to	570	
choice of solvent		
chemical structure and atomic		
composition	552–560	554 <i>t</i>
technical data	561	
cleaning processes		
cold cleaning	561	
design features of	562	
vapor degreasing	561	

Index Terms

Links

Solvent cleaning (*Cont.*)

depletion in stratosphere

after several years, reaching 494

free chlorine atom (free radical) 495

ozone destruction, with UV 494

ozone formation 494

photon light absorbtion by oxygen 494

process beginning 493–494

drying processes 563

environmental control, design features of 563–564

flammability issues

(see Flammability issues)

future of

business innovation 573

customer preferences 571–572

environmental regulations 572

regulatory innovation 573–574

technical innovation 573

global warming (see Global warming)

multiple-stage cleaning system 564–565 564–565*f*

ODP, VOC, and GWP, relationship of 511–512

origin 480

ozone-depleting solvents (chemicals)

BAS 483

carbon tetrachloride 483

CFC-113 483 495

CFCs 482 495–496

class II substance 486 491*t*

class I substance 486 487*t*

coordinating committee on the ozone

layer 483

Index Terms

Links

Solvent cleaning

ozone-depleting solvents (chemicals) (*Cont.*)

HCFCs 482

HFCs 483

Montreal protocol 484 485t 496

Vienna convention on the protection

of the ozone layer 483

quality control in 566–569 567t

rinsing processes 562–563

selection of types and features of 565–566

solubility parameters

HSP (*see* Hansen solubility parameter
(HSP))

Kauri Butanol (kb) test 536–537

solvent substitution

HSP data and calculations 545–550 546t

multiple components 544–545

for specific soils 548 548t

VOCs solvents

definition 496

differences among nations 499

in Europe 497–499

evaporation rate 497

exempt, in U.S. 499–503 500t 502t

ISO 499

PAPRs 497

photochemical reactivity 496–497

smog (*see* Smog)

Solvent Emissions Directive for the

European Community 498

<u>Index Terms</u>	<u>Links</u>		
Solvent cleaning			
VOCs solvents (<i>Cont.</i>)			
in U.S.	497		
vapor pressure data	498	498t	
Solvent Emissions Directive for the European			
Community	498		
Solvent washing method	212–214	213t	213f
Spin drying			
adsorption			
evaporated film thickness	831	831f	
nickel surface concentration	832–833	832f	
evaporated film uniformity	828–829		
high rotation speed	842–843		
literature models, wafer drying			
film uniformity	812		
non-volatile Newtonian liquid	809		
volatile liquid model	809–811		
rotation speed effect, evaporation	830–831		
salt tracer tests	816–819		
semiconductor wafer drying	799–800		
setups, wafer			
Goldfinger™ cleaning system	820		
manual spinner	819		
semi-automated spinner	820		
WS-400 spinner	819		
spin-off vs. evaporation	826–828	841–842	
wafer topography and surface			
heterogeneity	843		
Standard clean 1 (SC-1)	579	588–590	589f
Standard Clean-1 (SC-1)	739–740		

This page has been reformatted by Knovel to provide easier navigation.

<u>Index Terms</u>	<u>Links</u>			
Standard clean 2 (SC-2)	579	591		
Standard mechanical interface (SMIFs)	190			
Standard temperature and pressure (STP)	8–9			
Static headspace-gas chromatography-mass spectrometry (SHS-GC/MS)	214			
Static headspace method	237			
STEM. <i>See</i> Scanning transmission electron microscope (STEM)				
Stokes flow regime	45			
Strong interactions	122			
Substrate surface analysis				
solvent washing method	212–214	213 <i>t</i>	213 <i>f</i>	
surface (instrumental) analysis	217–218			
Sulfuric acid/hydrogen peroxide/deionized water	580	583		
Surface aggregation concentration (SAC)	600	614–615	617	
Surface force apparatus (SFA)	606	606 <i>f</i>		
Surfaces classification, wettability				
high-energy	452			
low-energy	452			
Surface tension gradient (Marangoni) based drying				
horizontally rotating wafer, Marangoni-based drying	802			
The Marangoni effect	800	801 <i>f</i>		
vertical drying technique, silicon wafers	800–802			
Surfactants				
behavior				
adsorption	597	598 <i>f</i>	600–602	
aggregation	597	598 <i>f</i>	600	

Index Terms

Links

Surfactants

behavior (*Cont.*)

air-water interface	597	
cetyl benzyl trimethyl ammonium		
chloride	596–597	597 <i>f</i>
CMC	600–602	601 <i>t</i>
Davies equation	602	
Gibbs equation	599	
higher concentrations	596–597	
hydrocarbon chain portion	600	601 <i>t</i>
hydrophilic segments	596–597	
Langmuir model	599–600	
low concentrations	597	
molecular dynamics simulations	602	603 <i>f</i>
SAC	600	
surface tension	597–599	598–599 <i>f</i>
tendency for	600	
history	596	
industrial perspective	595–596	
interfacial forces (<i>see</i> Interfacial forces)		

T

TAG closed cup test	514	
Theoretical dynamic analysis	112–114	
Thermal desorption test method	239–245	245–246 <i>f</i>
Thermodynamic properties, NC	431–436	
Thermophoresis		
Brownian diffusion	103–104	
definition	103	
experimental investigations	105	

Index Terms

Links

Thermophoresis (*Cont.*)

physical processes	103	
PMMA particles	105	107 <i>f</i>
SiO ₂ particles	105	106 <i>f</i>
temperature gradient		
and thermophoretic effect	105	106 <i>t</i>
and thermophoretic velocity	105	105 <i>t</i>
values	103–104	104 <i>f</i>

Time-of-flight secondary ion mass

spectrometry (TOF-SIMS)	365–366	
applications		
cleaning method	376	
destruction of surface	374	
failure analysis	374	
molded polypropylene	373	373 <i>f</i>
shallow sampling depth	372–373	
surface metal calibration standards	376	
TXRF	374–376	
instrumentation	371	
OLED film	376–378	377 <i>f</i>
principles		
bone cement/antibiotic mixture	367–368	
charged species	366	
defect-free region	368–370	
hard disk surface	368–370	
in-depth concentration	366–367	
mass of ion	367	
mass spectrum	367–368	
quantitative analysis	370	

<u>Index Terms</u>	<u>Links</u>		
TOF-SIMS. <i>See</i> Time-of-flight secondary ion mass spectrometry (TOF-SIMS)			
Total reflection X-ray fluorescence (TXRF)	374–376	739–740	742t
metal surface concentration, error source	823–824		
technique, metal surface concentration	822–823	823t	
Toxic SubstancesControlAct (TSCA)	482		
Transmission electron microscopy (TEM)			
condenser lenses	409		
EELS	410		
electron gun design	409		
in-situ and nanomeasurements	430–436		
magnification ability, objective lens	409–410		
optical diagram	409	409f	
SAD	410		
Traps			
diffusion-enhanced deposition			
BDS method	55		
collection efficiency	57–58		
dimensionless parameter	67		
Eulerian particle transport equation	55–57		
external forces and Brownian motion	67		
flux	58		
geometry	54	54f	
infinite parallel-plate (1-D) domain	55		
numerical quadrature	68		
particle nucleation	55		
radially uniform distribution	55		
radially uniform particle source	55		
steady flow field	55		
trapping height	68		

Index Terms

Links

Traps (*Cont.*)

Eulerian formulation	52	
external force limit	53	
Lagrangian formulation	51–52	
RF discharge	50–51	
schematic representation	50–51	51 <i>f</i>
Trial-and-error method	48–49	
Triboelectric charging	178	
Triboelectrification	124	

Tribological implication

contact load	166–168	167 <i>f</i>
diamond pin	168	168 <i>f</i>
friction apparatus	165–166	165 <i>f</i>
gas molecules	169	
micro-contacts	150	
particle size	166	166 <i>f</i>
pin material	166–167	167 <i>f</i>
pin tip radius	166–168	167 <i>f</i>
sapphire pin	168	168 <i>f</i>
solid wear particles	169	
specific wear volume	159	
spherical asperities	149	149 <i>f</i>
surface asperities	148	148–149 <i>f</i>
tribo-microplasma	169–171	170 <i>f</i>
WC pin	167–168	167–168 <i>f</i>
wear modes and particles		
atoms	150–151	
chemical composition	159	162 <i>t</i>
crack initiation and propagation	155–158	157 <i>f</i>

<u>Index Terms</u>	<u>Links</u>		
Tribological implication			
wear modes and particles (<i>Cont.</i>)			
fine and transparent wear particles,			
Si ₃ N ₄	158–159	158 <i>f</i>	
fine feather-like particles	153–154	153–155 <i>f</i>	
flake-like particles	151–152	152 <i>f</i>	155–158
	157 <i>f</i>		
mean size	159	161 <i>t</i>	
shape and size	159	161 <i>t</i>	
SiO ₂	159	160 <i>f</i>	
surface plastic flow	155	156 <i>f</i>	
thin filmy wear particle	155	156 <i>f</i>	
wear rate			
AISI 52100 Steel	162	163 <i>t</i>	164
ceramics	164	164 <i>f</i>	
cermets	164	164 <i>f</i>	
definition	159		
metals	164	164 <i>f</i>	
non-dimensional coefficient	162		
pure metals	162	163 <i>t</i>	164
specific wear amount and friction			
coefficient	162	163 <i>f</i>	164
Tributyl phosphates (TBP)	230		
Tweezers	181–182		
Two-phase exponential model	273–276		

U

UEL. <i>See</i> Upper explosive limit (UEL)
United Nations Framework Convention on
Climate Change (UNFCCC)
509–510

Index Terms

Links

Upper explosive limit (UEL)	520	522–523	
U.S. Department of Transportation (DOT)	517		
UV photoelectron	301		
V			
van der Waals forces	122	123 <i>f</i>	126–128
	539–540		
van der Waals interactions	119–120	127–128	
Vertical Marangoni-based wafer drying			
batch Marangoni-based dryer	820		
IPA flow rate effect	834–835		
literature models, wafer drying			
diffusion and convection	812–813		
dimensionless thickness function	813	814 <i>f</i>	
film thickness	812–813		
liquid surface tension	812–813		
mass transfer	812–813		
tensioactive species	812–813		
salt test results, histogram	833–834		
salt tracer tests	826		
setups, semiconductor wafer drying	820–821		
single wafer Marangoni-based drying	820–821		
surface tension gradient (Marangoni)			
based drying	800–802		
withdrawal speed effect	835–836		
Vibrating air jet method	685–688	686–688 <i>f</i>	687 <i>t</i>
VOCs solvents. <i>See</i> Volatile organic compounds (VOCs) solvents			
Volatile organic compounds (VOCs) solvents			
definition	496		

Index Terms

Links

Volatile organic compounds (VOCs)

solvents (*Cont.*)

differences among nations	499		
in Europe	497–499		
evaporation rate	497		
exempt, in U.S.	499–503	500t	502t
International Standards Organization (ISO)	499		
PAPRs (Participates in Atmospheric Photochemical Reactions)	497		
photochemical reactivity	496–497		
smog (<i>see</i> Smog)			
Solvent Emissions Directive for the European Community	498		
in U.S.	497		
vapor pressure data	498	498t	

W

Wafer thermal desorption-gas chromatography/

mass spectrometry (WTD-GC/MS)	214–216	216f
-------------------------------	---------	------

Wavelength dispersive spectrometry (WDS)	406
--	-----

Weak interactions	122
-------------------	-----

Weak scattering object approximation (WPOA)	414
---	-----

Wettability techniques

acid-base interactions	448	
and adhesion phenomena	448	
adsorption	446	465–466
analytical techniques	472	
chemical adsorption (chemisorption)	447	
Chromerge cleaning	469–470	
classification, surface	452	

Index Terms

Links

Wettability techniques (*Cont.*)

cleaning procedure optimization	459	
clean inorganic surfaces	447	
clean mica surface	464–465	
contact angle goniometers	453	454 <i>f</i>
contact angle measurements	453	
contamination		
adsorption rate	460	
control	445	
rates	461–463	462 <i>f</i>
and surfaces, molecular interactions	448	
DCA analyzers	456–457	
and dewetting cycle, water	470	471–472 <i>f</i>
digital imaging	455–456	
electronics industry	446	
electron spectroscopies	445	
fused silica plate, heating effect	463–464	463 <i>f</i>
glass substrates	464–465	
glass surface contamination	469	
high-energy solid surfaces	459	
high surface free energy materials	459	
hydrogen bonding	448	
hydrophobic behavior	452	
hydrophobic contaminants	460–461	460 <i>f</i>
hydrophobic organic contamination	460	
image acquisition system	453–454	
industrial environments	459	
instrumentation	453–459	
interfacial free energies	451	
laboratory-based goniometers	454	

Index Terms

Links

Wettability techniques (*Cont.*)

liquid drop profile, solid surface	449	449f
liquids, surface tension	448–449	
London dispersion forces	447–448	
maximum spherical volume vs. contact angle for water	449–450	450f
of metals	452	
metal surfaces	464–465	
micrometer-driven syringe and mechanical stage	453	
non-circular drop profile	453	
normal boiling points	447–448	447f
organic materials	446	
of oxide surfaces	464–465	
partial wetting	450–451	
physical adsorption (physisorption)	447	
pitch polisher	468	
plasma treatment	459–460	
polymeric surfaces	459–460	
properties	448	
pyrolysis cleaning	469	
removal kinetics, proteins	472–473	
semiconductor technology	446	
solid and liquid combination	449	
storage condition evaluation, nichrome	466	467f
surface adsorption and desorption	465–466	
surface cleaning conditions	460	461t
surface free energy	446–447	
TOF-SIMS data	472–473	
ultra-high vacuum	452	

Index Terms

Links

Wettability techniques (*Cont.*)

USB microscopes	456	
vacuum techniques	473	
water contact angles, surfaces	466	467 <i>f</i>
wetting hysteresis	451	

Wetting film stability, silica

disjoining pressure	803–804
short range repulsive interactions	804–805
surface forces	802–803

Witness plate method	214–215	456–457	457 <i>f</i>
	824–825		

X

XPS. *See* X-ray photoelectron spectroscopy
(XPS)

X-ray photoelectron spectroscopy (XPS)

analysis speed	364	
applications		
corrosion	362–363	
inorganic contaminants	357–358	360
organic contaminants	357–358	
PDMS	360–362	
production methods	363–364	
surface composition	360	
trimethylsilane	362	
valence band spectra of polypropylene	358–360	359 <i>f</i>
wet chemical cleaning methods	364	
evolution	347–348	
instrumentation	356–357	
ion-gun design	365	

Index Terms

Links

X-ray photoelectron spectroscopy (XPS) (*Cont.*)

microprobe imaging	365	
microprobe method	365	
parallel imaging	365	
principles		
Auger parameter	356	
electron binding energies	349–350	
hydrogen and helium	348–349	
inelastic collisions	353–354	
ion beam sputtering	354–355	
oxidation	355	
peak intensity	350–351	
PET	351–353	352 <i>f</i>
photoelectron emission	348	348 <i>f</i>
polyethylene	350	350 <i>f</i>
sampling depth	354	

X-rays, composition analysis

chemical analysis, small particles	405–406
core electron vacancy	405
detector-based corrections	407–408
detector-based fluorescence peak	407–408
EDS	406
energy conservation principles	405
incident probe electrons	405
quantitative analysis	407
spectrum analysis	407–408
transmission electron microscope grid	405–406
user-induced factors	408
WDS	406

Index Terms

Links

Y

Yeast

Candida albicans 754

Saccharomyces cerevisiae 754

Z

Zinc dialkyl-dithiophosphate (ZDDP) 159