

INDEX

Note: Page numbers followed by “*t*” indicate tables and “*f*” indicate figures.

Index Terms

Links

A

Abrasive medium	126	127f
Acoustic cavitation	164	165
Acoustic streaming	164	
Acute mammalian toxicity	21	
Airborne molecular contamination (AMC)		
UV-O ₃ cleaning	73	
water ice	115	
Aluminum	204	
AMC. <i>See</i> Airborne molecular contamination (AMC)		
Anisotropic wet etching	207	
Aquatic biodegradability	31	
Ashing technique	93	
ASH process. <i>See</i> Dry etching process		
Assessment tools	34	34t
Auger spectra, sintered BeO specimen	74–75	75f
Automated ice blasting systems	130–131	
Automated wafer cleaning	82–83	83f
Automobile transmission valve bodies	125	126f

B

Batch cleaning		
final procedures	154	155t

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

Batch cleaning (*Cont.*)

immersion cleaning	152	152 <i>f</i>	153
initial procedures	153–154	154 <i>t</i>	
low cost of ownership (COO)	151–152		
TXRF	154	155 <i>t</i>	

Boundary layer streaming

164

Brush cleaning

chemicals used	156–157		
COF	160–161		
full-contact mode	157	158 <i>f</i>	
noncontact mode	157	158 <i>f</i>	
partial-contact mode	157		
PRE	161–163	163 <i>f</i>	
rolling moment (RM)	157–160	159 <i>f</i>	
Sommerfeld number (So)	160–161	160 <i>f</i>	
Stribeck curves	160–161	160 <i>f</i>	162 <i>f</i>
thermophoretic mechanism	156		

C

Carcinogenicity

21

30

Chemical mechanical planarization (CMP)

copper post cleaning	177		
NBP	191–196	192 <i>f</i>	
silicon dioxide post cleaning	169–173		
tungsten (W) post cleaning	174–175	174 <i>f</i>	175 <i>f</i>
	175 <i>t</i>		

Chlorofluorocarbons (CFCs)

9–10

Chromium

205

Cleaning, definition of

2

Index Terms

Links

Cleaning phase, performance testing			
actual product cleaning	38		
mechanical energy studies	37		
pilot plant/scale-up feasibility studies	37f	38–39	38f
product selection	36		
standardized cleaning protocols	38	39t	
temperature and concentration studies	36		
Cleaning products and suppliers	64–66		
Cleaning systems			
automated wafer cleaning	82–83	83f	
benefits	85		
cost savings	85–86		
exhaust air flow rate	84	84f	
free-standing cleaning units	79–82	80f	
safety and utility features	84–85		
Suprasil® lamp	79–82	80f	83f
Cleanliness levels			
definition	73		
NVR	72–73		
Clorox Green Works	51		
CMP. <i>See</i> Chemical mechanical planarization (CMP)			
Coefficient of friction (COF)	160–161		
Copper post-CMP cleaning			
bridging, silica abrasive to (Cu(OH) ₂	175–177	176f	
corrosion current density	177–178	179f	
DLVO theory	177	178f	
FE-SEM	178–180	179f	
zeta potential	177		
Copper, wet cleaning	205–206		
Corrosion current density	177–178	179f	

Index Terms

Links

Corrosivity and causticity	30
Covalently bonded particles	190–196

D

Deburring of components	133	133 <i>f</i>
Debye interactions	147–148	
Decontamination factors (DFs)	132	
Deionized (DI) water rinsing process	194–196	195 <i>f</i>
Derjaguin & Landau and Verwey & Overbeek (DLVO) theory		
copper post-CMP cleaning	177	178 <i>f</i>
zeta potential	197	
Design for the Environment (DfE) program	5	
Developmental toxicity	22	
Dielectric barrier discharge (DBD) lamps	77–78	
Dipole interactions	147–148	
Displacement force	119	
DLVO theory. <i>See</i> Derjaguin & Landau and Verwey & Overbeek (DLVO) theory		
Double-layer interactions	150–151	150 <i>f</i>
Dry cleaning	71–72	
Dry etching process	209	
Dry vs. wet etching	210	

E

Eckart streaming	164
EH&S evaluation. <i>See</i> Environmental, health and safety (EH&S) evaluations	

<u>Index Terms</u>	<u>Links</u>		
Electronic device fabrication			
dry vs. wet etching	210		
inorganic contamination	186–200		
organic contamination	200–201	202 <i>f</i>	
silicon product wet etching process	206–210		
surfactants, effects of	201–203	202 <i>f</i>	203 <i>f</i>
wet cleaning	203–206		
Electronics and photonics applications	130	130 <i>f</i>	
Energy dispersive X-ray spectroscopy			
(EDX) technique	190		
Environmental consequences, cleaning products	3		
Environmental, health, and safety (EH&S) evaluations			
criteria	34	35 <i>t</i>	
laboratory vs. field practice	49	50 <i>t</i>	
Wire & Cable Company	59	59 <i>t</i>	
Environmental Protection Agency Design for			
the Environment (EPA DfE)			
characteristics	20		
Master Criteria	20–21		
stakeholders	20		
Environmental toxicity and fate			
EPA DfE	22		
Green Screen	16		
Ethylenediaminetetraacetic acid (EDTA)	189–190	189 <i>f</i>	
Ethylene Vinyl Acetate (EVA)			
cleaning	42–43	43 <i>t</i>	
film results	47	48 <i>t</i>	
Eutrophication	22–29	23 <i>t</i>	31
Excimer	76–77	76 <i>f</i>	

Index Terms

Links

F

Facility decommissioning	134	135t	
Field emission scanning electron microscopy (FE-SEM)	178–180	179f	
Fog process	124	124f	125f
Foreign bonded particles (FBPs)	190–191 192f	190f	191f
Free-standing cleaning units	79–82	80f	
Full-contact mechanism	157	158f	

G

Gallium arsenide (GaAs)	206		
Genetic toxicity	21		
Gold	205		
Green Chemistry	3–5		
Green cleaning			
definition	3		
Green Chemistry	3–5		
principles	3	4t	
Green Screen			
benchmarks	11		
color assessment	18f		
criteria, benchmark levels	19f		
environmental toxicity and fate	16		
Human Health Group I	16		
Human Health Group II and II*	16		
physical hazards	16	17t	
Green Seal™ environmental standard			
animal testing	31		

Index Terms

Links

Green Seal™ environmental standard (*Cont.*)

aquatic biodegradability	31
carcinogens and reproductive toxins	30
corrosivity and causticity	30
disposal	31
eutrophication	31
flammability and ignitability	30
GS 34 product-specific requirements	32 <i>t</i>
ozone depletion	31
skin and eye irritation	30
toxic compounds	30
toxicity to aquatic life	31
VOC content	31

H

Hamaker constants	148	149 <i>t</i>
Human Health Group I	16	
Human Health Group II and II*	16	

I

Ice blasting

abrasive medium addition	126	127 <i>f</i>
advantages	128	
automobile transmission valve bodies	125	126 <i>f</i>
automotive components	130–131	
cleaning pipes	136	
commercial system	122	122 <i>f</i>
contaminant removal	119	120 <i>f</i>
cost considerations	126–127	127 <i>t</i>

Index Terms

Links

Ice blasting (*Cont.*)

deburring of components	133	133f	
disadvantages	128–129		
displacement force	119		
electronics and photonics applications	130	130f	
facility decommissioning	134	135t	
fog process	124	124f	125f
immersed cold drum	123	123f	
metal deburring	121–122	121f	
nuclear applications	131–132	131f	132t
oil field equipment cleaning	135	136f	
phase change	119–120		
recycling and recovery	134		
restoration, historic building	134–135		
semiconductor wafer cleaning	129–130		
worker safety	125		
Ice pigging	136		
Idaho National Engineering and Environmental Laboratory (INEEL)	131–132		
Immersed cold drum	123	123f	
Immersion cleaning	152	152f	153
Indium tin oxide (ITO)	205		
Industrial chemicals	3		
Industrial surface cleaning	2		
Inorganic contamination	186–200		
Ionically bonded particles	187–190		
Ionic surface repulsion process (SRP)	187–189	188f	189f
Ionic trapping process (ITP)	189–190	189f	
Isotropic wet etching	207		

Index Terms

Links

K

Keesom interactions 147–148

L

Laboratory vs. field practice

cleaning, EVA	42–43	43t
Clorox Green Works	51	
company information	40	
compatibility test	45	45t
EH&S evaluations	49	50t
film results, EVA	47	48t
flux cleaning results	47	48t
flux removal results	44–45	45t
initial lab testing	41	42t
odor observations and rankings	42	43t
panel backing compatibility observations	48	48t
pilot testing observations	46	46t
retesting adhesive cleaning results	47	47t
second on-site piloting	48–49	49t
solar panel assembly	41	41f
Solar Panel Manufacturer	51	
solvent and process	40	
visual observations, part cleaning	44	44t
London forces	147–148	
Low dissociation constants, cleaning solution	194–195	195f

M

Massachusetts Gear Company

Index Terms

Links

Massachusetts Gear Company (*Cont.*)

company information	60		
drop-in replacement solvent products	60–61	62 <i>t</i>	
n-propyl bromide (nPB)	61–63		
Significant New Alternatives Policy (SNAP)	61		
Master Criteria	20–21		
Megasonic cleaning	163–169	165 <i>f</i>	166 <i>f</i>
	167 <i>f</i>	168 <i>f</i>	169 <i>f</i>
Metal deburring	121–122	121 <i>f</i>	

N

Native bonded particles (NBP)

agitation process	193		
CMP process	191–192	192 <i>f</i>	
DI-water	194		
post-CMP cleaning process	192–193		
stationary bath	193–194		
Neurotoxicity	21		
Neutral particles	186–187	187 <i>f</i>	
Nickel	206		
Noncontact mechanism	157	158 <i>f</i>	
Nonsolvent cleaning methods	105		
Nonvolatile residue (NVR)	72–73	107–113	111 <i>t</i>
n-propyl bromide (nPB)	61–63		

O

Oil field equipment cleaning	135	136 <i>f</i>	
------------------------------	-----	--------------	--

Index Terms

Links

On-site piloting

laboratory vs. field practice 48–49 49*t*

Wire & Cable Company 58

Optically stimulated electron emission (OSEE) 131 131*f*

Organic contamination 200–201 202*f*

Ozone depletion 31

Ozonolysis 76 76*f*

P

Partial-contact mechanism 157

Particle removal efficiency (PRE) 161–163 163*f*

Photoresists

ASH process 201 202*f*

cleaning traces 200

positive and negative 200

strippers 201

Pollution Prevention Options Assessment Tool

(P2OASys)

benefits 11

criteria and assessment levels 12*t*

elements 10

TUR 10

Post-CMP cleaning

batch cleaning 151–155 152*f* 154*t*

155*t*

CMP 145–147

contamination and defects 145–147 146*t*

copper 175–180 176*f* 178*f*

179*f*

dependency, particle dimension 147 148*t*

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

Post-CMP cleaning (*Cont.*)

double-layer interactions	150–151	150f	
megasonic	163–169	165f	166f
	167f	168f	169f
silicon dioxide	169–173		
single-wafer cleaning	156–163	156f	158f
	159f	160f	162f
	163f		
tungsten (W)	174–175	174f	175f
	175t		
van der Waals forces	147–150		
Probe tips	92		
Process variables	78–79		
Product selection	8–9		

R

Rayleigh streaming	164	
Recognition programs	34	34t
Recycling and recovery	134	
Repeated dose toxicity	21	
Reproductive toxicity	21	30
Respiratory sensitization	22	
Restoration, historic building	134–135	
Rolling moment (RM)	157–160	159f

S

Schlichting streaming	164
Semiconductor wafer cleaning	129–130
Short-pulsed (SP) DBD source	92

<u>Index Terms</u>	<u>Links</u>		
Significant New Alternatives Policy (SNAP)	61		
Silica isotropic and anisotropic etching	207–209	207 <i>f</i>	
Silicon dioxide post-CMP cleaning	169–173		
Silicon nitride (Si ₃ N ₄)	209		
Single-wafer cleaning	156–163	156 <i>f</i>	158 <i>f</i>
	159 <i>f</i>	160 <i>f</i>	162 <i>f</i>
	163 <i>f</i>		
Skin sensitization	22		
Slipping plane (SP)	196		
Solar Panel Manufacturer	51		
Solvent cleaning	35		
Sommerfeld number (So)	160–161	160 <i>f</i>	
Sonoluminescence	165–166		
Spray cleaning	196		
Stable cavitation	165–166	165 <i>f</i>	
State Chemicals Policy Database			
policy categories	6	7 <i>t</i>	
pull-down menus	6–8		
search options	8	9 <i>f</i>	
Stern layer	150	196	
Stern plane	196		
Stream cleaning solution	195–196		
Streamlined life-cycle assessment (SLCA) scores	86		
Stribeck curves	160–161	160 <i>f</i>	162 <i>f</i>
Suprasil® lamp	79–82	80 <i>f</i>	83 <i>f</i>
Surface cleanliness by chemical concentration (SCC)	115–116	116 <i>t</i>	
Surface contamination, sources of	72		
Surfactants			
effects of	201–203	202 <i>f</i>	203 <i>f</i>
zwitterion	203	203 <i>f</i>	

Index Terms

Links

T

Titanium tungsten (TiW)	205		
Total particle fallout cleanliness levels	107	113t	
Total reflection X-ray fluorescence (TXRF)	154	155t	
Toxics use reduction (TUR)	10		
Trace element analysis	93		
Transient cavitation	165–166	165f	
Tungsten (W) post-CMP cleaning	174–175	174f	175f
	175t		
TURI Cleaning Lab	35–36		

U

Ultraviolet (UV) rays			
bond energies	74–75	74t	
spectral distribution	73–74	74f	
wavelength	73–74		
UV-ozone (UV-O ₃) cleaning			
advantages	71–72	86–87	
applications	88–94		
Auger spectra, sintered BeO specimen	74–75	75f	
cleaning systems	79–86		
contaminants, types of	79		
DBD lamps	77–78		
disadvantages	87–88		
dry	71–72		
excimer	76–77	76f	
glass and optical materials	91–92	92f	
incubator cabinets, decontamination of	92–93		
metal surfaces	90–91		

Index Terms

Links

UV-ozone (UV-O₃) cleaning (*Cont.*)

ozone generation	75–76	75f
ozonolysis	76	76f
polymer surfaces	93	
precleaning	78	
principles of	73–78	
probe tips	92	
reference masses	90	
semiconductor and electronics parts	89	89f
solar wind sample collectors	90	
source, distance from	78	
substrates, types of	79	
textiles and fabrics	94	
trace element analysis	93	
UV sources	78	
VUV	76–77	76f
wet	71–72	

V

Vacuum UV (VUV) cleaning	76–77	76f
van der Waals forces	147–150	
Volatile organic compound (VOC) content	31	

W

Water ice

abrasive medium addition	126
AMC	115
blasting medium	106
chemical characteristics	115

Index Terms

Links

Water ice (*Cont.*)

contamination sources	107		
cost considerations	126–127		
mechanical properties	117–119	118 <i>f</i>	118 <i>t</i>
	119 <i>f</i>		
nonsolvent cleaning methods	105		
particle fallout specification	107	112 <i>t</i>	
phase behavior	116–117	117 <i>f</i>	
precision cleanliness level	113–115		
product surface particle cleanliness levels	107–113	108 <i>t</i>	110 <i>t</i>
SCC	115–116	116 <i>t</i>	
surface contaminants	106–107		
surface NVR cleanliness level designations	107–113	111 <i>t</i>	
total particle fallout cleanliness			
levels	107	113 <i>t</i>	
visibly clean (VC)	107	114 <i>t</i>	

Wet cleaning

aluminum	204		
chemical etching	204		
chromium	205		
copper	205–206		
etchant ions, diffusion of	203–204	203 <i>f</i>	
gallium arsenide (GaAs)	206		
gold	205		
indium tin oxide (ITO)	205		
nickel	206		
titanium tungsten (TiW)	205		
UV-O ₃ cleaning	71–72		

Wire & Cable Company

company information	51–52		
---------------------	-------	--	--

Index Terms

Links

Wire & Cable Company (*Cont.*)

EH&S evaluations	59	59t
elevated temperature, observation	56–57	57t
heated immersion, observations	53	55t
implementation	58	
metal guide	52	
observation, room temperature cleaning	55–56	56t
on-site piloting	58	
resin removal, screening results	53	54t
room temperature immersion, observations	54–55	56t
solvent and process	52	

Z

Zeta potential (Z_p)

Brownian/thermal motion	197	
concentration, effect of	198–199	
copper post-CMP cleaning	177	
dissociation	198	
DLVO theory	197	
double layer	196	
double-layer interactions	150	
measurement of	199–200	
pH	198	
Zwitterion surfactant	203	203f