
Index

A

- Abietic acid 51
- Abrasive blasting hoods 157
- Accuracy
 - and recovery 81
 - detection tape 70
 - flow sensing device 169
 - guage 168
- Acetic acid 209, 211
- Acetone 211
- ACGIH 23, 124, 125, 173
- Acid burns 45, 182
- Acid etch operators 28
- Acid glove 28, 179
- Acids 178
- Action 74
- Action levels 26
 - urinary arsenic 37
- Action limit
 - arsenic 35
- Action setpoint 83
- Adhesives 211, 216
- Agricultural activities 210
- AHERA 254
- Air changes per hour 140
- Air changes per minute (ACM) 156
- Air contaminants 38, 169
- Air distribution 207
- Air filtration 207
- Air intakes 215
- Air movement per occupant 148
- Air pollution 207
- Air quality 14
- Air sampling pumps 214
- Air temperature
 - recommended 212
- Air velocity 214
- Airborne arsenic 37
- Airborne particulate levels 149
- Airborne standard 90
- Airflow
 - in a fab area 142
 - patterns 153
- Airline respirators 189
- ALARA 132
- Alarm
 - conditions 74
 - history 85
 - light 84
- Alarm/action
 - concentration levels 73
- Alarms 73, 83
 - for toxic gases 32
 - setpoints 74
 - toxic gas monitor 168
 - visual and audible 62
- Alcohol consumption 38
- Alcohols 211
- Aligners 110
- Alkyl dialkylbenzylammonia chloride
 - salts 92

344 Semiconductor Industrial Hygiene Handbook

- Allergic
 - disorders 205
 - rhinitis 92
 - Alloying 292, 307
 - Alpha emitter 132
 - Alpha particles 133
 - Aluminum etcher 46
 - American Conference of Governmental Industrial Hyg 173
 - Ammonia 209
 - Ampoule 302
 - breakout 303
 - load 302
 - seal 302
 - Analysis 64
 - Analytical laboratory 24, 35
 - Analyzer 315
 - multi-gas 78
 - Anemometer 213
 - rotating vane 168
 - Aneroid gauge 164, 168
 - Annealing 292
 - ANSI 25, 107, 112
 - ANSI Z136.1 107
 - ANSI Z88.2 192
 - Anti-static devices 132
 - Antimony 48, 89, 178
 - Antimony trioxide 50, 54, 110, 190
 - APCVD 49
 - Application software 85
 - Aqua regia 163
 - Architectural facades 210
 - Areas
 - occupied and unoccupied 60
 - Arsenate insecticides 36
 - Arsenic 26, 89, 178, 189
 - exposure 35, 47
 - from fish 36
 - half-life 35
 - in urine 34
 - in wine 36
 - monitoring 34
 - OSHA standard 89
 - OSHA's action level 37
 - urinary 35
 - weighing 39
 - Arsenic trichloride 48
 - Arsenobetaine 36
 - Arsine 24, 40, 48, 189, 210
 - Arsine odor 209
 - Asbestos 201, 211
 - Ashers
 - plasma 25
 - Ashing 307
 - ASHRAE 173
 - ASHRAE 52-76 151
 - ASHRAE 55-1992 173, 207
 - ASHRAE 62-1989 148, 207
 - Asphalt fumes 210
 - Assembly and Test 50
 - ASTM E741-83 173
 - ASTM F739-85 179
 - Atmospheric (APCVD) 288
 - Atomic absorption (AA) 37
 - Attachment 312
 - Audible alarms 83
 - Audiometric exams 107
 - Automatic shut-off 62
 - Azide-sensitized rubber 40
- ## **B**
- Back pain 221
 - Back problems 220
 - Background noise 105
 - Backlapping 292, 307, 311
 - Bacteria 90, 205
 - Bake-out 215
 - Barrel and parallel plate 277
 - Basements 214
 - Bases 178
 - Battery backup 85
 - Bays 144, 145, 167
 - Bead blasting 191
 - Bead-blasting 39
 - Beamline 315
 - cleaning 47
 - Beards 192
 - Bell jar 39, 50, 166
 - Bending 222
 - Beryllium 50, 54, 110
 - Betascope sources 135
 - Bifocal lens wearers 237
 - Bioaerosols 90
 - Biocides 92

- Biological Exposure Indices (BEI) 37
- Biological hazards 90
- Biological monitoring 34, 35, 38
- Biomonitoring 34
- Birth defects 128
- Bis-aryldiazide sensitizer 40
- Blueprint copiers 209, 216
- BOCA 59
- Body suits 167
- Boiler gases 209
- Boilers 105
- Bonding 312
- Brain cancer 113
- Brazing 312
- Break 311
- Breakthrough times 188
- Breakthrough times (BT) 179
- Breathing zone survey 201
- Bromides 92
- Bubble/leak testing 53
- Bubbler oxidation 281
- Buffered oxide etch (BOE) 182
- Building bake-outs 215
- Building codes
 - for semiconductor operations 58
- Building management systems
 - computer controlled 85
- Building repairs 211
- Building ventilation 214
- Bulk samples 27, 199
- Bunny suits 146
- Burn-in 296
 - testers 157
- Burns
 - acid 45
 - from hydrofluoric acid 183
- Butterfly valves 164
- Butyl
 - gloves 179, 181
- Buzzer 84
- C**
- CA SEARCH 24
- Cabinet radiography units 133
- Cabinet x-ray systems 131, 134
- Cadmium 48, 254, 255
- Cadmium alkyls 49
- Cafeterias 209
- CAL-OSHA 90
- Calcium gluconate 183
- Calcium hypochlorite 94
- Calibration
 - of gas detectors 81
 - standard 70
- Cancer 113, 128
- Cancer causing properties 249
- Capillary diffusion barrier 64
- Capture hoods 52
- Capture velocity 53
- Carbon adsorption filters 153
- Carbon dioxide 171, 212
 - lasers 53
- Carbon monoxide 206, 213
- Carpal bones 228
- Carpal tunnel
 - syndrome 223, 226, 231
- Carpet and Rug Institute 215
- Carpets 216
- Carrier gas 79
- Carrier solvent
 - in photoresists 180
- Carrier stripping 265
- Carrying 222
- Catalytic reaction 69
- Catching 222
- Cathode ray tubes (CRTs) 121
- Causative
 - agents 201
- CD-ROM 24
- Ceiling 60
 - diffusers 213
- Ceramic packages 50, 54, 131
- Ceramic substrate 311
- Chairs 234
 - ergonomic 232
- Charge preparation 301
- Chemical agents 201
- Chemical burns 183
- Chemical contamination 196
- Chemical dispense systems
 - bulk 178
- Chemical exposure 38, 39
- Chemical handling
 - manual 178

346 Semiconductor Industrial Hygiene Handbook

- Chemical hood
 - portable 157
- Chemical hoods
 - portable 157
- Chemical isolation diffusion
 - barrier 64
- Chemical protective
 - gloves 178, 184
- Chemical spill 201
- Chemical storage cabinets 156
- Chemical vapor deposition
 - (CVD) 48, 285
- Chemical vapor deposition
 - systems 27
- Chemiluminescence 69
- Chillers 105
- Chlorides 92
- Chlorinated
 - compounds 46
 - solvents 53
- Chlorine 45
- Chlorine-based chemistries 199
- Chlorofluorocarbons 53
- Chromium 89, 254, 255
- Chromosomal aberrations 46
- Chronic depression 128
- CIE 107
- Cigarette
 - arsenic 36
- Class 0.1 178
- Class 1 149, 167
- Class 100 150
- Classes of air cleanliness 148
- Clean and dip 312
- Cleaning 271
 - agents 209
 - crystal growers 39
 - solutions 207
 - work surfaces 39
- Cleanroom 32, 177
 - clothing 177
 - personnel 115
- Cluster tools 54
- Cobalt 132
- Codes
 - building 58
- Coil-type
 - detector 121
- Cold trap 55, 152, 199
- Cold water humidifiers 91
- Colds 205
- Collection 249
- Colony forming units (CFUs) 94
- Colophony 51
 - fume 52
- Colorimetric Detector Tubes 213
- Colorimetry
 - for urinary arsenic analysis 37
- Combustible gas meter 213
- Combustion gases 209
- Communicating
 - exposure to employees 246
- Communication signals 74
- Communications lines 83
- Complaints 23, 212
- Compliance monitoring 57
- Computer workstation 230
- Computer-aided design 233
- Concentration mass spectroscopy (MS/MS) 199
- Conjunctivitis 92
- Construction
 - wall and floor 211
- Contact lenses 197
- Contamination control 140
- Contamination levels 254
 - maximum allowable 252
- Continuous Gas Monitoring
 - Devices 213
- Continuous gas monitors 245
- Continuous monitoring 46, 56, 58, 60, 83, 250
 - during maintenance 87
 - for compliance 57
 - for odor identification 141
 - limitations of 58
 - records 245
- Contractor support services 82
- Control panels
 - position 232
- Controlled-particle environments 85
- Cooling tower water 92
- Cooling towers 90, 105, 210, 215
- Copper 254, 255
- Copying machines 209
- Core building areas 105

Coughing 197
Crawlspaces 214
Creatinine 37
Critical minimum concentration
 limit 73
Cross-contamination 209
CRT 121
Cryo-pump
 maintenance 47, 55
Cryogenic pump 55, 56
Cryosorption pump 56
Crystal growers
 cleaning 39
CTD 221, 228, 232
Cumulative trauma disorder
 (CTD) 221
Cumulative trauma disorders
 (CTD) 220
Cut sheets 249
Cutting smokes 210
CVD 48
 chemistries 49
 equipment 110
 prescrubbers 48
 units 25
Cyanogen chloride 46
Czochralski 259

D

Dampers 164, 171
Dash etch 263
Data management systems
 for toxic gas monitoring 85
Databases 24
De-ionized water (DI water) 182
Deburring 110
Decommissioning 23, 252
Decontamination 252
Deep UV 41, 110
Deep-UV 129
Degreaser 53, 181
Dehydration 223
Dehydroabietic acid 51
Delamination 215
Deposition 144, 184
 furnace 47
 of metal 50
Dermal absorption
 of NMP 181
Dermal hazards 184
Dermatitis 181, 211
Design criteria
 for gas cabinets 165
 for LEV systems 163, 164
 for manufacturing equipment 240
Detection speed 75, 81
Detection tape 65, 70
Detectors
 gas 78
Developing 185, 274
Device fabrication 306
Dexterity
 with gloves 179
Diabetes 228
Dialog Information Services 24
Diazonaphthoquinone 40
Diborane 47, 189
Dibromonitrilopropionamide 94
Die attach 294
Die bonding 294
Die separation 293
Diffusion 46, 231, 283, 307
 detector tubes 213
Diffusion furnace
 operators 115
Diffusion furnaces 105, 115,
 156, 166, 190, 191
Dimethylarsinic acid 37
Dioctylphthalate (DOP) droplets 151
Direct calibration 82
Discs 223
Dispensing 249
Dizziness 197
Docks 229
Document holders 236
Documentation 193, 216, 244
Door interlocks 134
Dopant gases 48
Dopants 282
Doping 46
 of silicon wafers 47
Dosimeter tubes 213
Double contained lines 163
Draftiness 207
Draw-line 62

348 *Semiconductor Industrial Hygiene Handbook*

Drift 80
 caused by interferent gases 80
Drinking water 256
Dross removal 190
Dry chemical 275
Dry etching 45
Dry ice 171, 214
Dry ink copying machines 209
Dry oxidation 280
Dry pumps 55
Dry throat 197
Drying and baking 272
Drying ovens 157
Ductwork 215
Dust masks 190
Dusts 190, 210

E

E field 121
Ear plugs 107
Eatomizers 214
Eddy currents 166, 210
Edge rounding 264
EEA 159, 179
Effective dose 90, 255
EGMEA 41
EH&S 15
Elbows 237
Electric utility workers 119
Electrical noise 74
Electrochemical cell 64
Electrochemical diffusion sensor 64
Electroless plating 292
Electrolyte solution 80
Electromagnetic fields (EMF) 14, 25
Electromagnetic radiation 108
Electromagnetic spectrum 104
Electron beam
 evaporation 290
 systems 41
Electron-capture detector (ECD) 172
Electron-capture gas
 chromatograph 214
Electronic aneroid gauge 164
Electronics assembly work 227
Electroplating 292
ELF 104, 113, 115
 and RF 123
 emissions 126
 measurements 121
ELF-induced health effects 123
ELF-MF 115
ELF/VLF 25
EMBASE 24
Emergency response personnel 84
Emergency response planning 167
Emergency safety control
 systems 84
EMF 104, 113
 Standards 124
Employee communication 247
Encapsulation 295
Energy conservation measures 207
Engineering controls 34, 190
Environmental conditions
 affect gas detectors 80
Environmental Health and Safety
 (EH&S) 248
EPA 181
Epitaxial 304, 310
 growth 48, 285
Epoxy molding compounds 50
Epoxy packages 54
EPRI 119
Equipment
 cleaning hoods 156
 decommissioning of 23
 design 220
 sign-off 251
 that generates RF 129
Equipment specifications 249
Ergonomic checklist 234
Ergonomic design 233, 237
Ergonomics 14, 220
Etch 231
 baths 28
 system 199
Etch/clean system 166
Etchers 129
 plasma metal 46
Etching 41, 184, 263, 274
 anisotropic 45
 dry chemical 182
2-ethoxyethyl acetate 179
Ethylene glycol ether derivatives 179
Ethylene glycol monoethyl ether
 acetate 41

Evacuations
 for an unknown odor 140
 precautionary 152
Evaluation techniques
 IAQ 196
Evaporation 50
 pump 56
Evaporator
 bell jar 39
 deposition chambers 50
Excimer laser 129
 sources 41
Exertion values
 maximum 238
Exertions 222
Exhaust ducts 163
Exhaust line
 pump & equipment 157
Exhaust outlets 215
Exhaust velocity 169
Exhaust ventilation measurement
 records 246
Exhaust-ventilated benches 53
Exposure 26
 assessment 15, 27, 244
 estimating 124
 from breathing 190
 systems 40
 to ELF 124
Exposure records 244, 246
Eye irritation 181, 197
Eyes 237

F

Fab area 229, 230
 classifications 148
 continuous monitoring 58
 ergonomics 221
 exposures 25
 HVAC 148
 particulate sources 146
 RF levels 123
 state-of-the-art 250
 volume of air 140, 142
 work flow 20
Face seal 189, 192
Face velocity 165, 171
Facilities maintenance
 shops 229, 232

False alarms 72, 79, 80
False signal interferences 74
Fan systems 214
Fatigue 197, 223
Federal Register 59FR15,968 217
Fiberglass 214
Fibrous glass 211
Field burnings 210
Filtration units
 self-contained 166
Final cleaning 265
Final processing 265
Final test 296, 307
Fine leak detection 53, 131, 133
Fine leak testing 132
Finger badges 134
Fingers 226
Finishing materials 216
Fire code 165
Fire retardant 110
Fire sprinklers 164
Fish
 arsenic levels 36
Fit testing 192
Flame emission spectrometry 67
Flame ionization 69
Flash evaporation 291
Flash oxidation 281
Float zone 261
Floor mats 238
Flow patterns 166
Flow sensing devices 168
Flow-lines 20
Flu 205
Fluorinated
 compounds 46
Fluorine 45
Fluorinert 53
Fluorocarbons 53
Flux
 solder 30
Fogs 190
Food products 209
Foot controls 238
Force
 and stress 222
 maximum 238
Forceful exertions 222
Formaldehyde 211, 215

350 Semiconductor Industrial Hygiene Handbook

Forming 313
Fresh air 207
Frustration 239
FTIR 58
Fugitive emissions 166
Fume absorbers 52
Fume exhaust hood 155
Fumes 210
Fungal contamination 91, 212
Fungi 90, 205
Furnace 60
 growth 302
 loading 39
 maintenance 39
Furnaces 231
Furnishings 207, 211
Future trends
 in gas detection systems 87

G

GaAs 298
 crystal growers 189
 transistor fabrication 309
Gallium
 solid 48
Gallium arsenide
 deposition 48
 wafer manufacturing 40
Gallium phosphide 48
Garlic 209, 210
Gas
 alarm condition 85
 analyzer 87
 cabinet 60, 156, 165
 control valves 156
 delivery tubing 163
 jangles 156
 leak 84
 monitoring 56
Gas chromatograph 172
Gas chromatography/mass
 spectroscopy (GC/MS) 199
Gas detection 59, 64, 78
 direct or indirect 78
 system 62, 75
Gas detector 63, 70
 integration 83
 maintenance 81

 next-generation 88
 portable 87
 response output 71
Gas-specific membrane 64
Gas-specific permeable
 membrane 64
Gaskets 163
Gauges 164
GC/MS 199
Geiger-Mueller (GM) counter 131
Gender 231
General HVAC 148, 152
General Industry Safety Orders 90
General license
 radiation 131
Getter pump 56
Glare 236
Gloves 177, 179, 184, 188
 boxes 157
 chemical protective 177
 pre-testing 184
 selection 179, 187
 testing 188
Glues 211
Glycol ether 159, 178, 179,
 184, 249, 275
 compounds 184
 derivatives 179, 180
Gold 163
Gradient freeze (GF) 299, 303
Green Book 58
Grinding 39
Grips 225
Grounding
 improper 129
Group II-VI 48
Group III-V 48

H

H field 121
Halide CVD 48
Hand 226
Hand tools 228
Harmonics at 50/60 Hz 120
Hastalloy 163
Hazardous emissions
 re-entrainment 153
Hazardous gases 56
Hazardous material

- containment 250
- Hazardous materials 23, 178
- Hazardous production materials (HPM) 249
- Hazardous waste
 - handlers 233
- Hazards
 - biological 90
 - direct contact 178
 - lasers 107
 - reproductive 41
- HAZMAT 62
- HCI 163
 - odor threshold 46
- Head space 199
- Headache 181, 197
- Health and safety review 23
- Health risks 127
- Health surveillance 193
- Hearing conservation
 - program 105, 107
- Hearing protection 107
- HEG. See Homogeneous exposure group
- HEPA 150
 - filter 47, 151
 - filtered vacuum cleaner 316
 - vacuums 158
- Hermeticity 131
- Hexachloroethane 46
- HF burns 182
- High frequency emissions 123
- High powered lasers 110
- High pressure oxidation (HiPox) 281
- High-efficiency particulate air (HEPA) 150
- HLF hoods 155
- HMDS 178, 272
- Homogeneous exposure group 27
- Hoods
 - abrasive blasting 157
 - equipment cleaning 156
 - laboratory-type 155
- Horizontal Bridgeman (HB) 299
- Horn alarm 84
- Hot wire
 - anemometer 171
 - electronic flow detectors 168
- House vacuum systems 158
- Household magnetic fields 126
- Housekeeping 184
- Human factors engineering 220
- Human-equipment interaction 239
- Human-factors engineering 239
- Humidifier fever 92
- Humidifiers 91
- Humidity 91
 - extremes 207
 - impacts IAQ 202
 - levels 212
- HVAC 74, 207, 210, 214
 - compressors 105
 - intake 152
- Hybrid circuit fabrication 311
- Hydride-like odor 47
- Hydrides 47, 58
 - dopants 48
 - gases 49
 - levels 55
- Hydrocarbon oils 55
- Hydrochloric acid 163
- Hydrofluoric acid 45, 178, 181
- Hydrogen chloride
 - exposure 48
- Hydrogen fluoride 78
- Hyperchlorination 94
- Hypersensitivity pneumonitis 91
- I**
- IAQ 91, 148, 211
 - incident 201
 - investigation 212, 213, 216
 - problems 93, 206
 - terminology 196
- IC 20
- ICAM 57
- ICBO 58
- Identification
 - of gases 70
- IDLH 60
- IEEE 25
- IES RP-CC-001-88-T 151
- IH
 - equipment 213
 - monitoring 20
 - records 247

352 *Semiconductor Industrial Hygiene Handbook*

- III-V compounds 298
 - Implant 144
 - Implanter 24
 - cryo-pump maintenance 55
 - In-duct sprinklers 164
 - Inadequate ventilation 206
 - Inconel 163
 - Indirect calibration 82
 - Indirect gas detector 78
 - Indium phosphide 40
 - Indoor air quality (IAQ) 196
 - Indoor lighting levels 202
 - Indoor pollutants 201
 - Industrial Hygiene and Toxicology 23
 - Infective disorders 205
 - Information
 - up-to-date 24
 - Infrared 68, 249
 - detector 172
 - gas spectrometer 214
 - Ingot
 - chamfering 262
 - cleaning 303
 - cropping 262, 303
 - evaluation 262
 - flatting 262
 - grinding 262
 - growing 299, 300
 - mounting 263
 - INIRC 124
 - Inlets 215
 - Installation procedures 216
 - Instantaneous response 75
 - Instantaneous response times 81
 - Intake 153
 - vents 210
 - Inter-vertebral discs 222
 - Interferents 72
 - Interfering gases 79
 - Interior air pollution 207
 - Ion beam milling 279
 - Ion getter pumps 55
 - Ion implantation 46, 133, 284
 - Ion implanter 27
 - decommissioning 252
 - maintenance 47, 314
 - safety considerations 314
 - solid-source 47
 - x-ray sources 134
 - Ion pump 56
 - Ionizing radiation 25, 53, 131
 - IRPA 124
 - Isopropyl alcohol 79
- ### J
- Junction formation 184, 185, 281
 - dopants 282
 - Junctions
 - n-type or p-type 46
- ### K
- Keyboard 236
 - position 232
 - Kr85 132
 - Krypton 53, 131
 - Krypton-fluoride excimer lasers 129
- ### L
- Lab hoods 171
 - Laboratories 209
 - performing urinary arsenic analysis 37
 - Laboratory-type hoods 155
 - Lacquers 211
 - Laminar flow ceiling 142
 - Lapping 304, 309
 - Laser
 - CO₂ 110
 - maintenance 111
 - marking systems 110
 - scribing 110
 - Lasers 53, 107
 - He-Ne 110
 - neo:YAG 110
 - Lead 26, 178, 254, 255
 - fuming 51
 - in blood 34
 - OSHA standard 89
 - Leak detection 53
 - Leak testing 296
 - LED 308
 - Legionella 93
 - Legionnaires' disease 90, 93
 - LEL 60
 - Leukemia 113

LEV 40, 53, 145, 152, 154, 190
 abrasive blasting hoods 157
 burn-in testers 157
 chemical storage cabinet 156
 diffusion furnace 156
 drying ovens 157
 equipment cleaning hoods 156
 gas cabinet 165, 171
 gas jungle 156
 glove boxes 157
 HEPA portable 158
 laboratory-type hoods 155
 open surface tanks 156
 PCS 155
 portable chemical hoods 157
 pump & equipment exhaust
 Line 157
 stack placement 153
 system exhaust 153
 VLF hoods 155
 welding/brazing/cutting
 hoods 157
 wet sink 156
 LEV systems
 wet sink 162, 169
 Levopimaric acid 51
 Lifting 222, 230, 241
 frequency 231
 Light-emitting diode (LED) 39
 Liquid encapsulated Czochralski
 (LEC Cz) 299
 Liquid nitrogen 171, 214
 Liquid phase epitaxy (LPE) 304
 Literature search 24
 Lithographic process 20
 Lithography 40, 271
 Litigation 27
 Liver enzyme testing 38
 Livestock odors 210
 Local exhaust ventilation
 (LEV) 53, 145
 Low back pain 221
 Low powered lasers 110
 Low pressure (LPCVD) 288
 Low-level
 target gas concentrations 64
 Lowering 222
 LPCVD 49

LPE 310

M

M-Pyrol 163, 178, 181
 Magnehelic 164, 168
 Magnetic field limit
 ACGIH 124
 German guidelines 124
 Magnetic field measurements 114
 Magnetic fields 115
 household 126
 Maintenance 231
 activities 152
 furnace 39
 metal etcher 199
 operations 32
 personnel 45, 105
 resist filter 39
 support 229
 technicians 232
 Make-up air 213
 Manipulator 315
 Manometer 168
 Manufacturing area
 lasers 111
 noise 105
 odors 197
 surface contamination 254
 Mark
 identification 297
 Mask aligning and exposing 272
 Mask repair 110
 Masking 40
 Mass spectrometer 78
 Mass spectrometry 67
 Material Safety Data Sheet
 (MSDS) 23
 Material safety data sheets 216
 Materials handlers 233
 Materials of construction 163
 Materials-handling injuries 229
 Maximum allowable
 contamination levels 252
 length of draw line 63
 surface contamination 254, 255
 Maximum contamination levels 256
 MBE 48
 solid-source 48

354 *Semiconductor Industrial Hygiene Handbook*

- MBOCA 90, 255
 - MEA 159, 179
 - Mechanical pumps 56
 - Mechanical vibration 223
 - Medical records 217, 247
 - MEDLINE 24
 - Mercury 48, 49
 - Metal ducting 163
 - Metal etchers 46, 166
 - Metal etching 199
 - Metal residues 50
 - Metalization 50, 184, 289, 307, 311, 312
 - backside 292
 - Metallorganic chemical vapor
 - deposition 49
 - Methanol 26
 - exposure 50
 - 4,4'-Methylenebis(2-Chloroaniline) 90
 - 2-Methoxyethanol 179
 - 2-Methoxyethyl acetate 179
 - Methyl alcohol 209
 - 4,4'-Methylenebis(2-Chloroaniline) 255
 - Micro-injuries develop 223
 - Microbial pollutants 205
 - Microbial slime 91
 - Microbiological agents 90, 201
 - Microbiological contaminants 206
 - Microbiological
 - contamination 91, 196, 210
 - Microolithography 40
 - Microorganisms 90, 205
 - Microscopes 230
 - Microwave 129
 - ovens 25, 209
 - radiation 25
 - Mildew 212
 - Military Standard 282 DOP 151
 - Milling 279
 - Minienvironment 150, 155, 166
 - super-clean 165
 - Mists 190
 - Mixing 213
 - MOCVD 49, 306
 - Module assembly 312
 - Mold 90, 205, 212
 - and mildew 91, 92
 - pre-heaters 25
 - Molecular beam epitaxy (MBE) 48
 - Molecular emission spectrometry 67
 - Molecular-drag pump 56
 - Monitoring 15, 24, 27
 - continuous 56, 57
 - plan 32
 - points 75
 - strategy 32, 33
 - Monoethanolamine 53
 - Monomethylarsonic acid 37
 - Motor function 226
 - Motor vehicle exhaust 209
 - Mouse 236
 - MPR 125, 126
 - MS/MS 199
 - MSDS 23
 - Multi-point gas detectors 63, 76
- ## N
- N-butyl acetate 179
 - N-methyl-2-pyrrolidone 163, 178, 181, 273
 - National Institute of Occupational Safety and Health 173
 - Nausea 197
 - Negative air pressure 84
 - Neodymium-yag 110
 - Neodymium-yttrium 293, 297
 - Neoprene 179
 - Nerve entrapment 226
 - Neutralization 164
 - Nickel 254, 255
 - NIOSH 91, 173
 - NIOSH 81-122 241
 - Nitric acid 163
 - Nitride deposition 306
 - Nitrile gloves 179
 - Nitrogen inflation test 188
 - Nitrogen oxides 163
 - Nitrogen trifluoride 58
 - Nitrosyl chloride 163
 - NMP 178, 180, 181
 - Noble metals 163
 - Nocturnal numbness 227
 - Noise 105, 249
 - reduction 107
 - Non-epitaxial CVD 287, 288
 - Non-fabrication processing 293

Non-ionizing radiation 107
Non-linearity
 of response 70
Nose bleeds 144
Nose irritation 197
Novolak resin 40, 50
NRPB 124
Numbness 226
O
O-ring 132
Occupational exposure limits 254
Occupied spaces 197, 207
Odor 209, 210
 complaints 26, 168
 identification 141, 196, 197
 thresholds 58
Odors 23, 32, 41, 167
 re-entrainment 153
 transient 142, 153, 198
Office area 255
Office environment
 ergonomic 232
Office equipment 207
Office spaces 207
Office workers 233
Oil diffusion pump 56
Oil of wintergreen 213
Oil-seal rotary pump 56
Oliguria 34
Onions 209
Operations
 design 220
Optical spectrum 107
Organic solvents 178, 211
Organics 58
Organizational Resource Counselors
 (ORC) 27
OSHA 173
 29 CFR 1910.20 246
 arsenic standard 35, 89
 lead standard 89
 regulations 193, 217
 wipe sample requirement 90
Outgassing 211
Oxidation 184, 279
Oxygen meter 213
Oxygen-deficient atmosphere 73

Ozone-depleting substance 173
Ozone-depleting substance
 (ODS) 171
Ozone-depleting substances 53

P

P-traps 209
Pack 297
Packaging
 final 266
Pad areas 105
Paints 207, 210, 211
Paper tape 65
 gas detector 70
 gas detectors 82
Partial vacuum 291
Particle board furniture 211
Particle collecting efficiency 150
Particle counter 214
Particle counts 149
Particle size 149
Particle size efficiency test 151
Particulate control 144
Particulate Control Systems
 (PCS) 145, 165
Particulate levels 165
Particulate sources 146
Pathiophysiology 228
Patterning 271
Patty's 23
PCS 145, 152, 155
PEL 60
PEL/TLV 33
Pentavalent inorganic arsenic 37
Perfluoropolyether 55
Permeation
 of NMP 181
Permeation characteristics 187
Permeation rates (PR) 179
Personal dosimeters 121
Personal protective equipment. *See*
 PPE
Personnel 60
Personnel records 247
Pesticide spraying 210
Pesticides 209
PGMEA 180
PH sensing 164

356 *Semiconductor Industrial Hygiene Handbook*

- Phenol-formaldehyde novolak resin 40
 - Phenolic die coat resins
 - solvent for 181
 - 4-Phenylcyclohexene 215
 - Phosphine 40, 48, 189
 - Phosphorous pentafluoride 78
 - Phosphorus trichloride 48
 - Photohelic 164
 - Photohelic-type gauge 165
 - Photolithographic 311
 - Photolithographic process 307
 - Photolithographic steppers 110
 - Photolithography 40, 144, 184, 231, 249
 - Photomasking 40, 128
 - Photoresist 26, 40, 91, 180, 184
 - operations 41
 - strippers 275
 - stripping 274
 - Physical agents 104, 201, 249
 - Physical etching 277
 - Physical stressors 221
 - Pin-hole 184, 188
 - Pitot tube 164, 165, 168
 - Plan review 15, 248
 - Plasma
 - ash 312
 - ashing 41, 311
 - etchers 25
 - etching 41, 182, 199, 275, 307
 - etching gases 278
 - metal etchers 46
 - systems 27
 - Plating 292
 - Platinum 163
 - Plywood floors 211
 - Polishing 265, 304, 310
 - Pollutant emissions 215
 - Polonium 132
 - Polycrystalline silicon 259
 - Polyisoprene polymer 40
 - Pontiac fever 91, 93
 - Portable gas detectors 87
 - Posture 222
 - Potassium permanganate 47
 - PPE 14, 177
 - Pre-clean 310
 - Pre-planning 83
 - Precision
 - grip 225
 - Precleaning 184
 - Pregnant women 228
 - Prescrubbers 48
 - Prevention 214
 - Preventive maintenance 152
 - Process tools 232
 - Professional judgment 27, 254
 - Projection-aligner 231
 - Protective equipment 190
 - Prudent avoidance 26
 - Psychophysical data 241
 - Psychosocial considerations 211
 - Psychrometer 213
 - Pulling 222, 241
 - Pump
 - cleaning 30
 - maintenance 33
 - oils 55
 - vacuum 55
 - Pumps 152
 - Push-pull system 162
 - Pushing 222, 241
 - Pyrolysis
 - products 51
 - Pyrophoric compressed gas 165
 - Pyrophoric oxidation 281
 - Pyrox 191
- ## **Q**
- QA and reliability labs 53
 - Qualitative assessment 27
 - example 28, 30
 - Quality assurance 37
 - Quantitative assessment 27
 - Quartz resonators 88
 - Quaternary ammonium compounds 94
- ## **R**
- Radial deviation 225
 - Radial-lead package 295
 - Radiation 25
 - beta-emitting sources 131
 - film badges 132
 - non-ionizing sources 25

Radiation Safety Officer 133
Radio frequency (RF) 25, 249
Radioactive materials 53, 131, 249
Radiological waste 131
Radon 214
 inhalation 201
Rain caps 215
Raised floor 142
Re-entrainment 153, 173, 209
Reactant gases 48
Reaction chamber 45, 199
Reaction dynamics 163
Reaction products 24, 27, 45, 199
Reactive ion etching
 (RIE) 41, 56, 279
Reactor
 cleaning 306
 load and unload 305
 platter 191
Rebreather systems 167
Receiving docks 232
Recirculation patterns 153
Record keeping 15, 62, 84, 244
Records 193, 216, 244
 disposal of 244
Recovery time 81, 223
Relative humidity 181
Relative humidity 91, 92, 212
 impacts IAQ 202
Release of Equipment 251
Remelt 303
Renovations 211
Repetition 222, 223
Repetitive hand movements 227
Repetitive manual tasks 220
Reproductive 249
 effects 181
 hazards 41
 toxins 179
Resampling 26
Residential exposures
 to ELF 126
Residue
 reaction-product 45
Resin
 flux 30
 phenol-formaldehyde novolak 40
Resist 40, 212

 application 272
 filter maintenance 39
Resistive evaporation 291
Resolution
 limit of lithography 41
 of detector 79
 of gas analyzers 87
 of gas detectors 79, 83
Respirator program 31, 189
Respirator usage 188
Respirators 190
 airline 189
 safe use of 193
Respiratory
 problem 91
 protection 14, 177
Response
 actions 74
 output 71
 time 75, 78
Rest breaks 234, 237
Restrooms 214
RF 25, 115, 129
RF/Microwave
 penetration depths 130
Risk
 assessment 95
 factors 222
Robotics 250
Roof screens 210
Roofs 210
Roots pump 56
Rosin 51
Roughing pumps 55
Rubber gloves 179, 181
Rug shampoo 209
Rugs 211

S

Safety characteristics 250
Safety precautions
 lasers 110
Safety-specific PPE 177
Sample
 analysis 24
 draw-lines 63
 lines 78
 points 75

358 Semiconductor Industrial Hygiene Handbook

- Sampling lines
 - location of 172
- Sandblasting 303
- Sash position 171
- Sawing 39
- SBCCI 59
- SBS 205, 212
 - symptoms 197
- Scanning electron microscope 133
- SCBA 189
- Screw drivers 228
- Scribe 311
- Sealed sources 131
- Searches
 - of databases 24
- Seated postures 222
- Secco etch 263
- Seed slicing 263
- Self-contained breathing apparatus (SCBA) 189
- SEM 133
- SEMATECH 252
- SEMI 2092 240
- SEMI S2-93 238, 252
- Semiconductor Industry Association 244
- Semiconductor Industry Association (SIA) 115
- Semiconductor manufacturing 38
- Sensitivity
 - detection 79
- Serum hemoglobin 34
- Service chase 142
- Set-points
 - magnehelic 28
- Setpoints 73
- Sewer gas 209
- Shellfish 36
- Shipping 297
- Shipping docks 232
- Shipping/receivin 229
- Shortness of breath 197
- Shoulder 225
- Shoulder height 231
- SIA 15, 115
- SIC 3674 220
- Sick building syndrome (SBS) 197
- Silica gel
 - adsorbant 47
- Silicon device manufacturing 267
- Silicon dioxide residues 191
- Silicon wafers
 - doping 47
- Silicone caulking 211
- Silicone caulking compounds 209
- Silox 191
- Silver 50
- Single crystal silicon
 - growth 259
- Single-point gas detectors 63, 75
- Sinus congestion 197
- Sirtl etch 263
- Skin absorption 89
- Skin contact
 - with acids 45
- Skin irritation 181, 197
- Slicing 263
- Slider valves 164
- Smart Facilities 88
- SMIF 165
- Smoke bottle 213
- Smoke tubes 171, 213
- Smokers 36
- Smokes 190
- Smoking 201, 214, 217
- Sneezing 197
- Sodium lauryl sulfate 209
- Software packages 85
- Solder 30
 - flux 51
- Soldering 51
- Solid-state sensor 65
- Solvent-resistant glove 179
- Solvents 210, 216
- Sound surveys 107
- Source housing 315
- Specific concentration limit 60
- Specific license 132, 133
- Spectrophotometry
 - AA 37
 - infrared 64
- Spiked samples 37
- Spinal column 223
- Sprays 190
- Sputter etching 277
- Sputter-ion pump 56
- Sputterers 130
- Sputtering 25, 50, 291

- SS 317L 163
- SSA 15
- Stability 80
- Stacks 210, 215
 - emissions 58
 - height 215
- Stagnant water 90, 210
- Stainless steel 163
- Standard mechanical interface (SMIF) 165
- Standing 230
- Standing posture 222
- Static discharges 212
- Static postures 222
- Static pressure 148, 168
- Static pressure tap 165
- Steam 91
- STEL 33, 60
- Steppers 129
- Stooped posture 222
- Stooping 241
- Storage 249
- Strains/sprains 220
- Stratification 207, 213
- Stress 230, 237, 239
- Stressful postures 225
- Stressors 221
- Stretch 237
- Stripper 181
- Stripping 44, 185
- Styrene 215
- Sublimation pump 56
- Substrate preparation 309
- Sucking potential 169
- Sulfur hexafluoride 171, 173, 213
- Supply volume 213
- Surface contamination 89
- Surface residue
 - acceptable level 89
- Swinging vane velometer 171
- T**
- TAB 168
- Tanks
 - open surface 156
- Teflon 163
- Telecommunications industry 119
- Telephone headsets 237
- Tellurium 48
- Temperature 207, 222, 223
 - extremes 207
 - impacts IAQ 202
- Tenax 199
- Tertiary butyl
 - arsine 49
 - phosphine 49
- Testing, adjusting, and balancing (TAB) 168
- Thermometer 213
- Thick film 291
- Thin film 290
- Tight building syndrome 148
- Tin 254, 255
- Tingling 227
- Titanium tetrachloride 171
- TLV 60
 - booklet 51
- Tobacco
 - arsenic in 36
- Tobacco smoke 209, 211
- Toluene 211
- Toxic dusts 190
- Toxic gas cylinders 189
- Toxic Gas Model Ordinance 59
- Toxic gas monitoring system 59
 - selection 75
- Toxic metals
 - ingestion of 89
- Toxicology 249
 - information 24
- Toxins 178
- TOXLINE 24
- Tracer gas 171, 213
- Training
 - respirator 192
- Transfer molding systems 296
- Transient odors 173
- Transport 62
- Tray cleaning 266
- Trimming leads 110
- Trivalent inorganic arsenic 37
- Turbomolecular pump 55, 56
- Turbopumps 55
- TVOC 215
- TWA 33, 35, 60
- Tweezers 228
- Twisting 222

360 *Semiconductor Industrial Hygiene Handbook*

Typing 237

U

U.S. Bureau of Labor Statistics 220

U.S. Federal Standard 209E 148

U.S. fire code 164

U.S. regulations 244

UFC Article 51 164

UFC Article 80 59

Ulnar deviation 225

ULPA 150

Ultra-low penetration air (ULPA) 150

Ultraviolet (UV) 40, 128, 249

Uniform Building Code
(UBC) 59, 215

Uniform Fire Code (UFC) 59

Uninterruptable power source 85

University of California

Worker Health Study 15

University of California at Davis 244

Unknown odors 152, 189

Upgrades 87

Upper extremity problems 220

Urea formaldehyde insulation 211

Urinalysis 35

Urinary arsenic 35

and airborne arsine 38

in the general population 36, 37

testing 34

Urine samples

instructions for 36

Utility failures 85

UV 40, 128

V

Vacuum 290

Vacuum cleaner

HEPA filtered 316

portable 47

Vacuum pumps 55, 56

Vacuum systems

house 158

Vacuum wand 228, 231

Valves 164

Vapor degreaser 27

Vapor phase epitaxy (VPE) 286, 304

Vapor wand 214

Vapors 190, 210

HF 182

VDT 121, 236

VDT Emission Limits 125

Velocity pressure 165

Velometer 169, 213

Ventilation 14, 140, 246

inadequate 196

monitoring 171

problems 207

rates 214

records 246

system 145, 167

Verification card 82

Vibration 222, 223

Video display terminals (VDTs) 121

Viruses 205

Visual air flow pattern
observation 171

Visual alarms 83

Vitamin supplements 228

Viton 163, 184, 187

VLF 25, 155

VOC 211

Volatile compounds 215

Volatile organic compounds 58

Volatile organic compounds
(VOCs) 153

VPE 49

W

Wafer 39

boats 231

etching 264

lapping 264

manufacturing 40

pod carriers 165

polishing 265

preparation 39

processing 303

slicing 264, 303

sort 293

surface scanners 110

test 293

wash 304

washing 264

Wafer isolation technology
(WIT) 146, 166

Walk-throughs 32

Washing

- silicon wafers 39
- Waste storage 249
- Water treatment 92, 210
- Water vapor wand 171
- Wave solder 27, 30
 - machine 52, 190
 - maintenance 30, 33
 - operations 51
- Wavelength 107
- Welding 210
- Wet benches 45
- Wet chemical 274
 - etchants 276
- Wet decks 28, 45
- Wet etching 44, 307, 311, 312
- Wet oxidation 281
- Wet sinks 156
- WFCA 58
- Wine 36
- Wintergreen 213
- Wipe samples 33, 213, 254
- Wipe sampling 89
- WIT 146
- Wood smoke 210
- Work environments
 - design 220
- Work surfaces
 - cleaning 39
- Worker Health Study 15
- Workstation 233
 - design 237
 - ergonomic 232
- World Health Organization (WHO) 124
- Wrist 228
 - injury 223
 - postures 225

X

- X-ray 129, 131, 249
 - diffraction 263, 303
 - diffraction analysis 262
 - diffraction units 133
 - flood exposure 274
 - fluorescence units 133
 - generating equipment 131
- leakage 134

- lithography 135
- lithography sources 130, 133
- medical 104
- packaging units 53
- sources 41
- Xylene 41, 179, 211

Z

- Zero reading level 70
- Zero-level output signal drift 80