

Table-leg zip-tie drawer set


Ten printable variants of one OpenSCAD file. Housing and drawers are separate parts. Housing always prints with drawer openings up (back of the housing on the bed). Drawers always print bottom-down. A U-wrap on the left or right comes out of the side with a front wall and a back wall around the table leg, offset 10 mm past the far face, and a 4 x 12 mm hole through both walls front-to-back for the zip tie. Choose a winner from the plates below.

Print envelope


Target printer: Bambu Lab H2D. Single-nozzle volume is 325 x 320 x 325 mm. This model uses a 5 mm guard of **320 x 315 x 320 mm**. Every variant in this catalog is marked PASS against that guard. File: `leg-drawers.scad` plus `variants.json`.

How the parts go together

The housing is a stack of open-front bays with a tray on top. Tray wall heights are independent: left, right, back, and a usually-lower front lip. The side wrap is a front wall and a back wall around the table leg, with a 10 mm tab past the far face. Thread a zip tie through the 4 x 12 mm holes front-to-back. Drawers are separate open-top boxes with a finger slot in the front wall.



Assembled (office-slim-left)




Housing print pose — openings up

Comparison


Name	Drawers	Bay H x W x D mm	Leg X x Y mm	Mount	Ledges L/R/B/F mm	Housing print mm	H2D
office-slim-left	3	32 x 100 x 120	50 x 50	left	10/10/10/3	166 x 116 x 122	PASS
office-slim-right	3	32 x 100 x 120	50 x 50	right	10/10/10/3	166 x 116 x 122	PASS
pencil-four	4	20 x 85 x 130	50 x 50	left	8/8/8/2	151 x 100 x 132	PASS
tool-two-deep	2	55 x 130 x 170	75 x 75	left	14/14/14/5	221 x 131 x 172	PASS
ikea-adils	3	36 x 110 x 125	40 x 40	left	10/10/10/3	166 x 128 x 127	PASS
rect-rail-leg	3	38 x 140 x 120	40 x 80	left	12/12/18/3	196 x 142 x 122	PASS
tray-top	3	40 x 120 x 140	50 x 50	left	28/28/28/8	186 x 158 x 142	PASS
mini-right	2	28 x 75 x 85	35 x 35	right	6/6/6/2	126 x 69 x 87	PASS
wide-three	3	42 x 180 x 160	70 x 70	left	12/12/12/4	266 x 148 x 162	PASS
asymmetric-wall	3	36 x 115 x 125	60 x 40	right	22/6/22/2	191 x 140 x 127	PASS

Housing print axes after the openings-up rotation: X = width + mount, Y = stacked height + tallest ledge, Z = housing depth (front-back). Drawer print axes: X = width, Y = depth, Z = height.


Assembled ISO — all ten




office-slim-left




office-slim-right




pencil-four




tool-two-deep




ikea-adils




rect-rail-leg




tray-top



mini-right



wide-three




asymmetric-wall

Office slim, left mount (office-slim-left)

Everyday desk: three shallow drawers on a 50 mm square leg, mount on the left.

Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	left
drawer_height mm	32	leg_x mm	50
drawer_width mm	100	leg_y mm	50
drawer_depth mm	120	zip_ties (auto)	3
ledge_left mm	10	housing_print_X mm	166.4
ledge_right mm	10	housing_print_Y mm	115.6
ledge_back mm	10	housing_print_Z mm	122.4
ledge_front mm	3	drawer_print mm	99.1 x 119.2 x 31.6
H2D guard 320 x 315 x 320	PASS	drawer_outer mm	99.1 x 119.2 x 31.6




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate

Office slim, left mount — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/office-slim-left/housing_print.stl` and `export/office-slim-left/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.


Office slim, right mount (office-slim-right)

Mirror of office-slim-left for the right-hand table leg.


Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	right
drawer_height mm	32	leg_x mm	50
drawer_width mm	100	leg_y mm	50
drawer_depth mm	120	zip ties (auto)	3
ledge_left mm	10	housing print X mm	166.4
ledge_right mm	10	housing print Y mm	115.6
ledge_back mm	10	housing print Z mm	122.4
ledge_front mm	3	drawer print mm	99.1 x 119.2 x 31.6
H2D guard 320 x 315 x 320	PASS	drawer outer mm	99.1 x 119.2 x 31.6




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate


Office slim, right mount — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/office-slim-right/housing_print.stl` and `export/office-slim-right/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Pencil four-stack (pencil-four)

Four low bays for pens, bits, and SD cards. 50 mm square leg, left mount.

Parameter	Value	Parameter	Value
drawer_count	4	leg_on_left	left
drawer_height mm	20	leg_x mm	50
drawer_width mm	85	leg_y mm	50
drawer_depth mm	130	zip ties (auto)	3
ledge_left mm	8	housing print X mm	151.4
ledge_right mm	8	housing print Y mm	100.0
ledge_back mm	8	housing print Z mm	132.4
ledge_front mm	2	drawer print mm	84.1 x 129.2 x 19.6
H2D guard 320 x 315 x 320	PASS	drawer outer mm	84.1 x 129.2 x 19.6




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate


Pencil four-stack — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/pencil-four/housing_print.stl` and `export/pencil-four/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 4 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Tool two-deep (tool-two-deep)

Two tall bays for hand tools. 75 mm square leg, left mount, taller tray walls.

Parameter	Value	Parameter	Value
drawer_count	2	leg_on_left	left
drawer_height mm	55	leg_x mm	75
drawer_width mm	130	leg_y mm	75
drawer_depth mm	170	zip ties (auto)	3
ledge_left mm	14	housing print X mm	221.4
ledge_right mm	14	housing print Y mm	131.2
ledge_back mm	14	housing print Z mm	172.4
ledge_front mm	5	drawer print mm	129.1 x 169.2 x 54.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	129.1 x 169.2 x 54.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount



ISO opposite flank



Exploded — housing and drawers separate

Tool two-deep — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/tool-two-deep/housing_print.stl` and `export/tool-two-deep/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 2 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

IKEA ADILS-size pocket (ikea-adils)

40 mm square pocket (covers ~38 mm ADILS-class round legs with clearance), three mid bays.

Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	left
drawer_height mm	36	leg_x mm	40
drawer_width mm	110	leg_y mm	40
drawer_depth mm	125	zip ties (auto)	3
ledge_left mm	10	housing print X mm	166.4
ledge_right mm	10	housing print Y mm	127.6
ledge_back mm	10	housing print Z mm	127.4
ledge_front mm	3	drawer print mm	109.1 x 124.2 x 35.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	109.1 x 124.2 x 35.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate

IKEA ADILS-size pocket — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/ikea-adils/housing_print.stl` and `export/ikea-adils/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Rectangular rail leg (rect-rail-leg)

40 x 80 mm rectangular desk rail. Tall back ledge to sit against the apron.


Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	left
drawer_height mm	38	leg_x mm	40
drawer_width mm	140	leg_y mm	80
drawer_depth mm	120	zip ties (auto)	3
ledge_left mm	12	housing print X mm	196.4
ledge_right mm	12	housing print Y mm	141.6
ledge_back mm	18	housing print Z mm	122.4
ledge_front mm	3	drawer print mm	139.1 x 119.2 x 37.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	139.1 x 119.2 x 37.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate

Rectangular rail leg — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/rect-rail-leg/housing_print.stl` and `export/rect-rail-leg/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Deep tray top (tray-top)

Three mid bays plus a deep top tray (28 mm side/back walls, 8 mm front lip).

Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	left
drawer_height mm	40	leg_x mm	50
drawer_width mm	120	leg_y mm	50
drawer_depth mm	140	zip ties (auto)	3
ledge_left mm	28	housing print X mm	186.4
ledge_right mm	28	housing print Y mm	157.6
ledge_back mm	28	housing print Z mm	142.4
ledge_front mm	8	drawer print mm	119.1 x 139.2 x 39.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	119.1 x 139.2 x 39.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount



ISO opposite flank



Exploded — housing and drawers separate

Deep tray top — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/tray-top/housing_print.stl` and `export/tray-top/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.


Mini right (mini-right)

Small two-bay set for a 35 mm leg on the right. Short print, low mass.


Parameter	Value	Parameter	Value
drawer_count	2	leg_on_left	right
drawer_height mm	28	leg_x mm	35
drawer_width mm	75	leg_y mm	35
drawer_depth mm	85	zip ties (auto)	2
ledge_left mm	6	housing print X mm	126.4
ledge_right mm	6	housing print Y mm	69.2
ledge_back mm	6	housing print Z mm	87.4
ledge_front mm	2	drawer print mm	74.1 x 84.2 x 27.6
H2D guard 320 x 315 x 320	PASS	drawer outer mm	74.1 x 84.2 x 27.6




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank




Exploded — housing and drawers separate


Mini right — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/mini-right/housing_print.stl` and `export/mini-right/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 2 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Wide three-bay (wide-three)

Wide parts bins on a 70 mm square leg. Sized to stay inside the H2D guard.


Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	left
drawer_height mm	42	leg_x mm	70
drawer_width mm	180	leg_y mm	70
drawer_depth mm	160	zip ties (auto)	3
ledge_left mm	12	housing print X mm	266.4
ledge_right mm	12	housing print Y mm	147.6
ledge_back mm	12	housing print Z mm	162.4
ledge_front mm	4	drawer print mm	179.1 x 159.2 x 41.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	179.1 x 159.2 x 41.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount




ISO opposite flank



Exploded — housing and drawers separate

Wide three-bay — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays




Drawer print — bottom down, finger slot in the front wall

Export STL: `export/wide-three/housing_print.stl` and `export/wide-three/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.


Asymmetric wall (asymmetric-wall)

Right-hand mount, tall left and back ledges for a unit that sits against a wall.


Parameter	Value	Parameter	Value
drawer_count	3	leg_on_left	right
drawer_height mm	36	leg_x mm	60
drawer_width mm	115	leg_y mm	40
drawer_depth mm	125	zip ties (auto)	3
ledge_left mm	22	housing print X mm	191.4
ledge_right mm	6	housing print Y mm	139.6
ledge_back mm	22	housing print Z mm	127.4
ledge_front mm	2	drawer print mm	114.1 x 124.2 x 35.5
H2D guard 320 x 315 x 320	PASS	drawer outer mm	114.1 x 124.2 x 35.5




ISO, drawers pulled, ghost leg



ISO from the rear / mount



ISO opposite flank



Exploded — housing and drawers separate


Asymmetric wall — drawings and print poses




Front elevation




Top / plan (front and back wrap walls)




Mount side (4 x 12 mm holes, front to back)



Housing print — openings up



Housing print — looking into bays



Drawer print — bottom down, finger slot in the front wall

Export STL: `export/asymmetric-wall/housing_print.stl` and `export/asymmetric-wall/drawer_print.stl`. Print housing as exported (openings up). Print one drawer per bay, bottom down, 3 copies. PETG recommended for the housing; PLA is fine for drawers. 0.4 mm nozzle, 0.2 mm layers, 3 walls, 20% gyroid. No supports.

Customizer reference

Open `leg-drawers.scad` in OpenSCAD. The Customizer groups are Part, Drawers, Table leg, Top ledges, and Structure. Set `part` to `housing_print` or `drawer_print` before F6 and STL export. A variant from this catalog is a set of -D flags matching `variants.json`.

Locked print rules: housing openings face +Z after `housing_print` rotation (back of the housing on the bed; the wrap back wall is on the bed; the wrap front wall is a 10 mm tab past the leg with the zip-tie hole). Drawers export with the floor on Z=0. If a parameter set exceeds the H2D guard, OpenSCAD `assert` fails and no STL is written.