

Cristian Camilo Gil Grissales 1701911410



$$\{(p \supset q), [r \vee (\sim q \cdot s)], (r \supset s), [\sim(r \cdot s)]\} \supset (\neg p)$$

Handwritten notes on a grid background, consisting of multiple rows of letters and symbols, possibly representing a cipher or a code. The text is written in a cursive style and includes various characters such as 'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'O', 'P', 'Q', 'R', 'S', 'T', 'U', 'V', 'W', 'X', 'Y', 'Z', and numbers like '1', '2', '3', '4', '5', '6', '7', '8', '9', '0'. The notes are organized into several columns, with some rows starting with a large 'A' or 'B'.

Tautologia - Forma argumental valida

$$\textcircled{2} \{ (P \supset Q) \cdot [\neg(P \cdot r)] \} \supset [(P \cdot Q) \supset r]$$

V	V	V	F	F	V	V	V	F	V	V	V	F	V
F	V	V	V	V	F	F	V	V	F	V	V	V	V
V	F	F	F	F	V	V	V	F	V	V	V	F	V
F	V	F	V	V	F	F	V	V	F	V	V	V	V
V	V	V	V	V	V	F	F	F	V	V	V	F	V
F	V	V	V	V	F	F	F	V	V	V	V	V	V
V	F	F	F	V	V	F	F	F	V	V	V	F	V
F	V	F	V	V	F	F	F	V	V	V	V	V	V

Tautologma - forma argumental valida