



```
import { scrollOverNinetyPercent } from '...';
const scroll$ = Observable
                 .fromEvent(scrollView, 'scroll');
const getPostObservable = () => fetch('url...');
scroll$
  .let(scrollOverNinetyPercent)
  .exhaustMap(getPostObservable)
  .subscribe(res ⇒ {
    // do something change view
```

修改原本的程式碼

```
import { scrollOverNinetyPercent } from '...';
const scroll$ = Observable
                 .fromEvent(scrollView, 'scroll');
      getPostObservable
scroll$
  .let(scrollOverNinetyPercent)
  .exhaustMap(getPostObservable)
  .subscribe(res ⇒ {
    // do something change view
```





.fromEvent(scrollView, 'scroll');

import { scrollOverNinetyPercent } from

// do something change view

const scroll\$ = Observable

.exhaustMap(getPostObservable)

.let(scrollOverNinetyPercent)

getPostObservable

.subscribe(res ⇒ {

scroll\$

1mport

```
from
       XXX':
           9
```

.fromEvent(scrollView, 'scroll');

import { scrollOverNinetyPercent } from '...'

// do something change view

const scroll\$ = Observable

.exhaustMap(getPostObservable)

.let(scrollOverNinetyPercent)

getPostObservable

.subscribe(res => {

scroll\$