



My Github URL Vercel

W06-P1: Create categories dynamically from data_10.js



```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-27"
c0f6db3 "JerryJiang1015" Thu Mar 28 19:58:28 2024 +0800 W06-P1: Create
categories dynamically from data_10.js
```

W06-P2: Display Menu buttons from categories array



```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-27"
9a9046a "JerryJiang1015" Thu Mar 28 20:25:06 2024 +0800 W06-P2: Display
Menu buttons from categories array
c0f6db3 "JerryJiang1015" Thu Mar 28 19:58:28 2024 +0800 W06-P1: Create
categories dynamically from data_10.js
```

W06-P3: implement filter buttons

=> choose breakfast

The screenshot shows a web application with a menu titled "Our Menu". The menu has four filter buttons: "All", "Breakfast", "Lunch", "Shake", and "Dinner". The "Breakfast" button is highlighted with a red box. Below the buttons, there are two menu items: "Buttermilk Pancakes" and "Country Delight". The "Breakfast" button is highlighted with a red box.

The console log shows the following data:

```
menu
  (6) [(-), (-), (-), (-), (-), (-)]
  0: {id: 1, title: 'buttermilk pancakes', category: 'breakfast', price: 15, ...}
  1: {id: 2, title: 'diner double', category: 'lunch', price: 13.99, img: './...'}
  2: {id: 3, title: 'godzilla milkshake', category: 'shake', price: 6.99, is...}
  3: {id: 4, title: 'country delight', category: 'breakfast', price: 20.99, ...}
  4: {id: 5, title: 'Oreo Dream', category: 'shake', price: 18.99, img: './i...}
  5: {id: 6, title: 'Egg Attack', category: 'dinner', price: 22.99, img: './...}
  length: 6
  [[Prototype]]: Array(0)

menuCategories
  Set(4) {'breakfast', 'Lunch', 'shake', 'dinner'}

categories
  (5) ['all', 'breakfast', 'Lunch', 'shake', 'dinner']

menuButtons
  (5) [button.filter-btn, button.filter-btn, button.filter-btn, button.filter-btn, button.filter-btn]
  0: button.filter-btn
  1: button.filter-btn
  2: button.filter-btn
  3: button.filter-btn
  4: button.filter-btn
  data-id: breakfast
```

=> choose shakes

The screenshot shows a web browser with the address bar displaying '127.0.0.1:5500/demo/w06_menu_10/index_10.html'. The page title is 'Our Menu'. Below the title are five filter buttons: 'All', 'Breakfast', 'Lunch', 'Shake', and 'Dinner'. The 'Shake' button is highlighted with a red box. Below the filters, there are two menu items displayed in a red-bordered box:

- Godzilla Milkshake** \$6.99: ombucha chillwave fanny pack 3 wolf moon street art photo booth before they sold out organic viral.
- Oreo Dream** \$18.99: Portland chicharrones ethical edison bulb, palo santo craft beer chia heirloom iPhone everyday

The right side of the image shows the browser's developer console. The 'menu' array is expanded, showing an array of 6 objects. The third object (index 2) is highlighted, showing its properties: id: 3, title: 'godzilla milkshake', category: 'shake', price: 6.99, img: './'. The 'menuCategories' array is also expanded, showing an array of 4 strings: 'breakfast', 'lunch', 'shake', 'dinner'. The 'categories' array is expanded, showing an array of 5 strings: 'all', 'breakfast', 'lunch', 'shake', 'dinner'. The 'menuButtons' array is expanded, showing an array of 5 button objects. The 'filterBtns' array is expanded, showing an array of 5 button objects. The 'data-id' property of the 'shake' button is highlighted with a red box.

=> choose all

The screenshot shows the same web browser as before, but now the 'All' filter button is highlighted with a red box. Below the filters, there are six menu items displayed in a red-bordered box:


- Buttermilk Pancakes** \$15.99: I'm baby woke mlkshk wolf bitters live-edge blue bottle, hammock freegan copper mug whatever cold-pressed
- Godzilla Milkshake** \$6.99: ombucha chillwave fanny pack 3 wolf moon street art photo booth before they sold out organic viral.
- Oreo Dream** \$18.99: Portland chicharrones ethical edison bulb, palo santo craft beer chia heirloom iPhone everyday
- Diner Double** \$13.99: vaporware iPhone mumblecore selvage raw denim slow-carb leggings gochujang helvetica man braid jianbing. Marfa thundercats
- Country Delight** \$20.99: Shabby chic keffiyeh neutra snackwave pork belly shoreditch. Prism austin mlkshk truffaut.
- Egg Attack** \$22.99: franzen vegan pabst bicycle rights kickstarter pinterest meditation farm-to-table 90's pop-up

The right side of the image shows the browser's developer console. The 'menu' array is expanded, showing an array of 6 objects. The 'menuCategories' array is expanded, showing an array of 4 strings: 'breakfast', 'lunch', 'shake', 'dinner'. The 'categories' array is expanded, showing an array of 5 strings: 'all', 'breakfast', 'lunch', 'shake', 'dinner'. The 'menuButtons' array is expanded, showing an array of 5 button objects. The 'filterBtns' array is expanded, showing an array of 5 button objects. The 'data-id' property of the 'shake' button is highlighted with a red box.

```
$ git log --pretty=format:"%h%x09an%x09ad%x09s" --after="2024-03-27"
317a47a "JerryJiang1015"      Thu Mar 28 20:55:53 2024 +0800  W06-P3: implement
filter buttons
9a9046a "JerryJiang1015"      Thu Mar 28 20:25:06 2024 +0800  W06-P2: Display
Menu
buttons from categories array
c0f6db3 "JerryJiang1015"      Thu Mar 28 19:58:28 2024 +0800  W06-P1: Create
```


categories dynamically from data_10.js

W06-P4: implement open modals



```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-27"
7e5698f "JerryJiang1015"      Thu Mar 28 22:03:03 2024 +0800  W06-P4: implement
open modals
317a47a "JerryJiang1015"      Thu Mar 28 20:55:53 2024 +0800  W06-P3: implement
filter buttons9a9046a "JerryJiang1015"      Thu Mar 28 20:25:06 2024 +0800  W06-
P2: Display Menu buttons from categories array
c0f6db3 "JerryJiang1015"      Thu Mar 28 19:58:28 2024 +0800  W06-P1: Create
categories dynamically from data_10.js
```


W06-P4: implement open modals



```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-03-27"
317a47a "JerryJiang1015"      Thu Mar 28 20:55:53 2024 +0800  W06-P3: implement
filter buttons
9a9046a "JerryJiang1015"      Thu Mar 28 20:25:06 2024 +0800  W06-P2: Display
Menu
buttons from categories array
c0f6db3 "JerryJiang1015"      Thu Mar 28 19:58:28 2024 +0800  W06-P1: Create
categories dynamically from data_10.js
  
```

W06-P5: implement close modals



```
$ git log --pretty=format:"%h%x09%
an%x09%ad%x09%s" --after="2024-03-27"
b9865fe JerryJiang1015 Sat Mar 30 10:14:43 2024 +0000 W06-P5: implement close
modals
1ebba30 JerryJiang1015 Sat Mar 30 09:46:35 2024 +0800 Update index.html
fc9adbf "JerryJiang1015" Thu Mar 28 22:04:17 2024 +0800 upload
7e5698f "JerryJiang1015" Thu Mar 28 22:03:03 2024 +0800 W06-P4: implement
open modals
317a47a "JerryJiang1015" Thu Mar 28 20:55:53 2024 +0800 W06-P3: implement
filter buttons
9a9046a "JerryJiang1015" Thu Mar 28 20:25:06 2024 +0800 W06-P2: Display
Menu buttons from categories array
c0f6db3 "JerryJiang1015" Thu Mar 28 19:58:28 2024 +0800 W06-P1: Create
categories dynamically from data_10.js
```

W06-P6: git logs for W06

JerryJiang1015 / 1122-js-demo-212410210

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Commits

main

All users

All time

Commits on Mar 30, 2024

W06-P5: implement close modals

JerryJiang1015

 committed 1 minute ago · ✓ 1 / 1

b9865fe

<>

Update index.html

JerryJiang1015

 committed 8 hours ago · ✓ 1 / 1

Verified1ebba30

<>

Commits on Mar 28, 2024

upload

"JerryJiang1015"

 committed 2 days ago · ✓ 1 / 1

fc9adbff

<>

W06-P4: implement open modals

"JerryJiang1015"

 committed 2 days ago

7e5698ff

<>

W06-P3: implement filter buttons

"JerryJiang1015"

 committed 2 days ago

317a47a

<>

W06-P2: Display Menu buttons from categories array

"JerryJiang1015"

 committed 2 days ago · ✓ 1 / 1

9a9046a

<>

W06-P1: Create categories dynamically from data_10.js

"JerryJiang1015"

 committed 2 days ago · ✓ 1 / 1

c0f6db3

<>

Commits on Mar 21, 2024

7 / 7