

OR1 = $(1, 11] = (5, 7] \cup (8, 9] \cup (9, 10] \cup (10, 11]$. (There is one OR1)
 One draw from the distribution in **Table I1**

Table I1 (for the first OR)

draw	adjProb	$Y_1(t_v)$	$I(8 \leq r_i)Y_1(t_v)$
0	0.147635	$1, (1 \leq v \leq 11)$	$0, (1 \leq v \leq 11)$,
1	0.852465	$1, (1 \leq v \leq 11)$	$1, (1 \leq v \leq 11)$

OR2=(1, 11] = (5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] (There are two OR2)

Two draws from Table I2.

Table I2(for the second and third OR) 0 reprents (5,7] , 2 represents (11,12] and 1 remaining MI's.

draw	adjProb	$Y_2(t_v)$	$I(8 \leq r_i)Y_2(t_v)$
0	0.130878	1, (1 $\leq v \leq 11$)	0, (1 $\leq v \leq 11$)
1	0.755615	1, (1 $\leq v \leq 11$)	1, (1 $\leq v \leq 11$)
2	0.113507	$\left\{ \begin{array}{l} 0, (v = 1) \\ 1, (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, (v = 1) \\ 1, (2 \leq v \leq 11) \end{array} \right\}$

OR3=(1,13] = (5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] $\cup$ (12, 13] (There are two OR3)

Two draws from Table I3

Table I3 (for the 4th and 5th OR) , 0 represents (5,7], 2 represents (11, 12], 3 (12, 13] and 1 remaining MI's.

draw	Prob	$Y_4(v)$	$I(8 \leq r_i)Y_4(v)$
0	0.0870345	1 ($1 \leq v \leq 11$)	0 ($1 \leq v \leq 11$)
1	?	1 ($1 \leq v \leq 11$)	1 ($1 \leq v \leq 11$)
2	0.075483	$\left\{ \begin{array}{l} 0 \ (v = 1) \\ 1 \ (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \ (v = 1) \\ 1 \ (2 \leq v \leq 11) \end{array} \right\}$
3	0.334993	$\left\{ \begin{array}{l} 0 \ (v = 1, 2) \\ 1 \ (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \ (v = 1, 2) \\ 1 \ (3 \leq v \leq 11) \end{array} \right\}$

OR4=(1,14]=(5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] $\cup$ (12, 13] (There are three OR4)

Three draws from the distribution in Table I4

Table I4 (for ORs 6-8) represents (5,7] by 0, (11,12] by 2 and (12,13] by 3 and remaining MI's by 1

draw	Prob	$Y_6(v)$	$I(8 \leq r_i)Y_6(v)$
0	0.0870345	1 ($1 \leq v \leq 11$)	0 ($1 \leq v \leq 11$)
1	?	1 ($1 \leq v \leq 11$)	1 ($1 \leq v \leq 11$)
2	0.075483	$\left\{ \begin{array}{l} 0 \text{ } (v = 1) \\ 1 \text{ } (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \text{ } (v = 1) \\ 1 \text{ } (2 \leq v \leq 11) \end{array} \right\}$
3	0.334993	$\left\{ \begin{array}{l} 0 \text{ } (v = 1, 2) \\ 1 \text{ } (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \text{ } (v = 1, 2) \\ 1 \text{ } (3 \leq v \leq 11) \end{array} \right\}$

OR5=(1,15]=(5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] $\cup$ (12, 13] $\cup$ (14, 15]
 (There are two OR5)

Two draws from the distribution in Table I5

Table I5 (for the 9th and 10th OR)

draw	prob	$Y_9(t_v)$	$I(8 \leq r_i)Y_9(v)$
0	0.066525	$1, (1 \leq v \leq 11)$	$0, (1 \leq v \leq 11)$
1	?	$1, (1 \leq v \leq 11)$	$1, (1 \leq v \leq 11)$
2	0.057695	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
3	0.256051	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
4	0.235652	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$

$\text{OR6}=(1,16]=(5,7] \cup (8,9] \cup (9,10] \cup (10,11] \cup (11,12] \cup (12,13] \cup (14,15] \cup (15,16]$ (There is one OR6)

One draw from the distribution in Table I6.

Table I6 (for the 11th OR) 0 represents (5,7], 2 (11,12], 3 (12,13], 4 (14,15], 5 (15,16] and 1 the remaining MIs.

draw	adjProb	$Y_{11}(v)$	$I(8 \leq r_i)Y_{11}(v)$
0	0.060796	$1, (1 \leq v \leq 11)$	$0, (1 \leq v \leq 11)$
1	?	$1, (1 \leq v \leq 11)$	$1, (1 \leq v \leq 11)$
2	0.052727	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
3	0.234001	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
4	0.215359	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$
5	0.086116	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 4) \\ 1, (5 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 4) \\ 1, (5 \leq v \leq 11) \end{array} \right\}$

OR7=(3,14]=(5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] $\cup$ (12, 13] There is one OR7.

One draw from Table I7

Table I7(for the 12th OR)=Table I4=TableI3

draw	Prob	$Y_{12}(v)$	$I(8 \leq r_i)Y_{12}(v)$
0	0.0870345	1 ($1 \leq v \leq 11$)	0 ($1 \leq v \leq 11$)
1	?	1 ($1 \leq v \leq 11$)	1 ($1 \leq v \leq 11$)
2	0.075483	$\left\{ \begin{array}{l} 0 \ (v = 1) \\ 1 \ (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \ (v = 1) \\ 1 \ (2 \leq v \leq 11) \end{array} \right\}$
3	0.334993	$\left\{ \begin{array}{l} 0 \ (v = 1, 2) \\ 1 \ (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{l} 0 \ (v = 1, 2) \\ 1 \ (3 \leq v \leq 11) \end{array} \right\}$

OR8=(3,15]=(5, 7] $\cup$ (8, 9] $\cup$ (9, 10] $\cup$ (10, 11] $\cup$ (11, 12] $\cup$ (12, 13] $\cup$ (14, 15].
There is one OR8.

One draw from Table I8

Table I8 (for the 13th OR)

draw	prob	$Y_{13}(t_v)$	$I(8 \leq r_i)Y_{13}(v)$
0	0.066525	$1, (1 \leq v \leq 11)$	$0, (1 \leq v \leq 11)$
1		$1, (1 \leq v \leq 11)$	$1, (1 \leq v \leq 11)$
2	0.057695	$\left\{ \begin{array}{c} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{c} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
3	0.256051	$\left\{ \begin{array}{c} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{c} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
4	0.235652	$\left\{ \begin{array}{c} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$	$\left\{ \begin{array}{c} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$

OR9= $(7, 10) = (8, 9] \cup (9, 10)$ **There is one OR9**
We do not need to draw. We use Table I9.

Table I9 (for 14th OR)

$$\begin{array}{cc} Y_{14}(v) & I(8 \leq r_i)Y_{14}(v) \\ 1, (1 \leq v \leq 11) & 1, (1 \leq v \leq 11) \end{array}$$

OR10= $(7, 15] = (8, 9] \cup (9, 10] \cup (10, 11] \cup (11, 12] \cup (12, 13] \cup (14, 15]$ There is one OR10

One draw from the distribution in Table I10

Table I10 (for the 15th OR)

outcome	AdjProb	$Y_{15}(v) = I(8 \leq r_i)Y_{15}(v)$
0		$1, 1 \leq v \leq 11$
1	0.061807	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
2	0.274299	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
3	0.252446	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$

OR11= $(8, 10] = (8, 9] \cup (9, 10]$ (There is one OR11)

We do not need to draw. We use Table I11.

Table I11 (for the 16th OR)

$$\begin{array}{cc} Y_{16}(v) & I(8 \leq r_i)Y_{16}(v) \\ 1, (1 \leq v \leq 11) & 1, (1 \leq v \leq 11) \end{array}$$

OR12= $(8, 15] = (8, 9] \cup (9, 10] \cup (10, 11] \cup (11, 12] \cup (12, 13] \cup (14, 15]$ (There is one OR12)

One draw from the distribution in Table I12

Table I12 (for the 17th OR)

outcome	AdjProb	$Y_{17}(v) = I(8 \leq r_i)Y_{17}(v)$
0		$1, 1 \leq v \leq 11$
1	0.061807	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
2	0.274299	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
3	0.252446	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$

OR13=(14, 16] = (14, 15] $\cup$ (15, 16] (There are two OR13s)

Two draws from the distribution in Table I13

Table I13 (for the 18th and 19th OR)

Outcome	CProb	$Y_{18}(v) = I(8 \leq r_i)Y_{18}(v)$
(14, 15]	0.714352	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$
(15, 16]	0.285648	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 4) \\ 1, (5 \leq v \leq 11) \end{array} \right\}$

OR14=(9,12]=(9, 10] $\cup$ (10, 11] $\cup$ (11, 12] (There are three OR14)
Three draws from the distribution in Table I14

Table I14 (for the 20-22 ORs)

Draw	adjProb	$Y_{20}(v) = I(8 \leq r_i)Y_{20}(v)$
0	0.857893	$1, (1 \leq v \leq 11)$
1	0.142107	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$

OR**15**=(10, 12] = (10, 11] $\cup$ (11, 12] (There are 2 OR15)
Two draws from the distribution in Table **I15**.

Table **I15** (**for** the 23rd and 24th OR)

Draw	CProb	$Y_{23}(v) = I(8 \leq r_i)Y_{23}(v)$
(10, 11]	0.813116	$1, (1 \leq v \leq 11)$
(11, 12]	0.186884	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$

OR**16**=(10,15]=(10, 11] $\cup$ (11, 12] $\cup$ (12, 13] $\cup$ (14, 15] (there is one OR16)
 One draw from the distribution in Table I16

Table I16 (**for** the 25th OR)

draw	adjProb	$Y_{25}(v) = I(8 \leq r_i)Y_{25}(v)$
(10, 11]	0.313617	$1, (1 \leq v \leq 11)$
(11, 12]	0.072081	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
(12, 13]	0.319893	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$
(14, 15]	0.294409	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$

OR17 = $(11, 13] = (11, 12] \cup (12, 13]$ (There are 4 OR17s)
Four draws from the distribution in Table I17

Table I17 (for the 26th–29th ORs)

Draw	CProb	$Y_{26}(v) = I(8 \leq r_i)Y_{26}(v)$
$(11, 12]$	0.183891	$\left\{ \begin{array}{l} 0, v = 1 \\ 1, (2 \leq v \leq 11) \end{array} \right\}$
$(12, 13]$	0.816109	$\left\{ \begin{array}{l} 0, v = 1, 2 \\ 1, (3 \leq v \leq 11) \end{array} \right\}$

OR18 = $(13, 16] = (14, 15] \cup (15, 16]$ (There is one OR18)

One draw from the distribution in Table I18

Table I18 (for the 30th OR)

Draw	CProb	$Y_{30}(t_v) = I(8 \leq r_i)Y_{30}(t_v)$
(14, 15]	0.714352	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 3) \\ 1, (4 \leq v \leq 11) \end{array} \right\}$
(15, 16]	0.285648	$\left\{ \begin{array}{l} 0, (1 \leq v \leq 4) \\ 1, (5 \leq v \leq 11) \end{array} \right\}.$