


Jing-Zhang In Place

IN-PLACE RENEWAL · STATUS × ACTION

Jing-Zhang In Place Spatial Plan

An 11.4 km² conceptual field: keep the existing city working first; then decide where, when and how to renew through status, action and evidence gates.



A renewal field, not a mandatory spine

North, middle and south are not staged along an image-axis. They act through three distinct urban conditions: water-compound-arrival, public-side threshold and grade-separated station-city.

THREE KEY AREAS | ANNOUNCED NAMES + PROVISIONAL EXPRESSION

- Zhongzhiyuan AI Acceleration Area | approx. 192.1 ha
- Beijing AI Origin Community | approx. 104.3 ha
- Dazhongsi AI Industry Cluster | approx. 72.0 ha

Dashed extents are provisional geometry only—not redlines, parcels, ownership or station corners.

SYSTEMS WORK TOGETHER

- ordinary public route / regional arrival
- controlled threshold
- service / logistics / maintenance
- blue-green interface
- walking / cycling connection

ORDINARY CITY → ADMISSION → MINIMUM REVERSIBLE DELTA → RESET

STATUS × ACTION

ORDINARY SPACE

EVIDENCE / RIGHTS / HUMAN

12 → 3

THREE INTERFACES

S01 / S04 / S07: D0-30 → D31-60 → D61-100; STOP / RESET (concept handoff, not an approved schedule)

■ SURVEY ONLY / UNKNOWN ■ VERIFIED ADAPTABLE

Jing-Zhang In Place


IN-PLACE RENEWAL · STATUS × ACTION

Three Key Areas: Three Spatial Objects

North water–compound–arrival; middle public-side campus threshold; south grade-separated station city. They do not share one formal answer.


ZHONGZHIYUAN AI ACCELERATION AREA

water → public landscape → controlled productive / service edge



BEIJING AI ORIGIN COMMUNITY

street / park → ordinary public room → reversible control → campus





AI ORIGIN / S04

S0 ORDINARY S1 ADMITTED S2 RESET

public threshold | collaboration | room

DAZHONGSI AI INDUSTRY CLUSTER

arrival → walking / cycling → mixed frontage → professional adoption



concept / provisional geometry; not a redline or as-built survey

12 → 3 → 9: read admission and exit as one chain

Same design, same data: prove ordinary-space insufficiency before a minimum reversible delta; any failed gate returns to the ordinary city.



ZHONGZHIYUAN / S01 BOUNDED PHYSICAL VALIDATION • Ordinary base: public waterfront/route and standard training/work remain complete. • Admission gate: carrier, rights/access, public route and qualified safety role verified. • Minimum delta: temporary specialist equipment, supervised test boundary and service/reset edge. • Human authority: qualified safety/technical reviewer can stop immediately. • Exit/reset: remove equipment, inspect manually; restore ordinary work/training within 30 min.	AI ORIGIN / S04 REVERSIBLE CONTROLLED COLLABORATION • Ordinary base: public-side learning/community room and threshold remain complete. • Admission gate: carrier, rights/opening, affordability, data and handover boundary verified. • Minimum delta: removable partition, acoustic/data-control layer and staffed handover. • Human authority: venue/data stewards run booking, handover and stop. • Exit/reset: clear controlled resources; restore the ordinary public room within 20 min.	DAZHONGSI / S07 STAFFED ADOPTION / COMPLIANCE REVIEW • Ordinary base: accessible arrival, human wayfinding and ordinary professional/community service remain complete. • Admission gate: ordinary carrier, reviewer, privacy/appeal route and paper/phone fallback verified. • Minimum delta: staffed intake, queue privacy, review and appeal interface. • Human authority: affected users contest/stop; no qualified reviewer means no session. • Exit/reset: remove screens/materials; restore ordinary inquiry service within 15 min.
EVIDENCE / KNOWN 12 offline tasks and 48 takeover assertions pass; 17 control patches and 15 project families remain traceable.	DESIGN RULE / TARGET Ordinary routes, human service and accessible fallback come first; targets are commitments pending verification, not observed outcomes.	ASSUMPTION / UNKNOWN / PAUSE Official boundaries, statutory intensity, rights, capacity, building/environmental surveys remain open; field implementation is 0 / 12.