

京张续城 | 六项任务书交付脊柱

12 张场景卡 → 3 项深度验证 → 9 项普通空间 / NO-BUILD 结果

01	总体概念与身份	名称、Logo 方向、三大定位、五大功能、三区两翼
02	生态系统与案例	5 个公开方法案例；土地、资金、人才、算力、数据都是门槛，不是承诺
03	12 张场景卡	6 类人物；S01/S04/S07 只检验是否应继续深化最小可撤差异
04	AI 公共空间	遗址公园、地面连续、大钟寺服务界面、3 处可撤地标
05	文化与导视	京张韧性、中关村交流、双语 STATUS + ACTION + 人工帮助
06	年度运营	证据周、开发者排演、受监督开放、归档/到期/复位

可见主张键：来源支持已知 | 临时几何推导 | 设计规则/目标 | 概念建议 | 未知/暂停。

12 张场景卡

S01/S04/S07 深度验证；其余九项普通空间或 NO-BUILD

十二张场景卡 | 3 项深度验证 + 9 项普通空间 / NO-BUILD 结果

S01 Embodied AI physical validation 深度验证 最小差异：可撤专项界面 人工权威：可提议、运行与停止分开	S02 Environmental robustness rehearsal 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止	S03 Human safety and evidence review 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止
S04 Multi-modal collaboration handover 深度验证 最小差异：可撤专项界面 人工权威：可提议、运行与停止分开	S05 Open AI literacy and model explanation 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止	S06 Community service co-pilot with human counter 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止
S07 Staffed adoption and compliance review 深度验证 最小差异：可撤专项界面 人工权威：可提议、运行与停止分开	S08 Step-free wayfinding assistance 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止	S09 Post-rain greenway maintenance check 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止
S10 Facility status relay with analog fallback 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止	S11 Community event quiet-boundary stewardship 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止	S12 Evidence-status change review 普通/不新建 最小差异：NO-BUILD / 普通空间足够 人工权威：人工复核和停止

每张卡均保留普通基线、隐私边界、失败模式、停止/复位、证据状态、区域关系与任务书映射。

三份深度交付合同

只检验是否应继续专业深化

SOURCE-BACKED KNOWN / GEOMETRY-DERIVED PROVISIONAL / DESIGN RULE / CONCEPT PROPOSAL / UNKNOWN / PAUSE

S01 Confirm whether a removable safety edge can contain a real physical task without reducing ordinary access.	S04 Confirm that a consent-bound handover can coexist with open learning without converting a public room into a closed project enclave.	S07 Confirm that an affected user can see, contest and leave an AI adoption review without losing ordinary service.
STOP / RESET Remove kit and return to ordinary training/work.	STOP / RESET Retract screen, clear materials and restore ordinary public learning.	STOP / RESET Stop intake, retain ordinary referral and remove screen.

公共空间、文化与运营

三处可撤地标与可停止年度循环

复位门

A passer-by reads what is ordinary, what is temporarily tested and when the state returns to ordinary city.

交接台

Visitors can read the session boundary, ask for human explanation and use the table normally when AI is off.

申诉台

An affected person finds a staffed human desk, paper alternative and clear appeal route before any AI adoption is discussed.

运营循环

Open questions and site/evidence verification → Developer rehearsal in ordinary carriers or NO-BUILD → S01/S04/S07 supervised sessions only after admission → Public evidence week, independent review, archive or expiry and full reset