The Example

This document uses the Tufte handout LaTeX document style. This is
specified by the use of the document class as `\documentclass{tufte-handout}`.

The Tufte-LaTeX document classes define a style similar to the style
Edward Tufte uses in his books and handouts. Tufte's style is known
for its extensive use of sidenotes, tight integration of graphics with
text, and well-set typography.

One of the most prominent and distinctive features of this style
is the extensive use of sidenotes. There is a wide margin to provide
ample room for sidenotes and small figures. Any `\footnote`s will
automatically be converted to sidenotes.

Here is an example of a margin table, suggested by Felix Schön-
brodt `<nicebread@gmx.net>`. I am not sure about its usefullness in
practice however. Note that `latex.environments = ""` avoids the de-
fault option of tables being centered, which in this example would lead
to the caption not being directly under the table. Most importantly,
`table.placement = NULL` is required to ensure that the default table
placement options `[ht]` being inserted after `\begin{margintable}`.
This is necessary because the margintable environment does not allow
placement options like `[ht]`.

```
> library(xtable)
> x <- matrix(rnorm(6), ncol = 2)
> x.small <- xtable(x, label = 'tabsmall', caption = 'A margin table')

> print(x.small,floating.environment='margintable',
+        latex.environments = "",
+        table.placement = NULL)
```

	1	2
1	1.23	-1.46
2	0.63	-0.73
3	0.77	-0.26

Table 1: A margin table