

OPENSHIFT

SWAP | UGR 2014-2015 JESÚS PRIETO LÓPEZ CLOUD COMPUTING

Introducción

- Veremos una solución a problemas relacionados con la programación web:
 - ► Infraestructura y servicios (servidor, hosting, módulos, ...)
 - Proceso de desarrollo (organización, control, ...)
- Definición de Paas
- OpenShift y como funciona
- ▶ Ejemplo de uso

PaaS (Plataform As A Service)

"

automatizar el almacenamiento, administración y desarrollo de aplicaciones web, además servir la aplicación y lanzarla para acceder a su contenido.



OpenShift

- Proyecto PaaS de código abierto.
- Creado por RedHat
- Presenta varios modelos
 - ▶ OpenShift Online
 - ▶ OpenShift Enterprise
 - ▶ OpenShift Origin

Características

- Código abierto
- Soporte de de varios lenguajes: PHP, Ruby, JAVA, Node.js, Python y Perl
- Proporciona varias herramientas y módulos: phpmyadmin, consola web, IDE, y otros
- Soporte de frameworks de aplicaciones web
- Entorno de nube flexible
- Infraestructura base en la que apoyarse sin necesidad de instalar nada

Ventajas

- ▶ Fácil de usar
- ▶ Fácil de configurar
- Múltiples lenguajes, frameworks y herramientas
- No requiere instalar ningún software, solo es necesario un navegador
- Proporciona hosting
- Portabilidad
- No dependencia de proveedores
- Escalabilidad

Como funciona – Ciclo de vida


1. Code programar la aplicación, apoyándose en Git.

▶ 2. Build se compila y ejecuta el código desde la nube


▶ 3. Deploy desplegar módulos y funcionalidades adicionales

▶ 4. Manage monitorizar, configurar y modificar sobre la marcha


Como funciona - Componentes



Como funciona - Componentes



Como funciona - Aplicación



Código abierto



https://github.com/openshift/origin


Open Source	Red Hat Commits last 30	Red Hat Pull Requests last 30	Issues involved in last 30
Project	days	days	days
Origin	851	242	86

OpenShift Online

https://openshift.redhat.com/

	Free Plan	Bronze Plan	Silver Plan
\$ BASE PRICE	Free	Free	€15/month
APPLICATION IDLING	24 hours	Never	Never
	3 small gears	3 small gears	3 small gears
₡ MAX GEARS	3	16	16+
SCALING	Yes (3 min / 3 max)	Yes (3 min / 16 max)	Yes (3 min / 16 max)
	small	small (\$0.02/hour) small.highcpu (\$0.025/hour) medium (\$0.05/hour) large (\$0.10/hour)	small (\$0.02/hour) small.highcpu (\$0.025/hour) medium (\$0.05/hour) large (\$0.10/hour)
STORAGE	1GB per gear	1GB per gear; \$1.00/month per additional GB	6GB per gear; \$1.00/month per additional GB
₽ SSL	Shared	For custom domains	For custom domains
♣ TEAMS	Not included	Up to 15	Up to 15
☐ JBOSS EAP 6	Included	3 gears free; \$0.03/hr per additional gear	3 gears free; \$0.03/hr per additional gear
Q SUPPORT FROM	Community	Community	Red Hat & Community

Probando OpenShift Online




Welcome to OpenShift

OpenShift helps you build and deploy web applications, mobile backends, service oriented architectures, and host your favorite services.


- 1. Choose a web framework or codebase to start from
 - Try JBoss, PHP, Python, Ruby, Node.js, or create a new Drupal or Wordpress site instantly.
- 2. Add cartridges like MySQL or MongoDB to your application
 - OpenShift lets you add services and tools to your application through cartridges including databases, cache servers, management tools, and continuous integration servers.
- 3. Upload your code to OpenShift via Git
 - Your source code is stored with your application in a Git version control repository.
- → Create your first application now

For more about OpenShift, visit the OpenShift Developer Portal.

Creando la aplicación



Panel de aplicación



Trabajar con la aplicación

```
Jesus@JES /C/Users/Jesus/Desktop/openshift (master)
$ ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/Jesus/.ssh/id_rsa): openshift
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in openshift.
                                                                                      Applications
                                                                                                                                                                                                    OpenShift Hub
Your public key has been saved in openshift.pub.
The key fingerprint is:
1e:72:b7:e5:47:8e:65:be:ae:b6:2d:6f:ef:8a:e3:d7                              Jesus@JES
                                                                                    Settings
The key's randomart image is:
+--[ RŠA 2048]----+
                                                                                         You need to set a public key before you can work with application code
                                                                                    Public Keys
                                                                                    OpenShift uses a public key to securely encrypt the connection between your local
                                                                                                                                                    Paste the contents of your public key file (.pub)
            + o + B
                                                                                    machine and your application and to authorize you to upload code. You must create
                                                                                    a private and public key on your local machine and then upload the public key before
                                                                                                                                                    AAAAB3NzaC1yc2EAAAADAQABAAABAQC4sFzmo
                                                                                    you can connect to your applications' Git repositories or remotely access your
                                                                                                                                                    WF1SCLRudrjwZ4ktMvXynmEXpyUysGQBK+9eAP7
                o=X*+o:
                                                                                    applications.
                                                                                                                                                    mV61ld5O/CkFl1R3brVcC4lklMFRO9GlY/h5P3gwfo
                                                                                                                                                    G0kMls7GTZEsn0ml65Tmti7Diop8po4un5b5msbh
                                                                                    Learn more about SSH keys.
                                                                                                                                                     Save
```

```
Jesus@JES /C/Users/Jesus/Desktop/openshift (master)
5 eval $(ssh-agent -s)
Agent pid 2172

Jesus@JES /C/Users/Jesus/Desktop/openshift (master)
5 ssh-add openshift
Identity added: openshift (openshift)
```

```
Jesus@JES /C/Users/Jesus/Desktop/openshift (master)
$ git clone ssh://55745993500446e6200000df@tienda-jesuspl.rhcloud.com/~/git/tie
nda.git/ tienda
Cloning into 'tienda'...
remote: Counting objects: 19, done.
remote: Compressing objects: 100% (13/13), done.
remote: Total 19 (delta 2), reused 19 (delta 2)
Receiving objects: 100% (19/19), 18.12 KiB | 0 bytes/s, done.
Resolving deltas: 100% (2/2), done.
Checking connectivity... done.
```

Ejemplo



Referencias

https://openshift.redhat.com/

http://www.redhat.com/es/technologies/cloud-computing/openshift

http://www.redhat.com/es/about/press-releases/openshift-red-hat-named-infoworld-technology-year-award-winner

http://docs.openshift.org/originm4/oo_deployment_guide_comprehensive.html

https://github.com/openshift/origin

https://www.openshift.com/products/architecture