


TEAM ID: PNT2022TMID35083

Step 1: Connect the blocks



Step 2: Create python code

```
import json
import wiop.sdk.device
import time

myConfig = {
    "identity": {
        "orgId": "b35fmy",
        "typeId": "NodeMCU",
        "deviceId": "12345"
    },
    "auth": {
        "token": "12345678"
    }
}

client = wiop.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

while True:
    name= "Smartbridge"
    #in area location


    latitude= 17.4225176
    longitude= 78.5459842

    #out area location


    #latitude= 17.4219272
    #longitude= 78.5488783
    myData={"name": name, "lat":latitude, "lon":longitude}
    client.publishEvent(eventId="status", msgformat="json", data=myData, qos=0, onPublish=None)
    print("Data published to IBM IoT platform:", myData)
    time.sleep(5)

client.disconnect() ] ]
```

Step 3: Click the geofence node




Step 4: Create the geofence area in the map




Activate Windows


Step 5: Create geofence in a particular area




Step 6: Select the function block




Step 7: Select the msg payload






Step 8: To identify the person in area


Step 9: Select the http request to send msg to parent or gaurdian




Step 10: For sending the msg with time



Step 10: Click show dialog for notifying the popup alert



Step 11: Create another payload and to pass the data to geofence and worldmap



Step 12: Click the worldmap to see the location

