

db.php

```
<?php

$host = "localhost";
$user = "root";
$password = "";
$database = "online_exam_system";
$conn = mysqli_connect($host, $user, $password, $database);

if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
?>
```

Index.php

```
<!DOCTYPE html>
<html>
<head>
    <title>ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background: #0f172a;
            color: #ffffff;
        }
        .topbar{
            width: 100%;
            padding: 22px 70px;
            display: flex;
            justify-content: space-between;
            align-items: center;
            background: #111827;
            border-bottom: 1px solid rgba(255,255,255,0.08);
        }

        .brand{
            font-size: 26px;
            font-weight: 800;
            color: #f8fafc;
            letter-spacing: 0.5px;
        }

        .brand span{
            color: #38bdf8;
        }

        .top-links a{
            text-decoration: none;
            color: #cbd5e1;
            margin-left: 28px;
```

```

        font-size: 15px;
        font-weight: 600;
        transition: 0.3s;
    }

    .top-links a:hover{
        color: #38bdf8;
    }
    .main-section{
        min-height: calc(100vh - 80px);
        padding: 55px 70px;
        background:
            radial-gradient(circle at top right, rgba(56,189,248,0.22),
transparent 30%),
            radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
            #0f172a;
    }

    .intro-box{
        max-width: 900px;
        margin: 0 auto;
        text-align: center;
        padding-top: 25px;
    }

    .badge{
        display: inline-block;
        padding: 9px 18px;
        background: rgba(56,189,248,0.12);
        color: #7dd3fc;
        border: 1px solid rgba(125,211,252,0.25);
        border-radius: 30px;
        font-size: 14px;
        font-weight: 700;
        margin-bottom: 22px;
    }

    .intro-box h1{
        font-size: 52px;
        line-height: 1.15;
        color: #f8fafc;
        margin-bottom: 20px;
        font-weight: 800;
    }

    .intro-box h1 span{
        color: #38bdf8;
    }

    .intro-box p{
        max-width: 760px;
        margin: 0 auto;
        font-size: 17px;
        line-height: 1.8;
        color: #cbd5e1;
        margin-bottom: 35px;
    }

    .action-panel{
        display: flex;

```

```

        justify-content: center;
        gap: 18px;
        flex-wrap: wrap;
        margin-bottom: 55px;
    }

    .action-panel a{
        text-decoration: none;
        min-width: 210px;
        padding: 15px 24px;
        border-radius: 12px;
        font-size: 15px;
        font-weight: 700;
        text-align: center;
        transition: 0.3s;
    }

    .admin-action{
        background: #38bdf8;
        color: #082f49;
        box-shadow: 0 12px 25px rgba(56,189,248,0.25);
    }

    .admin-action:hover{
        background: #0ea5e9;
        transform: translateY(-3px);
    }

    .student-action{
        background: #a78bfa;
        color: #ffffff;
        box-shadow: 0 12px 25px rgba(167,139,250,0.22);
    }

    .student-action:hover{
        background: #8b5cf6;
        transform: translateY(-3px);
    }

    .register-action{
        background: transparent;
        color: #f8faff;
        border: 1px solid rgba(255,255,255,0.25);
    }

    .register-action:hover{
        background: rgba(255,255,255,0.08);
        transform: translateY(-3px);
    }

    .feature-area{
        max-width: 1100px;
        margin: 0 auto;
        display: grid;
        grid-template-columns: repeat(4, 1fr);
        gap: 20px;
    }

    .feature-card{
        background: rgba(255,255,255,0.06);
        border: 1px solid rgba(255,255,255,0.10);
    }

```

```

        border-radius: 18px;
        padding: 25px 20px;
        min-height: 190px;
        transition: 0.3s;
    }

    .feature-card:hover{
        background: rgba(255,255,255,0.10);
        transform: translateY(-5px);
        border-color: rgba(56,189,248,0.35);
    }

    .number{
        width: 42px;
        height: 42px;
        border-radius: 12px;
        background: rgba(56,189,248,0.15);
        color: #7dd3fc;
        display: flex;
        align-items: center;
        justify-content: center;
        font-weight: 800;
        margin-bottom: 18px;
        border: 1px solid rgba(125,211,252,0.25);
    }

    .feature-card h3{
        font-size: 17px;
        color: #ffffff;
        margin-bottom: 10px;
    }

    .feature-card p{
        font-size: 14px;
        color: #cbd5e1;
        line-height: 1.6;
    }

    .footer{
        text-align: center;
        padding: 16px;
        background: #111827;
        color: #94a3b8;
        font-size: 14px;
        border-top: 1px solid rgba(255,255,255,0.08);
    }

    @media(max-width: 1000px){
        .feature-area{
            grid-template-columns: repeat(2, 1fr);
        }

        .intro-box h1{
            font-size: 42px;
        }
    }

    @media(max-width: 700px){
        .topbar{
            padding: 18px 25px;
            flex-direction: column;
        }
    }

```

```

        gap: 15px;
    }

    .top-links a{
        margin: 0 10px;
    }

    .main-section{
        padding: 40px 25px;
    }

    .intro-box h1{
        font-size: 34px;
    }

    .feature-area{
        grid-template-columns: 1fr;
    }

    .action-panel a{
        width: 100%;
    }
}
</style>
</head>

<body>

    <div class="topbar">
        <div class="brand">Exam<span>Sphere</span></div>

        <div class="top-links">
            <a href="login.php">Admin</a>
            <a href="student_login.php">Student</a>
            <a href="student_register.php">Register</a>
        </div>
    </div>

    <section class="main-section">

        <div class="intro-box">

            <div class="badge">Online Examination Management System</div>

            <h1>Conduct Digital Exams with <span>Speed, Accuracy &
Control</span></h1>

            <p>
                ExamSphere is a web-based examination platform designed to
                help administrators create exams,
                manage questions, monitor students, and generate results
                while students can securely attempt
                online exams and view instant performance reports.
            </p>

            <div class="action-panel">
                <a class="admin-action" href="login.php">Admin Login</a>
                <a class="student-action" href="student_login.php">Student
Login</a>
                <a class="register-action" href="student_register.php">Create
Student Account</a>
            </div>
        </div>
    </section>
</body>
</html>

```

```

        </div>

    </div>

    <div class="feature-area">

        <div class="feature-card">
            <div class="number">01</div>
            <h3>Admin Control</h3>
            <p>Create exams, add questions, view registered students, and
check student results easily.</p>
        </div>

        <div class="feature-card">
            <div class="number">02</div>
            <h3>Student Portal</h3>
            <p>Students can register, login, view available exams, and
attempt exams online.</p>
        </div>

        <div class="feature-card">
            <div class="number">03</div>
            <h3>Automatic Result</h3>
            <p>The system evaluates selected answers and displays the
score immediately after submission.</p>
        </div>

        <div class="feature-card">
            <div class="number">04</div>
            <h3>Timed Examination</h3>
            <p>Every exam includes a countdown timer with automatic
submission when time is completed.</p>
        </div>

    </div>

</section>

<div class="footer">
    © 2026 ExamSphere | BCA Project
</div>

</body>
</html>

```

login.php

```

<?php
session_start();
include("db.php");

if (isset($_POST['login'])) {

    $username = $_POST['username'];
    $password = $_POST['password'];

    $query = "SELECT * FROM admin WHERE username='$username' AND
password='$password'";
    $result = mysqli_query($conn, $query);

```

```

if (mysqli_num_rows($result) > 0) {

    $_SESSION['admin'] = $username;

    header("Location: dashboard.php");
    exit();

} else {
    $error = "Invalid Username or Password!";
}
}
?>

<!DOCTYPE html>
<html>
<head>
<title>Admin Login - ExamSphere</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
}

body{
    font-family:"Segoe UI", Arial, sans-serif;
    min-height:100vh;
    display:flex;
    justify-content:center;
    align-items:center;
    padding:35px;
    background:
        radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
        radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
        #0f172a;
    color:#f8fafc;
}

.login-wrapper{
    width:960px;
    min-height:540px;
    display:grid;
    grid-template-columns:0.9fr 1.1fr;
    border-radius:24px;
    overflow:hidden;
    background:rgba(255,255,255,0.06);
    border:1px solid rgba(255,255,255,0.12);
    box-shadow:0 28px 70px rgba(0,0,0,0.35);
    backdrop-filter:blur(10px);
}

.left-panel{
    background:
        linear-gradient(135deg, rgba(56,189,248,0.18),
        rgba(167,139,250,0.18)),
        rgba(17,24,39,0.92);
    color:#ffffff;

```

```
padding:50px 38px;
display:flex;
flex-direction:column;
justify-content:center;
border-right:1px solid rgba(255,255,255,0.10);
}

.left-panel h1{
font-size:36px;
margin-bottom:16px;
font-weight:800;
letter-spacing:0.4px;
}

.left-panel h1 span{
color:#38bdf8;
}

.left-panel p{
line-height:1.7;
font-size:16px;
color:#cbd5e1;
}

.tagline{
margin-top:32px;
padding:14px 16px;
border-radius:14px;
background:rgba(56,189,248,0.12);
color:#e0f2fe;
border:1px solid rgba(125,211,252,0.25);
font-size:14px;
line-height:1.5;
}

.admin-points{
margin-top:28px;
}

.admin-points div{
margin-bottom:12px;
padding:12px 14px;
border-radius:12px;
background:rgba(255,255,255,0.06);
color:#dbeafe;
font-size:14px;
border:1px solid rgba(255,255,255,0.08);
}

.right-panel{
background:#ffffff;
color:#111827;
padding:52px 48px;
display:flex;
justify-content:center;
flex-direction:column;
}

.right-panel h2{
text-align:center;
font-size:30px;
}
```

```
        color:#111827;
        margin-bottom:8px;
        font-weight:800;
    }

    .sub-text{
        text-align:center;
        color:#6b7280;
        margin-bottom:30px;
        font-size:14px;
        line-height:1.5;
    }

    .input-group{
        margin-bottom:18px;
    }

    .input-group label{
        display:block;
        font-weight:700;
        margin-bottom:8px;
        color:#374151;
        font-size:14px;
    }

    .input-group input{
        width:100%;
        padding:14px 15px;
        border-radius:12px;
        border:1px solid #d1d5db;
        outline:none;
        transition:0.3s ease;
        font-size:15px;
        background:#f9fafb;
        color:#111827;
    }

    .input-group input:focus{
        border-color:#38bdf8;
        background:#ffffff;
        box-shadow:0 0 0 4px rgba(56,189,248,0.16);
    }

    .login-btn{
        width:100%;
        padding:14px;
        border:none;
        border-radius:12px;
        background:linear-gradient(135deg, #38bdf8, #0ea5e9);
        color:#082f49;
        font-size:16px;
        font-weight:800;
        cursor:pointer;
        transition:0.3s ease;
        margin-top:6px;
        box-shadow:0 12px 25px rgba(56,189,248,0.25);
    }

    .login-btn:hover{
        background:linear-gradient(135deg, #0ea5e9, #0284c7);
        transform:translateY(-2px);
    }
```

```

        box-shadow:0 15px 30px rgba(56,189,248,0.35);
    }

    .error{
        background:#fee2e2;
        color:#991b1b;
        padding:12px;
        text-align:center;
        margin-bottom:18px;
        border-radius:10px;
        font-size:14px;
        font-weight:700;
        border:1px solid #fecaca;
    }

    .links{
        text-align:center;
        margin-top:20px;
        font-size:14px;
        color:#6b7280;
    }

    .links a{
        color:#7c3aed;
        font-weight:800;
        text-decoration:none;
    }

    .links a:hover{
        color:#5b21b6;
        text-decoration:underline;
    }

    .home-link{
        display:block;
        margin-top:18px;
        text-align:center;
        text-decoration:none;
        color:#475569;
        font-size:14px;
        font-weight:600;
    }

    .home-link:hover{
        color:#0ea5e9;
    }

    @media (max-width:820px) {

        .login-wrapper{
            width:100%;
            grid-template-columns:1fr;
        }

        .left-panel{
            border-right:none;
            border-bottom:1px solid rgba(255,255,255,0.10);
            text-align:center;
            padding:34px 28px;
        }
    }

```

```

        .right-panel{
            padding:38px 28px;
        }
    }
</style>
</head>

<body>

<div class="login-wrapper">

    <div class="left-panel">

        <h1>Exam<span>Sphere</span></h1>

        <p>
            Manage exams, questions, students, and results through a secure
            and organized admin dashboard.
        </p>

        <div class="tagline">
            Admin Portal | Secure Access | Exam Management
        </div>

        <div class="admin-points">
            <div>Create and manage online exams</div>
            <div>Add questions and monitor students</div>
            <div>View results and performance records</div>
        </div>

    </div>

    <div class="right-panel">

        <h2>Admin Login</h2>

        <p class="sub-text">
            Enter your admin credentials to access the control panel
        </p>

        <?php
            if(isset($error)){
                echo "<div class='error'>$error</div>";
            }
        ?>

        <form method="POST">

            <div class="input-group">
                <label>Username</label>
                <input type="text" name="username" placeholder="Enter
username" required>
            </div>

            <div class="input-group">
                <label>Password</label>
                <input type="password" name="password" placeholder="Enter
password" required>
            </div>

            <button type="submit" name="login" class="login-btn">

```

```

        Login
    </button>

</form>

<div class="links">
    Are you a student?
    <a href="student_login.php">Student Login</a>
</div>

<a class="home-link" href="index.php">
    Back to Home
</a>

</div>

</div>

</body>
</html>

```

dashboard.php

```

<?php
session_start();

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Admin Dashboard - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),

```

```
        radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
        #0f172a;
    color: #f8fafc;
}

.topbar{
    width: 100%;
    padding: 22px 70px;
    background: #111827;
    display: flex;
    justify-content: space-between;
    align-items: center;
    border-bottom: 1px solid rgba(255,255,255,0.08);
}

.brand{
    font-size: 26px;
    font-weight: 800;
    color: #f8fafc;
    letter-spacing: 0.5px;
}

.brand span{
    color: #38bdf8;
}

.admin-badge{
    padding: 9px 18px;
    background: rgba(56,189,248,0.12);
    color: #7dd3fc;
    border: 1px solid rgba(125,211,252,0.25);
    border-radius: 30px;
    font-size: 14px;
    font-weight: 700;
}

.main-section{
    width: 90%;
    max-width: 1150px;
    margin: 45px auto;
}

.dashboard-header{
    text-align: center;
```

```
        margin-bottom: 40px;
    }

.dashboard-header h1{
    font-size: 42px;
    color: #ffffff;
    margin-bottom: 12px;
}

.dashboard-header p{
    color: #cbd5e1;
    font-size: 16px;
    line-height: 1.6;
}

.dashboard-card{
    background: rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.10);
    border-radius: 24px;
    padding: 35px;
    box-shadow: 0 28px 70px rgba(0,0,0,0.30);
    backdrop-filter: blur(10px);
}

.dashboard-card h2{
    font-size: 24px;
    margin-bottom: 28px;
    color: #f8fafc;
    text-align: center;
}

.menu-grid{
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 20px;
}

.menu-link{
    display: block;
    text-decoration: none;
    padding: 24px 20px;
    border-radius: 18px;
    background: rgba(255,255,255,0.07);
    border: 1px solid rgba(255,255,255,0.10);
    color: #ffffff;
```

```

        transition: 0.3s ease;
        min-height: 125px;
    }

    .menu-link:hover{
        transform: translateY(-5px);
        background: rgba(255,255,255,0.11);
        border-color: rgba(56,189,248,0.35);
        box-shadow: 0 18px 35px rgba(0,0,0,0.22);
    }

    .menu-title{
        font-size: 18px;
        font-weight: 800;
        margin-bottom: 10px;
        color: #7dd3fc;
    }

    .menu-desc{
        font-size: 14px;
        color: #cbd5e1;
        line-height: 1.5;
    }

    .logout-card{
        background: rgba(248,113,113,0.12);
        border-color: rgba(248,113,113,0.25);
    }

    .logout-card .menu-title{
        color: #fca5a5;
    }

    .logout-card:hover{
        border-color: rgba(248,113,113,0.45);
        background: rgba(248,113,113,0.18);
    }

    @media(max-width: 900px){
        .topbar{
            padding: 20px 30px;
            flex-direction: column;
            gap: 14px;
        }
    }

```

```

        .main-section{
            width: 92%;
        }

        .menu-grid{
            grid-template-columns: repeat(2, 1fr);
        }

        .dashboard-header h1{
            font-size: 34px;
        }
    }

    @media (max-width: 600px) {
        .menu-grid{
            grid-template-columns: 1fr;
        }

        .dashboard-card{
            padding: 25px;
        }
    }
</style>

</head>
<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <div class="admin-badge">Admin Panel</div>
</div>

<div class="main-section">

    <div class="dashboard-header">
        <h1>Admin Dashboard</h1>
        <p>Manage exams, questions, students, and results from one
professional control panel.</p>
    </div>

    <div class="dashboard-card">

        <h2>Management Options</h2>

        <div class="menu-grid">

```

```
<a class="menu-link" href="create_exam.php">
    <div class="menu-title">Create Exam</div>
    <div class="menu-desc">Add new exams with title, date,
duration, and marks.</div>
</a>

<a class="menu-link" href="add_questions.php">
    <div class="menu-title">Add Questions</div>
    <div class="menu-desc">Insert multiple-choice questions for
selected exams.</div>
</a>

<a class="menu-link" href="view_exams.php">
    <div class="menu-title">View Exams</div>
    <div class="menu-desc">Check all created exams and their
details.</div>
</a>

<a class="menu-link" href="view_students.php">
    <div class="menu-title">View Students</div>
    <div class="menu-desc">See all registered student
accounts.</div>
</a>

<a class="menu-link" href="view_results.php">
    <div class="menu-title">View Results</div>
    <div class="menu-desc">Analyze student scores and exam
performance.</div>
</a>

<a class="menu-link logout-card" href="logout.php">
    <div class="menu-title">Logout</div>
    <div class="menu-desc">Exit from the admin session
securely.</div>
</a>

</div>
</div>
</div>

</body>
</html>
```

create_exam.php

```
<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

if (isset($_POST['create_exam'])) {

    $exam_title = $_POST['exam_title'];
    $exam_date = $_POST['exam_date'];
    $duration = $_POST['duration'];
    $total_marks = $_POST['total_marks'];

    $query = "INSERT INTO exams (exam_title, exam_date, duration,
total_marks)
            VALUES ('$exam_title', '$exam_date', '$duration',
'$total_marks')";

    $result = mysqli_query($conn, $query);

    if ($result) {
        $success = "Exam created successfully!";
    } else {
        $error = "Error creating exam: " . mysqli_error($conn);
    }
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Create Exam - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;
        }
    </style>
</head>
<body>
```

```
.topbar{
  width: 100%;
  padding: 22px 70px;
  background: #111827;
  display: flex;
  justify-content: space-between;
  align-items: center;
  border-bottom: 1px solid rgba(255,255,255,0.08);
}

.brand{
  font-size: 26px;
  font-weight: 800;
  color: #f8fafc;
  letter-spacing: 0.5px;
}

.brand span{
  color: #38bdf8;
}

.topbar a{
  color: #7dd3fc;
  text-decoration: none;
  background: rgba(56,189,248,0.12);
  border: 1px solid rgba(125,211,252,0.25);
  padding: 10px 16px;
  border-radius: 30px;
  font-weight: 700;
  font-size: 14px;
  transition: 0.3s;
}

.topbar a:hover{
  background: rgba(56,189,248,0.20);
  transform: translateY(-2px);
}

.page-section{
  width: 92%;
  max-width: 1150px;
  margin: 45px auto;
}

.page-heading{
  text-align: center;
  margin-bottom: 35px;
}

.page-heading h1{
  font-size: 42px;
  color: #ffffff;
  margin-bottom: 12px;
}

.page-heading p{
  color: #cbd5e1;
  font-size: 16px;
  line-height: 1.6;
}
```

```
.content-grid{
  display: grid;
  grid-template-columns: 1fr 0.75fr;
  gap: 28px;
  align-items: start;
}

.form-card{
  background: #ffffff;
  color: #111827;
  padding: 36px;
  border-radius: 24px;
  box-shadow: 0 28px 70px rgba(0,0,0,0.30);
  border: 1px solid rgba(255,255,255,0.12);
}

.form-card h2{
  text-align: center;
  color: #111827;
  font-size: 28px;
  margin-bottom: 8px;
  font-weight: 800;
}

.subtitle{
  text-align: center;
  color: #6b7280;
  font-size: 14px;
  margin-bottom: 28px;
  line-height: 1.5;
}

.form-group{
  margin-bottom: 18px;
}

label{
  display: block;
  margin-bottom: 8px;
  font-weight: 700;
  color: #374151;
  font-size: 14px;
}

input{
  width: 100%;
  padding: 14px 15px;
  border: 1px solid #d1d5db;
  border-radius: 12px;
  font-size: 15px;
  outline: none;
  transition: 0.3s ease;
  background: #f9fafb;
  color: #111827;
}

input:focus{
  border-color: #38bdf8;
  background: #ffffff;
  box-shadow: 0 0 0 4px rgba(56,189,248,0.16);
}
```

```

.submit-btn{
  width: 100%;
  padding: 14px;
  margin-top: 8px;
  background: linear-gradient(135deg, #38bdf8, #0ea5e9);
  color: #082f49;
  border: none;
  border-radius: 12px;
  font-size: 16px;
  font-weight: 800;
  cursor: pointer;
  transition: 0.3s ease;
  box-shadow: 0 12px 25px rgba(56,189,248,0.25);
}

.submit-btn:hover{
  background: linear-gradient(135deg, #0ea5e9, #0284c7);
  transform: translateY(-2px);
  box-shadow: 0 15px 30px rgba(56,189,248,0.35);
}

.success{
  background: #dcfce7;
  color: #166534;
  padding: 12px;
  text-align: center;
  border-radius: 10px;
  margin-bottom: 18px;
  font-size: 14px;
  font-weight: 700;
  border: 1px solid #bbf7d0;
}

.error{
  background: #fee2e2;
  color: #991b1b;
  padding: 12px;
  text-align: center;
  border-radius: 10px;
  margin-bottom: 18px;
  font-size: 14px;
  font-weight: 700;
  border: 1px solid #fecaca;
}

.info-card{
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.10);
  border-radius: 24px;
  padding: 30px;
  box-shadow: 0 28px 70px rgba(0,0,0,0.22);
  backdrop-filter: blur(10px);
}

.info-card h3{
  font-size: 23px;
  color: #7dd3fc;
  margin-bottom: 18px;
}

```

```

.info-card p{
  color: #cbd5e1;
  font-size: 15px;
  line-height: 1.7;
  margin-bottom: 18px;
}

.step-box{
  padding: 15px;
  margin-bottom: 14px;
  border-radius: 14px;
  background: rgba(255,255,255,0.07);
  border: 1px solid rgba(255,255,255,0.10);
  color: #dbeafe;
  font-size: 14px;
  line-height: 1.5;
}

.step-box span{
  color: #38bdf8;
  font-weight: 800;
}

.back-link{
  display: block;
  text-align: center;
  margin-top: 20px;
  color: #7c3aed;
  text-decoration: none;
  font-weight: 800;
  font-size: 14px;
}

.back-link:hover{
  color: #5b21b6;
  text-decoration: underline;
}

@media(max-width: 900px){
  .topbar{
    padding: 20px 30px;
    flex-direction: column;
    gap: 14px;
  }

  .content-grid{
    grid-template-columns: 1fr;
  }

  .page-heading h1{
    font-size: 34px;
  }

  .form-card{
    padding: 30px 24px;
  }
}
</style>
</head>

<body>

```

```

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="dashboard.php">Admin Dashboard</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>Create Exam</h1>
        <p>Set up a new online exam by entering title, date, duration, and
total marks.</p>
    </div>

    <div class="content-grid">

        <div class="form-card">

            <h2>Exam Details</h2>
            <p class="subtitle">Enter exam information carefully before
adding questions.</p>

            <?php
            if (isset($success)) {
                echo "<div class='success'>$success</div>";
            }

            if (isset($error)) {
                echo "<div class='error'>$error</div>";
            }
            ?>

            <form method="POST">

                <div class="form-group">
                    <label>Exam Title</label>
                    <input type="text" name="exam_title"
placeholder="Example: BCA Java Test" required>
                </div>

                <div class="form-group">
                    <label>Exam Date</label>
                    <input type="date" name="exam_date" required>
                </div>

                <div class="form-group">
                    <label>Duration</label>
                    <input type="number" name="duration"
placeholder="Duration in minutes" required>
                </div>

                <div class="form-group">
                    <label>Total Marks</label>
                    <input type="number" name="total_marks"
placeholder="Enter total marks" required>
                </div>

                <button type="submit" name="create_exam"
class="submit-btn">Create Exam</button>

            </form>

```

```

        <a class="back-link" href="dashboard.php">Back to Dashboard</a>

    </div>

    <div class="info-card">
        <h3>Exam Setup Guide</h3>

        <p>
            After creating an exam, go to the Add Questions page and
            attach questions to this exam.
        </p>

        <div class="step-box">
            <span>Step 01:</span> Create exam with proper title and date.
        </div>

        <div class="step-box">
            <span>Step 02:</span> Add multiple-choice questions for this
exam.
        </div>

        <div class="step-box">
            <span>Step 03:</span> Students can attempt the exam from
their dashboard.
        </div>

        <div class="step-box">
            <span>Step 04:</span> Results will be generated automatically
after submission.
        </div>
    </div>

</div>

</body>
</html>

```

add_questions.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

/* Fetch exams for dropdown */
$exam_query = "SELECT * FROM exams ORDER BY exam_id DESC";
$exam_result = mysqli_query($conn, $exam_query);

if (!$exam_result) {

```

```

        die("Exam Query Error: " . mysqli_error($conn));
    }

    /* CSV Upload Logic */
    if (isset($_POST['upload_csv'])) {

        $exam_id = $_POST['csv_exam_id'];

        if (isset($_FILES['csv_file']) && $_FILES['csv_file']['error'] == 0) {

            $file_name = $_FILES['csv_file']['name'];
            $file_tmp = $_FILES['csv_file']['tmp_name'];
            $file_ext = strtolower(pathinfo($file_name, PATHINFO_EXTENSION));

            if ($file_ext == "csv") {

                $first_line = fgets(fopen($file_tmp, "r"));

                if (substr_count($first_line, ";") > substr_count($first_line,
",")) {
                    $delimiter = ";";
                } else {
                    $delimiter = ",";
                }

                $file = fopen($file_tmp, "r");

                $row_count = 0;
                $inserted_count = 0;
                $skipped_count = 0;

                while (($data = fgetcsv($file, 10000, $delimiter)) !== FALSE) {

                    $row_count++;

                    if ($row_count == 1) {
                        continue;
                    }

                    $data = array_map('trim', $data);

                    if (isset($data[0])) {
                        $data[0] = preg_replace('/^\xEF\xBB\xBF/', '', $data[0]);
                    }

                    if (count(array_filter($data)) == 0) {
                        continue;
                    }

                    if (count($data) < 6) {
                        $skipped_count++;
                        continue;
                    }

                    $total_cols = count($data);

                    $correct_option_raw = strtolower(trim($data[$total_cols -
1]));

                    $option4_raw = trim($data[$total_cols - 2]);
                    $option3_raw = trim($data[$total_cols - 3]);
                    $option2_raw = trim($data[$total_cols - 4]);

```

```

$option1_raw = trim($data[$total_cols - 5]);

$question_parts = array_slice($data, 0, $total_cols - 5);
$question_text_raw = implode(", ", $question_parts);

$question_text = mysqli_real_escape_string($conn,
$question_text_raw);
$option1 = mysqli_real_escape_string($conn, $option1_raw);
$option2 = mysqli_real_escape_string($conn, $option2_raw);
$option3 = mysqli_real_escape_string($conn, $option3_raw);
$option4 = mysqli_real_escape_string($conn, $option4_raw);

if ($correct_option_raw == "option1" || $correct_option_raw
== "option 1" || $correct_option_raw == "1" || $correct_option_raw == "a") {
    $correct_option = "option1";
} elseif ($correct_option_raw == "option2" ||
$correct_option_raw == "option 2" || $correct_option_raw == "2" ||
$correct_option_raw == "b") {
    $correct_option = "option2";
} elseif ($correct_option_raw == "option3" ||
$correct_option_raw == "option 3" || $correct_option_raw == "3" ||
$correct_option_raw == "c") {
    $correct_option = "option3";
} elseif ($correct_option_raw == "option4" ||
$correct_option_raw == "option 4" || $correct_option_raw == "4" ||
$correct_option_raw == "d") {
    $correct_option = "option4";
} else {
    $skipped_count++;
    continue;
}

if (
    $question_text != "" &&
    $option1 != "" &&
    $option2 != "" &&
    $option3 != "" &&
    $option4 != ""
) {

    $query = "INSERT INTO questions
              (exam_id, question_text, option1, option2,
option3, option4, correct_option)
              VALUES
              ('$exam_id', '$question_text', '$option1',
'$option2', '$option3', '$option4', '$correct_option')";

    $result = mysqli_query($conn, $query);

    if ($result) {
        $inserted_count++;
    } else {
        $skipped_count++;
    }

} else {
    $skipped_count++;
}

}

fclose($file);

```

```

        $csv_success = "$inserted_count question(s) uploaded successfully
from CSV file. $skipped_count row(s) skipped.";

    } else {
        $csv_error = "Please upload only a .csv file.";
    }

} else {
    $csv_error = "Please select a CSV file.";
}
}

/* Manual Add Question Logic */
if (isset($_POST['add_question'])) {

    $exam_id = $_POST['exam_id'];
    $question_text = mysqli_real_escape_string($conn,
$_POST['question_text']);
    $option1 = mysqli_real_escape_string($conn, $_POST['option1']);
    $option2 = mysqli_real_escape_string($conn, $_POST['option2']);
    $option3 = mysqli_real_escape_string($conn, $_POST['option3']);
    $option4 = mysqli_real_escape_string($conn, $_POST['option4']);
    $correct_option = $_POST['correct_option'];

    $query = "INSERT INTO questions
              (exam_id, question_text, option1, option2, option3, option4,
correct_option)
              VALUES
              ('$exam_id', '$question_text', '$option1', '$option2',
'$option3', '$option4', '$correct_option')";

    $result = mysqli_query($conn, $query);

    if ($result) {
        $manual_success = "Question added successfully!";
    } else {
        $manual_error = "Error adding question: " . mysqli_error($conn);
    }
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Add Questions - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),

```

```

        radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
        #0f172a;
        color: #f8fafc;
    }

    .topbar{
        width: 100%;
        padding: 22px 70px;
        background: #111827;
        display: flex;
        justify-content: space-between;
        align-items: center;
        border-bottom: 1px solid rgba(255,255,255,0.08);
    }

    .brand{
        font-size: 26px;
        font-weight: 800;
        color: #f8fafc;
        letter-spacing: 0.5px;
    }

    .brand span{
        color: #38bdf8;
    }

    .topbar a{
        color: #7dd3fc;
        text-decoration: none;
        background: rgba(56,189,248,0.12);
        border: 1px solid rgba(125,211,252,0.25);
        padding: 10px 16px;
        border-radius: 30px;
        font-weight: 700;
        font-size: 14px;
        transition: 0.3s;
    }

    .topbar a:hover{
        background: rgba(56,189,248,0.20);
        transform: translateY(-2px);
    }

    .page-section{
        width: 92%;
        max-width: 1150px;
        margin: 45px auto;
    }

    .page-heading{
        text-align: center;
        margin-bottom: 35px;
    }

    .page-heading h1{
        font-size: 42px;
        color: #ffffff;
        margin-bottom: 12px;
    }

```

```

.page-heading p{
  color: #cbd5e1;
  font-size: 16px;
  line-height: 1.6;
}

.cards-grid{
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 28px;
  align-items: start;
}

.card{
  background: #ffffff;
  color: #111827;
  padding: 34px;
  border-radius: 24px;
  box-shadow: 0 28px 70px rgba(0,0,0,0.30);
  border: 1px solid rgba(255,255,255,0.12);
}

.card h3{
  color: #111827;
  margin-bottom: 20px;
  font-size: 23px;
  font-weight: 800;
  padding-left: 14px;
  border-left: 5px solid #38bdf8;
}

input, textarea, select{
  width: 100%;
  padding: 14px 15px;
  margin-top: 13px;
  border: 1px solid #d1d5db;
  border-radius: 12px;
  box-sizing: border-box;
  outline: none;
  font-size: 15px;
  background: #f9fafb;
  color: #111827;
  transition: 0.3s ease;
}

input:focus, textarea:focus, select:focus{
  border-color: #38bdf8;
  background: #ffffff;
  box-shadow: 0 0 0 4px rgba(56,189,248,0.16);
}

textarea{
  height: 110px;
  resize: vertical;
}

button{
  width: 100%;
  padding: 14px;
  margin-top: 20px;
  background: linear-gradient(135deg, #38bdf8, #0ea5e9);
}

```

```

        color: #082f49;
        border: none;
        border-radius: 12px;
        cursor: pointer;
        font-weight: 800;
        font-size: 15px;
        transition: 0.3s ease;
        box-shadow: 0 12px 25px rgba(56,189,248,0.25);
    }

    button:hover{
        background: linear-gradient(135deg, #0ea5e9, #0284c7);
        transform: translateY(-2px);
        box-shadow: 0 15px 30px rgba(56,189,248,0.35);
    }

    .csv-btn{
        background: linear-gradient(135deg, #a78bfa, #7c3aed);
        color: #ffffff;
        box-shadow: 0 12px 25px rgba(167,139,250,0.25);
    }

    .csv-btn:hover{
        background: linear-gradient(135deg, #8b5cf6, #6d28d9);
        box-shadow: 0 15px 30px rgba(167,139,250,0.35);
    }

    .success{
        background: #dcfce7;
        color: #166534;
        border: 1px solid #bbf7d0;
        padding: 12px;
        text-align: center;
        border-radius: 10px;
        margin-bottom: 18px;
        font-size: 14px;
        font-weight: 700;
    }

    .error{
        background: #fee2e2;
        color: #991b1b;
        border: 1px solid #fecaca;
        padding: 12px;
        text-align: center;
        border-radius: 10px;
        margin-bottom: 18px;
        font-size: 14px;
        font-weight: 700;
    }

    .note{
        background: #f8fafc;
        padding: 16px;
        border-left: 5px solid #a78bfa;
        margin-top: 16px;
        font-size: 14px;
        color: #475569;
        border-radius: 12px;
        line-height: 1.7;
    }

```

```

.note b{
    color: #111827;
}

.divider{
    text-align: center;
    margin: 32px 0;
    font-weight: 800;
    color: #7dd3fc;
    letter-spacing: 1px;
    display: none;
}

.back-btn{
    display: inline-block;
    text-align: center;
    margin-top: 28px;
    background: rgba(167,139,250,0.15);
    color: #ddd6fe;
    border: 1px solid rgba(196,181,253,0.28);
    padding: 12px 18px;
    text-decoration: none;
    border-radius: 12px;
    font-weight: 800;
    transition: 0.3s ease;
}

.back-btn:hover{
    background: rgba(167,139,250,0.25);
    transform: translateY(-2px);
}

@media (max-width: 950px) {
    .topbar{
        padding: 20px 30px;
        flex-direction: column;
        gap: 14px;
    }

    .cards-grid{
        grid-template-columns: 1fr;
    }

    .divider{
        display: block;
    }

    .page-heading h1{
        font-size: 34px;
    }

    .card{
        padding: 28px 24px;
    }
}
</style>
</head>

<body>

```

```

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="dashboard.php">Admin Dashboard</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>Add Questions</h1>
        <p>Upload questions using a CSV file or add questions manually for
any created exam.</p>
    </div>

    <div class="cards-grid">

        <div class="card">

            <h3>Upload Questions Using CSV File</h3>

            <?php
            if (isset($csv_success)) {
                echo "<p class='success'>$csv_success</p>";
            }

            if (isset($csv_error)) {
                echo "<p class='error'>$csv_error</p>";
            }
            ?>

            <form method="POST" enctype="multipart/form-data">

                <select name="csv_exam_id" required>
                    <option value="">Select Exam</option>

                    <?php
                    mysqli_data_seek($exam_result, 0);
                    while ($exam = mysqli_fetch_assoc($exam_result)) {
                        echo "<option
value='".$exam['exam_id']."'>".$exam['exam_title']."'</option>";
                    }
                    ?>

                </select>

                <input type="file" name="csv_file" accept=".csv" required>

                <div class="note">
                    <b>CSV Format:</b><br>
                    question_text, option1, option2, option3, option4,
correct_option, Marks<br><br>

                    <b>Example:</b><br>
                    Which keyword is used to create a class in Java?, class,
function, method, object, option1<br><br>

                    <b>Correct Option Allowed Values:</b><br>
                    option1 / option 1 / 1 / a<br>
                    option2 / option 2 / 2 / b<br>
                    option3 / option 3 / 3 / c<br>
                    option4 / option 4 / 4 / d
                </div>
            </form>
        </div>
    </div>

```

```

        <button type="submit" name="upload_csv"
class="csv-btn">Upload CSV Questions</button>

    </form>

</div>

<div class="card">

    <h3>Manually Add Question</h3>

    <?php
    if (isset($manual_success)) {
        echo "<p class='success'>$manual_success</p>";
    }

    if (isset($manual_error)) {
        echo "<p class='error'>$manual_error</p>";
    }
    ?>

    <form method="POST">

        <select name="exam_id" required>
            <option value="">Select Exam</option>

            <?php
            mysqli_data_seek($exam_result, 0);
            while ($exam = mysqli_fetch_assoc($exam_result)) {
                echo "<option
value='". $exam['exam_id'] . "'>". $exam['exam_title'] . "</option>";
            }
            ?>

        </select>

        <textarea name="question_text" placeholder="Enter Question"
required></textarea>

        <input type="text" name="option1" placeholder="Enter Option
A" required>

        <input type="text" name="option2" placeholder="Enter Option
B" required>

        <input type="text" name="option3" placeholder="Enter Option
C" required>

        <input type="text" name="option4" placeholder="Enter Option
D" required>

        <select name="correct_option" required>
            <option value="">Select Correct Option</option>
            <option value="A">A</option>
            <option value="B">B</option>
            <option value="C">C</option>
            <option value="D">D</option>
        </select>

```

```

                <button type="submit" name="add_question">Add Question
Manually</button>

            </form>

        </div>

    </div>

    <a class="back-btn" href="dashboard.php">Back to Dashboard</a>

</div>

</body>
</html>

```

view_exams.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

/* Delete exam logic */
if (isset($_GET['delete_id'])) {

    $delete_id = $_GET['delete_id'];

    $delete_query = "DELETE FROM exams WHERE exam_id='$delete_id'";
    $delete_result = mysqli_query($conn, $delete_query);

    if ($delete_result) {
        $success = "Exam deleted successfully!";
    } else {
        $error = "Error deleting exam: " . mysqli_error($conn);
    }
}

/* Ascending order */
$query = "SELECT * FROM exams ORDER BY exam_id ASC";
$result = mysqli_query($conn, $query);

if (!$result) {
    die("Exam Query Error: " . mysqli_error($conn));
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>View Exams - ExamSphere</title>

```

```

<style>
  *{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
  }

  body{
    font-family: "Segoe UI", Arial, sans-serif;
    min-height: 100vh;
    background:
      radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
      radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
      #0f172a;
    color: #f8fafc;
  }

  .topbar{
    width: 100%;
    padding: 22px 70px;
    background: #111827;
    display: flex;
    justify-content: space-between;
    align-items: center;
    border-bottom: 1px solid rgba(255,255,255,0.08);
  }

  .brand{
    font-size: 26px;
    font-weight: 800;
    color: #f8fafc;
    letter-spacing: 0.5px;
  }

  .brand span{
    color: #38bdf8;
  }

  .topbar a{
    color: #7dd3fc;
    text-decoration: none;
    background: rgba(56,189,248,0.12);
    border: 1px solid rgba(125,211,252,0.25);
    padding: 10px 16px;
    border-radius: 30px;
    font-weight: 700;
    font-size: 14px;
    transition: 0.3s;
  }

  .topbar a:hover{
    background: rgba(56,189,248,0.20);
    transform: translateY(-2px);
  }

  .page-section{
    width: 94%;
    max-width: 1250px;
  }

```

```

        margin: 45px auto;
    }

    .page-heading{
        text-align: center;
        margin-bottom: 35px;
    }

    .page-heading h1{
        font-size: 42px;
        color: #ffffff;
        margin-bottom: 12px;
    }

    .page-heading p{
        color: #cbd5e1;
        font-size: 16px;
        line-height: 1.6;
    }

    .table-card{
        background: rgba(255,255,255,0.06);
        border: 1px solid rgba(255,255,255,0.10);
        border-radius: 24px;
        padding: 30px;
        box-shadow: 0 28px 70px rgba(0,0,0,0.30);
        backdrop-filter: blur(10px);
        overflow-x: auto;
    }

    .success{
        background: rgba(34,197,94,0.14);
        color: #86efac;
        border: 1px solid rgba(134,239,172,0.25);
        padding: 12px;
        text-align: center;
        border-radius: 12px;
        margin-bottom: 20px;
        font-weight: 700;
        font-size: 14px;
    }

    .error{
        background: rgba(248,113,113,0.14);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        padding: 12px;
        text-align: center;
        border-radius: 12px;
        margin-bottom: 20px;
        font-weight: 700;
        font-size: 14px;
    }

    table{
        width: 100%;
        border-collapse: separate;
        border-spacing: 0 12px;
        margin-top: 5px;
    }

```

```

th{
  background: rgba(56,189,248,0.14);
  color: #7dd3fc;
  padding: 14px 12px;
  text-align: center;
  font-size: 14px;
  border-top: 1px solid rgba(125,211,252,0.18);
  border-bottom: 1px solid rgba(125,211,252,0.18);
}

th:first-child{
  border-radius: 12px 0 0 12px;
  border-left: 1px solid rgba(125,211,252,0.18);
}

th:last-child{
  border-radius: 0 12px 12px 0;
  border-right: 1px solid rgba(125,211,252,0.18);
}

td{
  background: rgba(255,255,255,0.07);
  color: #e5e7eb;
  padding: 15px 12px;
  text-align: center;
  font-size: 14px;
  border-top: 1px solid rgba(255,255,255,0.08);
  border-bottom: 1px solid rgba(255,255,255,0.08);
}

td:first-child{
  border-radius: 12px 0 0 12px;
  border-left: 1px solid rgba(255,255,255,0.08);
  color: #7dd3fc;
  font-weight: 800;
}

td:last-child{
  border-radius: 0 12px 12px 0;
  border-right: 1px solid rgba(255,255,255,0.08);
}

tr:hover td{
  background: rgba(255,255,255,0.11);
}

.btn{
  display: inline-block;
  text-decoration: none;
  padding: 9px 13px;
  border-radius: 10px;
  margin: 4px;
  font-size: 13px;
  font-weight: 800;
  transition: 0.3s ease;
}

.view-btn{
  background: linear-gradient(135deg, #38bdf8, #0ea5e9);
  color: #082f49;
  box-shadow: 0 10px 20px rgba(56,189,248,0.20);
}

```

```

}

.view-btn:hover{
  background: linear-gradient(135deg, #0ea5e9, #0284c7);
  transform: translateY(-2px);
}

.delete-btn{
  background: rgba(248,113,113,0.15);
  color: #fca5a5;
  border: 1px solid rgba(252,165,165,0.28);
}

.delete-btn:hover{
  background: rgba(248,113,113,0.25);
  transform: translateY(-2px);
}

.back-btn{
  display: inline-block;
  margin-top: 25px;
  text-decoration: none;
  background: rgba(167,139,250,0.15);
  color: #ddd6fe;
  border: 1px solid rgba(196,181,253,0.28);
  padding: 12px 18px;
  border-radius: 12px;
  font-weight: 800;
  transition: 0.3s ease;
}

.back-btn:hover{
  background: rgba(167,139,250,0.25);
  transform: translateY(-2px);
}

.empty-row{
  color: #cbd5e1;
  font-weight: 600;
}

@media(max-width: 800px){
  .topbar{
    padding: 20px 30px;
    flex-direction: column;
    gap: 14px;
  }

  .page-heading h1{
    font-size: 34px;
  }

  .table-card{
    padding: 22px;
  }

  table{
    min-width: 900px;
  }
}
</style>

```

```

</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="dashboard.php">Admin Dashboard</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>View Exams</h1>
        <p>Review all created exams, view their questions, or delete exam
records when required.</p>
    </div>

    <div class="table-card">

        <?php
        if (isset($success)) {
            echo "<div class='success'>$success</div>";
        }

        if (isset($error)) {
            echo "<div class='error'>$error</div>";
        }
        ?>

        <table>
            <tr>
                <th>S/N</th>
                <th>Exam Title</th>
                <th>Exam Date</th>
                <th>Duration</th>
                <th>Total Marks</th>
                <th>Created At</th>
                <th>Actions</th>
            </tr>

            <?php
            if (mysqli_num_rows($result) > 0) {

                $sn = 1;

                while ($row = mysqli_fetch_assoc($result)) {

                    echo "<tr>";
                    echo "<td>".$sn++."</td>";
                    echo "<td>".$row['exam_title']."</td>";
                    echo "<td>".$row['exam_date']."</td>";
                    echo "<td>".$row['duration']." minutes</td>";
                    echo "<td>".$row['total_marks']."</td>";
                    echo "<td>".$row['created_at']."</td>";

                    echo "<td>
                        <a class='btn view-btn'
href='view_exam_questions.php?exam_id=".$row['exam_id']."'>View Questions</a>

                        <a class='btn delete-btn'

```

```

href='view_exams.php?delete_id=".$row['exam_id']."'
        onclick=\"return confirm('Are you sure you
want to delete this exam? This will also delete its questions and related
results.');

```

view_exam_questions.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

if (!isset($_GET['exam_id'])) {
    die("Exam ID not found.");
}

$exam_id = $_GET['exam_id'];

/* Delete selected questions logic */
if (isset($_POST['delete_selected'])) {

    if (isset($_POST['question_ids']) && count($_POST['question_ids']) > 0) {

        $question_ids = $_POST['question_ids'];

        $safe_ids = array_map('intval', $question_ids);
        $ids_string = implode(",", $safe_ids);
    }
}

```

```

        $delete_query = "DELETE FROM questions WHERE question_id IN
($ids_string) AND exam_id='$exam_id'";
        $delete_result = mysqli_query($conn, $delete_query);

        if ($delete_result) {
            $success = "Selected question(s) deleted successfully!";
        } else {
            $error = "Error deleting questions: " . mysqli_error($conn);
        }

    } else {
        $error = "Please select at least one question to delete.";
    }
}

/* Exam fetch */
$exam_query = "SELECT * FROM exams WHERE exam_id='$exam_id'";
$exam_result = mysqli_query($conn, $exam_query);

if (!$exam_result) {
    die("Exam Query Error: " . mysqli_error($conn));
}

if (mysqli_num_rows($exam_result) == 0) {
    die("Exam not found.");
}

$exam = mysqli_fetch_assoc($exam_result);

/* Questions fetch in ascending order */
$question_query = "SELECT * FROM questions WHERE exam_id='$exam_id' ORDER BY
question_id ASC";
$question_result = mysqli_query($conn, $question_query);

if (!$question_result) {
    die("Question Query Error: " . mysqli_error($conn));
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Exam Questions - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;

```

```

}

.topbar{
  width: 100%;
  padding: 22px 70px;
  background: #111827;
  display: flex;
  justify-content: space-between;
  align-items: center;
  border-bottom: 1px solid rgba(255,255,255,0.08);
}

.brand{
  font-size: 26px;
  font-weight: 800;
  color: #f8fafc;
  letter-spacing: 0.5px;
}

.brand span{
  color: #38bdf8;
}

.topbar a{
  color: #7dd3fc;
  text-decoration: none;
  background: rgba(56,189,248,0.12);
  border: 1px solid rgba(125,211,252,0.25);
  padding: 10px 16px;
  border-radius: 30px;
  font-weight: 700;
  font-size: 14px;
  transition: 0.3s;
}

.topbar a:hover{
  background: rgba(56,189,248,0.20);
  transform: translateY(-2px);
}

.page-section{
  width: 96%;
  max-width: 1350px;
  margin: 45px auto;
}

.page-heading{
  text-align: center;
  margin-bottom: 30px;
}

.page-heading h1{
  font-size: 42px;
  color: #ffffff;
  margin-bottom: 12px;
}

.page-heading p{
  color: #cbd5e1;
  font-size: 16px;
  line-height: 1.6;
}

```

```

}

.exam-info-card{
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.10);
  border-radius: 22px;
  padding: 24px;
  margin-bottom: 28px;
  box-shadow: 0 20px 45px rgba(0,0,0,0.22);
  backdrop-filter: blur(10px);
  text-align: center;
}

.exam-info-card h2{
  color: #7dd3fc;
  font-size: 26px;
  margin-bottom: 12px;
}

.exam-meta{
  display: flex;
  justify-content: center;
  gap: 14px;
  flex-wrap: wrap;
}

.exam-meta span{
  display: inline-block;
  padding: 9px 15px;
  border-radius: 24px;
  background: rgba(255,255,255,0.07);
  border: 1px solid rgba(255,255,255,0.10);
  color: #dbeafe;
  font-size: 14px;
  font-weight: 700;
}

.table-card{
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.10);
  border-radius: 24px;
  padding: 30px;
  box-shadow: 0 28px 70px rgba(0,0,0,0.30);
  backdrop-filter: blur(10px);
  overflow-x: auto;
}

.message-success{
  background: rgba(34,197,94,0.14);
  color: #86efac;
  border: 1px solid rgba(134,239,172,0.25);
  padding: 12px;
  text-align: center;
  border-radius: 12px;
  margin-bottom: 20px;
  font-weight: 700;
  font-size: 14px;
}

.message-error{
  background: rgba(248,113,113,0.14);

```

```

        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        padding: 12px;
        text-align: center;
        border-radius: 12px;
        margin-bottom: 20px;
        font-weight: 700;
        font-size: 14px;
    }

    .top-actions{
        margin: 5px 0 22px;
        text-align: right;
    }

    .delete-mode-btn,
    .delete-selected-btn,
    .cancel-delete-btn{
        border: none;
        padding: 11px 16px;
        border-radius: 12px;
        cursor: pointer;
        font-weight: 800;
        font-size: 14px;
        transition: 0.3s ease;
        margin-left: 8px;
    }

    .delete-mode-btn{
        background: rgba(248,113,113,0.15);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.28);
    }

    .delete-mode-btn:hover{
        background: rgba(248,113,113,0.25);
        transform: translateY(-2px);
    }

    .delete-selected-btn{
        background: linear-gradient(135deg, #ef4444, #b91c1c);
        color: white;
        display: none;
        box-shadow: 0 12px 25px rgba(239,68,68,0.22);
    }

    .delete-selected-btn:hover{
        transform: translateY(-2px);
    }

    .cancel-delete-btn{
        background: rgba(167,139,250,0.15);
        color: #ddd6fe;
        border: 1px solid rgba(196,181,253,0.28);
        display: none;
    }

    .cancel-delete-btn:hover{
        background: rgba(167,139,250,0.25);
        transform: translateY(-2px);
    }

```

```

table{
    width: 100%;
    border-collapse: separate;
    border-spacing: 0 12px;
    margin-top: 5px;
    min-width: 1100px;
}

th{
    background: rgba(56,189,248,0.14);
    color: #7dd3fc;
    padding: 14px 12px;
    text-align: center;
    font-size: 14px;
    border-top: 1px solid rgba(125,211,252,0.18);
    border-bottom: 1px solid rgba(125,211,252,0.18);
}

th:first-child{
    border-radius: 12px 0 0 12px;
    border-left: 1px solid rgba(125,211,252,0.18);
}

th:last-child{
    border-radius: 0 12px 12px 0;
    border-right: 1px solid rgba(125,211,252,0.18);
}

td{
    background: rgba(255,255,255,0.07);
    color: #e5e7eb;
    padding: 15px 12px;
    text-align: center;
    font-size: 14px;
    border-top: 1px solid rgba(255,255,255,0.08);
    border-bottom: 1px solid rgba(255,255,255,0.08);
    line-height: 1.5;
}

td:first-child{
    border-radius: 12px 0 0 12px;
    border-left: 1px solid rgba(255,255,255,0.08);
    color: #7dd3fc;
    font-weight: 800;
}

td:last-child{
    border-radius: 0 12px 12px 0;
    border-right: 1px solid rgba(255,255,255,0.08);
}

tr:hover td{
    background: rgba(255,255,255,0.11);
}

.question-cell{
    text-align: left;
    min-width: 260px;
    color: #f8fafc;
    font-weight: 600;
}

```

```

}

.option-cell{
    color: #cbd5e1;
}

.correct{
    display: inline-block;
    padding: 7px 13px;
    border-radius: 20px;
    background: rgba(34,197,94,0.14);
    color: #86efac;
    border: 1px solid rgba(134,239,172,0.25);
    font-weight: 900;
}

.checkbox-col{
    display: none;
}

.select-all-box,
.question-check{
    transform: scale(1.25);
    cursor: pointer;
    accent-color: #38bdf8;
}

.empty-row{
    color: #cbd5e1;
    font-weight: 600;
}

.back-btn{
    display: inline-block;
    margin-top: 25px;
    text-decoration: none;
    background: rgba(167,139,250,0.15);
    color: #ddd6fe;
    border: 1px solid rgba(196,181,253,0.28);
    padding: 12px 18px;
    border-radius: 12px;
    font-weight: 800;
    transition: 0.3s ease;
}

.back-btn:hover{
    background: rgba(167,139,250,0.25);
    transform: translateY(-2px);
}

@media(max-width: 850px){
    .topbar{
        padding: 20px 30px;
        flex-direction: column;
        gap: 14px;
    }

    .page-heading h1{
        font-size: 34px;
    }
}

```

```

        .table-card{
            padding: 22px;
        }

        .top-actions{
            text-align: center;
        }

        .delete-mode-btn,
        .delete-selected-btn,
        .cancel-delete-btn{
            margin: 6px;
        }
    }
</style>
</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="view_exams.php">View Exams</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>Exam Questions</h1>
        <p>View and manage questions added for the selected exam.</p>
    </div>

    <div class="exam-info-card">
        <h2><?php echo $exam['exam_title']; ?></h2>

        <div class="exam-meta">
            <span>Duration: <?php echo $exam['duration']; ?> minutes</span>
            <span>Total Marks: <?php echo $exam['total_marks']; ?></span>
        </div>
    </div>

    <div class="table-card">

        <?php
        if (isset($success)) {
            echo "<div class='message-success'>$success</div>";
        }

        if (isset($error)) {
            echo "<div class='message-error'>$error</div>";
        }
        ?>

        <form method="POST" onsubmit="return confirmDeleteQuestions();">

            <div class="top-actions">
                <button type="button" id="deleteModeBtn"
class="delete-mode-btn" onclick="enableDeleteMode()">Delete
Questions</button>

                <button type="submit" name="delete_selected"
id="deleteSelectedBtn" class="delete-selected-btn">

```

```

        Delete Selected
    </button>

    <button type="button" id="cancelDeleteBtn"
class="cancel-delete-btn" onclick="disableDeleteMode()">
        Cancel
    </button>
</div>

<table>
    <tr>
        <th>S/N</th>
        <th>Question</th>
        <th>Option A</th>
        <th>Option B</th>
        <th>Option C</th>
        <th>Option D</th>
        <th>Correct Option</th>
        <th class="checkbox-col">Select<br>
            <input type="checkbox" id="selectAll"
class="select-all-box" onclick="toggleSelectAll()">
        </th>
    </tr>

    <?php
    if (mysqli_num_rows($question_result) > 0) {

        $sn = 1;

        while ($row = mysqli_fetch_assoc($question_result)) {

            echo "<tr>";
            echo "<td>".$sn++."</td>";
            echo "<td
class='question-cell'>".$row['question_text']."</td>";
            echo "<td
class='option-cell'>".$row['option1']."</td>";
            echo "<td
class='option-cell'>".$row['option2']."</td>";
            echo "<td
class='option-cell'>".$row['option3']."</td>";
            echo "<td
class='option-cell'>".$row['option4']."</td>";

            $correct_raw =
strtoupper(trim($row['correct_option']));
            $correct_display = "";

            if ($correct_raw == "option1" || $correct_raw ==
"option 1" || $correct_raw == "1" || $correct_raw == "a") {
                $correct_display = "A";
            } elseif ($correct_raw == "option2" || $correct_raw
== "option 2" || $correct_raw == "2" || $correct_raw == "b") {
                $correct_display = "B";
            } elseif ($correct_raw == "option3" || $correct_raw
== "option 3" || $correct_raw == "3" || $correct_raw == "c") {
                $correct_display = "C";
            } elseif ($correct_raw == "option4" || $correct_raw
== "option 4" || $correct_raw == "4" || $correct_raw == "d") {
                $correct_display = "D";
            } else {

```

```

        $correct_display = "Not Set";
    }

    echo "<td><span
class='correct'>".$correct_display."</span></td>";

    echo "<td class='checkbox-col'>
        <input type='checkbox' class='question-check'
name='question_ids[' value='".$row['question_id']."'>
        </td>";

    echo "</tr>";
}

} else {
    echo "<tr><td colspan='8' class='empty-row'>No questions
found for this exam</td></tr>";
}
?>

</table>

</form>

<a class="back-btn" href="view_exams.php">Back to View Exams</a>

</div>

</div>

<script>
function enableDeleteMode() {
    let checkboxCols = document.querySelectorAll(".checkbox-col");

    checkboxCols.forEach(function(col) {
        col.style.display = "table-cell";
    });

    document.getElementById("deleteModeBtn").style.display = "none";
    document.getElementById("deleteSelectedBtn").style.display =
"inline-block";
    document.getElementById("cancelDeleteBtn").style.display =
"inline-block";
}

function disableDeleteMode() {
    let checkboxCols = document.querySelectorAll(".checkbox-col");

    checkboxCols.forEach(function(col) {
        col.style.display = "none";
    });

    let checkboxes = document.querySelectorAll(".question-check");
    checkboxes.forEach(function(box) {
        box.checked = false;
    });

    document.getElementById("selectAll").checked = false;

    document.getElementById("deleteModeBtn").style.display =
"inline-block";

```

```

        document.getElementById("deleteSelectedBtn").style.display = "none";
        document.getElementById("cancelDeleteBtn").style.display = "none";
    }

    function toggleSelectAll() {
        let selectAll = document.getElementById("selectAll");
        let checkboxes = document.querySelectorAll(".question-check");

        checkboxes.forEach(function(box) {
            box.checked = selectAll.checked;
        });
    }

    function confirmDeleteQuestions() {
        let selected = document.querySelectorAll(".question-check:checked");

        if (selected.length === 0) {
            alert("Please select at least one question to delete.");
            return false;
        }

        return confirm("Are you sure you want to delete selected question(s)?");
    }
}
</script>

</body>
</html>

```

student_register.php

```

<?php
include("db.php");

if (isset($_POST['register'])) {

    $full_name = $_POST['full_name'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $course = $_POST['course'];

    $query = "INSERT INTO students (full_name, email, password, course)
              VALUES ('$full_name', '$email', '$password', '$course)";

    $result = mysqli_query($conn, $query);

    if ($result) {
        $success = "Student registered successfully! You can now login.";
    } else {
        $error = "Registration failed. Email may already exist!";
    }
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Student Registration - ExamSphere</title>

    <style>

```

```

*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body{
  font-family: "Segoe UI", Arial, sans-serif;
  min-height: 100vh;
  background:
    radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
    radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
    #0f172a;
  color: #f8fafc;
  display: flex;
  justify-content: center;
  align-items: center;
  padding: 35px;
}

.register-wrapper{
  width: 980px;
  min-height: 580px;
  display: grid;
  grid-template-columns: 0.9fr 1.1fr;
  border-radius: 24px;
  overflow: hidden;
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.12);
  box-shadow: 0 28px 70px rgba(0,0,0,0.35);
  backdrop-filter: blur(10px);
}

.left-panel{
  background:
    linear-gradient(135deg, rgba(56,189,248,0.18),
rgba(167,139,250,0.18)),
    rgba(17,24,39,0.92);
  color: #ffffff;
  padding: 48px 38px;
  display: flex;
  flex-direction: column;
  justify-content: center;
  border-right: 1px solid rgba(255,255,255,0.10);
}

.left-panel h1{
  font-size: 34px;
  margin-bottom: 16px;
  font-weight: 800;
  letter-spacing: 0.4px;
}

.left-panel h1 span{
  color: #38bdf8;
}

.left-panel p{
  font-size: 16px;
}

```

```

        line-height: 1.7;
        color: #cbd5e1;
    }

    .tagline{
        margin-top: 32px;
        font-size: 14px;
        color: #e0f2fe;
        background: rgba(56,189,248,0.12);
        border: 1px solid rgba(125,211,252,0.25);
        padding: 14px 16px;
        border-radius: 14px;
        line-height: 1.5;
    }

    .portal-points{
        margin-top: 28px;
    }

    .portal-points div{
        margin-bottom: 12px;
        padding: 12px 14px;
        border-radius: 12px;
        background: rgba(255,255,255,0.06);
        color: #dbeafe;
        font-size: 14px;
        border: 1px solid rgba(255,255,255,0.08);
    }

    .right-panel{
        background: #ffffff;
        color: #111827;
        padding: 44px 48px;
        display: flex;
        flex-direction: column;
        justify-content: center;
    }

    .right-panel h2{
        text-align: center;
        color: #111827;
        font-size: 29px;
        margin-bottom: 8px;
        font-weight: 800;
    }

    .sub-text{
        text-align: center;
        color: #6b7280;
        margin-bottom: 26px;
        font-size: 14px;
        line-height: 1.5;
    }

    .input-group{
        margin-bottom: 16px;
    }

    .input-group label{
        display: block;
        margin-bottom: 8px;
    }

```

```

        color: #374151;
        font-weight: 700;
        font-size: 14px;
    }

    .input-group input{
        width: 100%;
        padding: 14px 15px;
        border: 1px solid #d1d5db;
        border-radius: 12px;
        font-size: 15px;
        outline: none;
        transition: 0.3s ease;
        background: #f9fafb;
        color: #111827;
    }

    .input-group input:focus{
        border-color: #a78bfa;
        background: #ffffff;
        box-shadow: 0 0 0 4px rgba(167,139,250,0.16);
    }

    .register-btn{
        width: 100%;
        padding: 14px;
        background: linear-gradient(135deg, #a78bfa, #7c3aed);
        color: #ffffff;
        border: none;
        border-radius: 12px;
        font-size: 16px;
        font-weight: 800;
        cursor: pointer;
        transition: 0.3s ease;
        margin-top: 6px;
        box-shadow: 0 12px 25px rgba(167,139,250,0.25);
    }

    .register-btn:hover{
        background: linear-gradient(135deg, #8b5cf6, #6d28d9);
        transform: translateY(-2px);
        box-shadow: 0 15px 30px rgba(167,139,250,0.35);
    }

    .success{
        background: #dcfce7;
        color: #166534;
        padding: 12px;
        text-align: center;
        border-radius: 10px;
        margin-bottom: 18px;
        font-size: 14px;
        font-weight: 600;
        border: 1px solid #bbf7d0;
    }

    .error{
        background: #fee2e2;
        color: #991b1b;
        padding: 12px;
        text-align: center;
    }

```

```

        border-radius: 10px;
        margin-bottom: 18px;
        font-size: 14px;
        font-weight: 600;
        border: 1px solid #fecaca;
    }

    .links{
        text-align: center;
        margin-top: 17px;
        font-size: 14px;
        color: #6b7280;
    }

    .links a{
        color: #7c3aed;
        text-decoration: none;
        font-weight: 800;
    }

    .links a:hover{
        color: #5b21b6;
        text-decoration: underline;
    }

    .home-link{
        display: block;
        text-align: center;
        margin-top: 17px;
        color: #475569;
        text-decoration: none;
        font-size: 14px;
        font-weight: 600;
    }

    .home-link:hover{
        color: #0ea5e9;
    }

    @media(max-width: 820px){
        .register-wrapper{
            width: 100%;
            grid-template-columns: 1fr;
        }

        .left-panel{
            border-right: none;
            border-bottom: 1px solid rgba(255,255,255,0.10);
            text-align: center;
            padding: 34px 28px;
        }

        .right-panel{
            padding: 38px 28px;
        }
    }
</style>
</head>

<body>

```

```

<div class="register-wrapper">

    <div class="left-panel">
        <h1>Exam<span>Sphere</span></h1>

        <p>
            Create your student account to access online exams, attempt
            available tests,
            and view your results instantly after submission.
        </p>

        <div class="tagline">
            Student Registration | Secure Login | Instant Result Access
        </div>

        <div class="portal-points">
            <div>Quick student account creation</div>
            <div>Access to online examination panel</div>
            <div>Result viewing after exam submission</div>
        </div>
    </div>

    <div class="right-panel">

        <h2>Student Registration</h2>
        <p class="sub-text">Fill in your details to create a new student
        account</p>

        <?php
        if (isset($success)) {
            echo "<div class='success'>$success</div>";
        }

        if (isset($error)) {
            echo "<div class='error'>$error</div>";
        }
        ?>

        <form method="POST">

            <div class="input-group">
                <label>Full Name</label>
                <input type="text" name="full_name" placeholder="Enter your
full name" required>
            </div>

            <div class="input-group">
                <label>Email Address</label>
                <input type="email" name="email" placeholder="Enter your
email address" required>
            </div>

            <div class="input-group">
                <label>Password</label>
                <input type="password" name="password" placeholder="Create a
password" required>
            </div>

            <div class="input-group">
                <label>Course</label>

```

```

                <input type="text" name="course" placeholder="Example: BCA"
required>
            </div>

            <button type="submit" name="register"
class="register-btn">Register</button>

        </form>

        <div class="links">
            Already registered? <a href="student_login.php">Login Here</a>
        </div>

        <div class="links">
            Are you an admin? <a href="login.php">Admin Login</a>
        </div>

        <a class="home-link" href="index.php">Back to Home</a>

    </div>

</div>

</body>
</html>

```

student_login.php

```

<?php
session_start();
include("db.php");

if (isset($_POST['login'])) {

    $email = $_POST['email'];
    $password = $_POST['password'];

    $query = "SELECT * FROM students WHERE email='$email' AND
password='$password'";
    $result = mysqli_query($conn, $query);

    if (!$result) {
        die("Query Failed: " . mysqli_error($conn));
    }

    if (mysqli_num_rows($result) > 0) {

        $student = mysqli_fetch_assoc($result);

        $_SESSION['student_id'] = $student['student_id'];
        $_SESSION['student_name'] = $student['full_name'];

        header("Location: student_dashboard.php");
        exit();

    } else {

```

```

        $error = "Invalid Email or Password!";
    }
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Student Login - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;
            display: flex;
            justify-content: center;
            align-items: center;
            padding: 35px;
        }

        .login-wrapper{
            width: 960px;
            min-height: 540px;
            display: grid;
            grid-template-columns: 0.9fr 1.1fr;
            border-radius: 24px;
            overflow: hidden;
            background: rgba(255,255,255,0.06);
            border: 1px solid rgba(255,255,255,0.12);
            box-shadow: 0 28px 70px rgba(0,0,0,0.35);
            backdrop-filter: blur(10px);
        }

        .left-panel{
            background:
                linear-gradient(135deg, rgba(56,189,248,0.18),
rgba(167,139,250,0.18)),
                rgba(17,24,39,0.92);
            color: #ffffff;
            padding: 48px 38px;
            display: flex;
            flex-direction: column;
            justify-content: center;
            border-right: 1px solid rgba(255,255,255,0.10);
        }

        .left-panel h1{
            font-size: 34px;

```

```
        margin-bottom: 16px;
        font-weight: 800;
        letter-spacing: 0.4px;
    }

    .left-panel h1 span{
        color: #38bdf8;
    }

    .left-panel p{
        font-size: 16px;
        line-height: 1.7;
        color: #cbd5e1;
    }

    .tagline{
        margin-top: 32px;
        font-size: 14px;
        color: #e0f2fe;
        background: rgba(56,189,248,0.12);
        border: 1px solid rgba(125,211,252,0.25);
        padding: 14px 16px;
        border-radius: 14px;
        line-height: 1.5;
    }

    .portal-points{
        margin-top: 28px;
    }

    .portal-points div{
        margin-bottom: 12px;
        padding: 12px 14px;
        border-radius: 12px;
        background: rgba(255,255,255,0.06);
        color: #dbeafe;
        font-size: 14px;
        border: 1px solid rgba(255,255,255,0.08);
    }

    .right-panel{
        background: #ffffff;
        color: #111827;
        padding: 52px 48px;
        display: flex;
        flex-direction: column;
        justify-content: center;
    }

    .right-panel h2{
        text-align: center;
        color: #111827;
        font-size: 29px;
        margin-bottom: 8px;
        font-weight: 800;
    }

    .sub-text{
        text-align: center;
        color: #6b7280;
        margin-bottom: 30px;
    }
```

```

        font-size: 14px;
        line-height: 1.5;
    }

    .input-group{
        margin-bottom: 18px;
    }

    .input-group label{
        display: block;
        margin-bottom: 8px;
        color: #374151;
        font-weight: 700;
        font-size: 14px;
    }

    .input-group input{
        width: 100%;
        padding: 14px 15px;
        border: 1px solid #d1d5db;
        border-radius: 12px;
        font-size: 15px;
        outline: none;
        transition: 0.3s ease;
        background: #f9fafb;
        color: #111827;
    }

    .input-group input:focus{
        border-color: #38bdf8;
        background: #ffffff;
        box-shadow: 0 0 0 4px rgba(56,189,248,0.16);
    }

    .login-btn{
        width: 100%;
        padding: 14px;
        background: linear-gradient(135deg, #38bdf8, #0ea5e9);
        color: #082f49;
        border: none;
        border-radius: 12px;
        font-size: 16px;
        font-weight: 800;
        cursor: pointer;
        transition: 0.3s ease;
        margin-top: 6px;
        box-shadow: 0 12px 25px rgba(56,189,248,0.25);
    }

    .login-btn:hover{
        background: linear-gradient(135deg, #0ea5e9, #0284c7);
        transform: translateY(-2px);
        box-shadow: 0 15px 30px rgba(56,189,248,0.35);
    }

    .error{
        background: #fee2e2;
        color: #991b1b;
        padding: 12px;
        text-align: center;
        border-radius: 10px;
    }

```

```

        margin-bottom: 18px;
        font-size: 14px;
        font-weight: 600;
        border: 1px solid #fecaca;
    }

    .links{
        text-align: center;
        margin-top: 18px;
        font-size: 14px;
        color: #6b7280;
    }

    .links a{
        color: #7c3aed;
        text-decoration: none;
        font-weight: 800;
    }

    .links a:hover{
        color: #5b21b6;
        text-decoration: underline;
    }

    .home-link{
        display: block;
        text-align: center;
        margin-top: 18px;
        color: #475569;
        text-decoration: none;
        font-size: 14px;
        font-weight: 600;
    }

    .home-link:hover{
        color: #0ea5e9;
    }

    @media (max-width: 820px){
        .login-wrapper{
            width: 100%;
            grid-template-columns: 1fr;
        }

        .left-panel{
            border-right: none;
            border-bottom: 1px solid rgba(255,255,255,0.10);
            text-align: center;
            padding: 34px 28px;
        }

        .right-panel{
            padding: 38px 28px;
        }
    }
</style>
</head>

<body>

<div class="login-wrapper">

```

```

<div class="left-panel">
    <h1>Exam<span>Sphere</span></h1>

    <p>
        Access your student portal to attempt available exams, submit
answers securely,
        and view your result instantly after evaluation.
    </p>

    <div class="tagline">
        Student Portal | Timer-Based Exams | Instant Results
    </div>

    <div class="portal-points">
        <div>Secure student authentication</div>
        <div>Online exam attempt panel</div>
        <div>Automatic result generation</div>
    </div>
</div>

<div class="right-panel">

    <h2>Student Login</h2>
    <p class="sub-text">Enter your registered email and password to
continue</p>

    <?php
    if (isset($error)) {
        echo "<div class='error'>$error</div>";
    }
    ?>

    <form method="POST">

        <div class="input-group">
            <label>Email Address</label>
            <input type="email" name="email" placeholder="Enter your
email address" required>
        </div>

        <div class="input-group">
            <label>Password</label>
            <input type="password" name="password" placeholder="Enter
your password" required>
        </div>

        <button type="submit" name="login"
class="login-btn">Login</button>

    </form>

    <div class="links">
        New student? <a href="student_register.php">Register Here</a>
    </div>

    <div class="links">
        Are you an admin? <a href="login.php">Admin Login</a>
    </div>

    <a class="home-link" href="index.php">Back to Home</a>

```

```
        </div>

</div>

</body>
</html>
```

student_dashboard.php

```
<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['student_id'])) {
    header("Location: student_login.php");
    exit();
}

$student_name = $_SESSION['student_name'];
$student_id = $_SESSION['student_id'];

$query = "SELECT * FROM exams ORDER BY exam_id ASC";
$result = mysqli_query($conn, $query);

if (!$result) {
    die("Exam Query Error: " . mysqli_error($conn));
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Student Dashboard - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;
        }

        .topbar{
            width: 100%;
```

```

padding: 22px 70px;
background: #111827;
display: flex;
justify-content: space-between;
align-items: center;
border-bottom: 1px solid rgba(255,255,255,0.08);
}

.brand{
  font-size: 26px;
  font-weight: 800;
  color: #f8fafc;
  letter-spacing: 0.5px;
}

.brand span{
  color: #38bdf8;
}

.logout-btn{
  color: #fca5a5;
  text-decoration: none;
  background: rgba(248,113,113,0.14);
  border: 1px solid rgba(252,165,165,0.28);
  padding: 10px 16px;
  border-radius: 30px;
  font-weight: 700;
  font-size: 14px;
  transition: 0.3s;
}

.logout-btn:hover{
  background: rgba(248,113,113,0.25);
  transform: translateY(-2px);
}

.page-section{
  width: 94%;
  max-width: 1250px;
  margin: 45px auto;
}

.welcome-card{
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.10);
  border-radius: 24px;
  padding: 35px;
  margin-bottom: 30px;
  box-shadow: 0 28px 70px rgba(0,0,0,0.25);
  backdrop-filter: blur(10px);
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 25px;
}

.welcome-card h1{
  font-size: 36px;
  color: #ffffff;
  margin-bottom: 10px;
}

```

```

.welcome-card h1 span{
    color: #38bdf8;
}

.welcome-card p{
    color: #cbd5e1;
    font-size: 15px;
    line-height: 1.6;
}

.student-badge{
    padding: 12px 18px;
    border-radius: 30px;
    background: rgba(56,189,248,0.12);
    color: #7dd3fc;
    border: 1px solid rgba(125,211,252,0.25);
    font-weight: 800;
    white-space: nowrap;
}

.table-card{
    background: rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.10);
    border-radius: 24px;
    padding: 30px;
    box-shadow: 0 28px 70px rgba(0,0,0,0.30);
    backdrop-filter: blur(10px);
    overflow-x: auto;
}

.table-card h2{
    font-size: 26px;
    margin-bottom: 22px;
    color: #ffffff;
}

table{
    width: 100%;
    border-collapse: separate;
    border-spacing: 0 12px;
    margin-top: 5px;
}

th{
    background: rgba(56,189,248,0.14);
    color: #7dd3fc;
    padding: 14px 12px;
    text-align: center;
    font-size: 14px;
    border-top: 1px solid rgba(125,211,252,0.18);
    border-bottom: 1px solid rgba(125,211,252,0.18);
}

th:first-child{
    border-radius: 12px 0 0 12px;
    border-left: 1px solid rgba(125,211,252,0.18);
}

th:last-child{
    border-radius: 0 12px 12px 0;
}

```

```

        border-right: 1px solid rgba(125,211,252,0.18);
    }

    td{
        background: rgba(255,255,255,0.07);
        color: #e5e7eb;
        padding: 15px 12px;
        text-align: center;
        font-size: 14px;
        border-top: 1px solid rgba(255,255,255,0.08);
        border-bottom: 1px solid rgba(255,255,255,0.08);
    }

    td:first-child{
        border-radius: 12px 0 0 12px;
        border-left: 1px solid rgba(255,255,255,0.08);
        color: #7dd3fc;
        font-weight: 800;
    }

    td:last-child{
        border-radius: 0 12px 12px 0;
        border-right: 1px solid rgba(255,255,255,0.08);
    }

    tr:hover td{
        background: rgba(255,255,255,0.11);
    }

    .exam-title{
        color: #ffffff;
        font-weight: 800;
    }

    .date-badge{
        display: inline-block;
        padding: 7px 12px;
        border-radius: 20px;
        background: rgba(167,139,250,0.15);
        color: #ddd6fe;
        border: 1px solid rgba(196,181,253,0.28);
        font-weight: 700;
    }

    .marks-badge{
        display: inline-block;
        padding: 7px 12px;
        border-radius: 20px;
        background: rgba(56,189,248,0.14);
        color: #7dd3fc;
        border: 1px solid rgba(125,211,252,0.25);
        font-weight: 800;
    }

    .start-btn{
        display: inline-block;
        text-decoration: none;
        padding: 10px 16px;
        border-radius: 12px;
        background: linear-gradient(135deg, #38bdf8, #0ea5e9);
        color: #082f49;
    }

```

```

        font-weight: 800;
        transition: 0.3s ease;
        box-shadow: 0 10px 20px rgba(56,189,248,0.20);
    }

    .start-btn:hover{
        background: linear-gradient(135deg, #0ea5e9, #0284c7);
        transform: translateY(-2px);
    }

    .attempted{
        display: inline-block;
        padding: 8px 13px;
        border-radius: 20px;
        background: rgba(248,113,113,0.14);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        font-weight: 800;
    }

    .empty-row{
        color: #cbd5e1;
        font-weight: 600;
    }

    @media (max-width: 850px) {
        .topbar{
            padding: 20px 30px;
            flex-direction: column;
            gap: 14px;
        }

        .welcome-card{
            flex-direction: column;
            text-align: center;
        }

        .welcome-card h1{
            font-size: 30px;
        }

        .table-card{
            padding: 22px;
        }

        table{
            min-width: 850px;
        }
    }
</style>
</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a class="logout-btn" href="student_logout.php">Logout</a>
</div>

<div class="page-section">

```

```

<div class="welcome-card">
    <div>
        <h1>Welcome, <span><?php echo $student_name; ?></span></h1>
        <p>Select an available exam from the list below and start your
online test when ready.</p>
    </div>

    <div class="student-badge">Student Portal</div>
</div>

<div class="table-card">

    <h2>Available Exams</h2>

    <table>
        <tr>
            <th>S/N</th>
            <th>Exam Title</th>
            <th>Exam Date</th>
            <th>Duration</th>
            <th>Total Marks</th>
            <th>Action</th>
        </tr>

        <?php
        if (mysqli_num_rows($result) > 0) {

            $sn = 1;

            while ($row = mysqli_fetch_assoc($result)) {

                echo "<tr>";
                echo "<td>".$sn++."</td>";
                echo "<td
class='exam-title'>".$row['exam_title']."</td>";
                echo "<td><span
class='date-badge'>".$row['exam_date']."</span></td>";
                echo "<td>".$row['duration']." minutes</td>";
                echo "<td><span
class='marks-badge'>".$row['total_marks']."</span></td>";

                $exam_id = $row['exam_id'];

                $check_query = "SELECT * FROM results WHERE
student_id='$student_id' AND exam_id='$exam_id'";
                $check_result = mysqli_query($conn, $check_query);

                if (mysqli_num_rows($check_result) > 0) {
                    echo "<td><span class='attempted'>Already
Attempted</span></td>";
                } else {
                    echo "<td><a class='start-btn'
href='start_exam.php?exam_id=".$row['exam_id']."'>Start Exam</a></td>";
                }

                echo "</tr>";
            }

        } else {
            echo "<tr><td colspan='6' class='empty-row'>No exams
available</td></tr>";
        }
    }

```

```

        }
    ?>

</table>

</div>

</div>

</body>
</html>

```

start_exam.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['student_id'])) {
    header("Location: student_login.php");
    exit();
}

if (!isset($_GET['exam_id'])) {
    die("Exam ID not found.");
}

$student_id = $_SESSION['student_id'];
$exam_id = $_GET['exam_id'];

/* Exam fetch */
$exam_query = "SELECT * FROM exams WHERE exam_id='$exam_id'";
$exam_result = mysqli_query($conn, $exam_query);

if (!$exam_result) {
    die("Exam query error: " . mysqli_error($conn));
}

if (mysqli_num_rows($exam_result) == 0) {
    die("Exam not found.");
}

$exam = mysqli_fetch_assoc($exam_result);

/* Already attempted check */
$attempt_check_query = "SELECT * FROM results WHERE student_id='$student_id'
AND exam_id='$exam_id'";
$attempt_check_result = mysqli_query($conn, $attempt_check_query);

if ($_SERVER['REQUEST_METHOD'] != 'POST' &&
mysqli_num_rows($attempt_check_result) > 0) {
    ?>
    <!DOCTYPE html>
    <html>
    <head>
        <title>Already Attempted - ExamSphere</title>

```

```

<style>
  *{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
  }

  body{
    font-family: "Segoe UI", Arial, sans-serif;
    min-height: 100vh;
    background:
      radial-gradient(circle at top right,
        rgba(56,189,248,0.20), transparent 30%),
      radial-gradient(circle at bottom left,
        rgba(168,85,247,0.18), transparent 32%),
      #0f172a;
    color: #f8fafc;
    display: flex;
    justify-content: center;
    align-items: center;
    padding: 30px;
  }

  .box{
    width: 460px;
    background: rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.10);
    padding: 36px;
    text-align: center;
    border-radius: 24px;
    box-shadow: 0 28px 70px rgba(0,0,0,0.35);
    backdrop-filter: blur(10px);
  }

  h2{
    color: #fca5a5;
    margin-bottom: 14px;
    font-size: 26px;
  }

  p{
    color: #cbd5e1;
    line-height: 1.6;
  }

  a{
    display: inline-block;
    margin-top: 24px;
    background: rgba(56,189,248,0.14);
    color: #7dd3fc;
    border: 1px solid rgba(125,211,252,0.25);
    padding: 12px 18px;
    text-decoration: none;
    border-radius: 12px;
    font-weight: 800;
    transition: 0.3s;
  }

  a:hover{
    background: rgba(56,189,248,0.22);
    transform: translateY(-2px);
  }

```

```

    }
    </style>
</head>
<body>

<div class="box">
    <h2>You have already attempted this exam.</h2>
    <p>You cannot attempt the same exam again.</p>
    <a href="student_dashboard.php">Back to Dashboard</a>
</div>

</body>
</html>
<?php
exit();
}

/* Function to normalize correct option */
function normalizeOption($option) {
    $option = strtolower(trim($option));

    if ($option == "a" || $option == "option1" || $option == "option 1") {
        return "A";
    } elseif ($option == "b" || $option == "option2" || $option == "option
2") {
        return "B";
    } elseif ($option == "c" || $option == "option3" || $option == "option
3") {
        return "C";
    } elseif ($option == "d" || $option == "option4" || $option == "option
4") {
        return "D";
    }

    return strtoupper($option);
}

/* Submit exam */
if ($_SERVER['REQUEST_METHOD'] == 'POST') {

    $score = 0;
    $total_questions = 0;
    $total_marks = 0;

    $questions_sql = "SELECT * FROM questions WHERE exam_id='$exam_id'";
    $questions_result = mysqli_query($conn, $questions_sql);

    if (!$questions_result) {
        die("Questions fetch error: " . mysqli_error($conn));
    }

    while ($question = mysqli_fetch_assoc($questions_result)) {

        $total_questions++;

        $question_id = $question['question_id'];
        $correct_option = normalizeOption($question['correct_option']);

        $question_marks = 1;
        if (isset($question['marks']) && is_numeric($question['marks'])) {
            $question_marks = intval($question['marks']);
        }
    }
}

```

```

    }

    $total_marks += $question_marks;

    if (isset($_POST['answer'][$question_id])) {
        $selected_option =
normalizeOption($_POST['answer'][$question_id]);
    } else {
        $selected_option = "";
    }

    $response_sql = "INSERT INTO student_responses
                    (student_id, exam_id, question_id, selected_option)
VALUES
                    ('$student_id', '$exam_id', '$question_id',
'$selected_option')";

    $response_insert = mysqli_query($conn, $response_sql);

    if (!$response_insert) {
        die("Response insert error: " . mysqli_error($conn));
    }

    if ($selected_option == $correct_option) {
        $score += $question_marks;
    }
}

if ($total_marks > 0) {
    $percentage = ($score / $total_marks) * 100;
} else {
    $percentage = 0;
}

$status = ($percentage >= 50) ? "Pass" : "Fail";

$result_sql = "INSERT INTO results
              (student_id, exam_id, score, status)
VALUES
              ('$student_id', '$exam_id', '$score', '$status')";

$result_insert = mysqli_query($conn, $result_sql);

if (!$result_insert) {
    die("Result insert error: " . mysqli_error($conn));
}

?>
<!DOCTYPE html>
<html>
<head>
    <title>Exam Result - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body{

```

```

        font-family: "Segoe UI", Arial, sans-serif;
        min-height: 100vh;
        background:
            radial-gradient(circle at top right,
                rgba(56,189,248,0.20), transparent 30%),
            radial-gradient(circle at bottom left,
                rgba(168,85,247,0.18), transparent 32%),
            #0f172a;
        color: #f8fafc;
        display: flex;
        justify-content: center;
        align-items: center;
        padding: 30px;
    }

    .result-box{
        width: 520px;
        background: rgba(255,255,255,0.06);
        border: 1px solid rgba(255,255,255,0.10);
        padding: 38px;
        text-align: center;
        border-radius: 26px;
        box-shadow: 0 28px 70px rgba(0,0,0,0.35);
        backdrop-filter: blur(10px);
    }

    h1{
        color: #ffffff;
        margin-bottom: 22px;
        font-size: 34px;
    }

    .result-info{
        background: rgba(255,255,255,0.07);
        border: 1px solid rgba(255,255,255,0.10);
        padding: 16px;
        border-radius: 16px;
        margin-bottom: 14px;
        color: #cbd5e1;
    }

    .result-info b{
        color: #7dd3fc;
    }

    .score{
        font-size: 32px;
        font-weight: 900;
        color: #7dd3fc;
        margin: 22px 0;
        background: rgba(56,189,248,0.12);
        border: 1px solid rgba(125,211,252,0.25);
        padding: 16px;
        border-radius: 18px;
    }

    .status-pass{
        display: inline-block;
        padding: 8px 14px;
        border-radius: 20px;
        background: rgba(34,197,94,0.14);
    }

```

```

        color: #86efac;
        border: 1px solid rgba(134,239,172,0.25);
        font-weight: 900;
    }

    .status-fail{
        display: inline-block;
        padding: 8px 14px;
        border-radius: 20px;
        background: rgba(248,113,113,0.14);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        font-weight: 900;
    }

    a{
        display: inline-block;
        margin-top: 24px;
        background: linear-gradient(135deg, #38bdf8, #0ea5e9);
        color: #082f49;
        padding: 13px 20px;
        text-decoration: none;
        border-radius: 12px;
        font-weight: 900;
        transition: 0.3s;
        box-shadow: 0 12px 25px rgba(56,189,248,0.25);
    }

    a:hover{
        background: linear-gradient(135deg, #0ea5e9, #0284c7);
        transform: translateY(-2px);
    }
</style>
</head>

<body>

<div class="result-box">

    <h1>Exam Result</h1>

    <div class="result-info"><b>Exam:</b> <?php echo $exam['exam_title'];
?></div>

    <div class="result-info"><b>Total Questions:</b> <?php echo
$total_questions; ?></div>

    <p class="score">Score: <?php echo $score; ?> / <?php echo
$total_marks; ?></p>

    <div class="result-info"><b>Percentage:</b> <?php echo
round($percentage, 2); ?>%</div>

    <div class="result-info">
        <b>Status:</b>
        <?php
        if ($status == "Pass") {
            echo "<span class='status-pass'>Pass</span>";
        } else {
            echo "<span class='status-fail'>Fail</span>";
        }
    </div>

```

```

        ?>
    </div>

    <a href="student_dashboard.php">Back to Dashboard</a>

</div>

</body>
</html>

<?php
    exit();
}

/* Questions fetch */
$question_query = "SELECT * FROM questions WHERE exam_id='$exam_id'";
$question_result = mysqli_query($conn, $question_query);

if (!$question_result) {
    die("Question query error: " . mysqli_error($conn));
}
?>

<!DOCTYPE html>
<html>
<head>
    <title>Start Exam - ExamSphere</title>

    <style>
        *{
            box-sizing: border-box;
            margin: 0;
            padding: 0;
        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;
        }

        .topbar{
            width: 100%;
            padding: 22px 70px;
            background: #111827;
            display: flex;
            justify-content: space-between;
            align-items: center;
            border-bottom: 1px solid rgba(255,255,255,0.08);
        }

        .brand{
            font-size: 26px;
            font-weight: 800;
            color: #f8fafc;

```

```

        letter-spacing: 0.5px;
    }

.brand span{
    color: #38bdf8;
}

.portal-badge{
    padding: 10px 16px;
    border-radius: 30px;
    background: rgba(56,189,248,0.12);
    color: #7dd3fc;
    border: 1px solid rgba(125,211,252,0.25);
    font-weight: 800;
    font-size: 14px;
}

.container{
    width: 88%;
    max-width: 1150px;
    margin: 38px auto;
}

.exam-header{
    background:
        linear-gradient(135deg, rgba(56,189,248,0.18),
        rgba(167,139,250,0.18)),
        rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.10);
    color: white;
    padding: 34px;
    border-radius: 24px;
    text-align: center;
    margin-bottom: 25px;
    box-shadow: 0 28px 70px rgba(0,0,0,0.25);
    backdrop-filter: blur(10px);
}

.exam-header h1{
    margin-bottom: 16px;
    font-size: 36px;
    color: #ffffff;
}

.exam-meta{
    display: flex;
    justify-content: center;
    gap: 18px;
    flex-wrap: wrap;
    margin-top: 12px;
}

.exam-meta span{
    background: rgba(255,255,255,0.08);
    border: 1px solid rgba(255,255,255,0.12);
    padding: 10px 17px;
    border-radius: 25px;
    font-weight: 800;
    font-size: 14px;
    color: #dbeafe;
}

```

```

.timer-box{
  background: rgba(248,113,113,0.14);
  color: #fca5a5;
  padding: 15px;
  border-radius: 16px;
  text-align: center;
  font-size: 22px;
  font-weight: 900;
  margin-bottom: 25px;
  border: 1px solid rgba(252,165,165,0.25);
  box-shadow: 0 12px 25px rgba(0,0,0,0.18);
}

.question-box{
  padding: 24px;
  margin: 20px 0;
  border-radius: 20px;
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.10);
  box-shadow: 0 18px 35px rgba(0,0,0,0.18);
  backdrop-filter: blur(10px);
  transition: 0.3s ease;
}

.question-box:hover{
  background: rgba(255,255,255,0.09);
  border-color: rgba(56,189,248,0.30);
}

.question-title{
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 15px;
  margin-bottom: 18px;
  font-size: 16px;
  line-height: 1.6;
  color: #ffffff;
}

.question-title b{
  color: #f8fafc;
}

.marks-badge{
  background: rgba(56,189,248,0.14);
  color: #7dd3fc;
  border: 1px solid rgba(125,211,252,0.25);
  padding: 8px 13px;
  border-radius: 20px;
  font-size: 13px;
  white-space: nowrap;
  font-weight: 900;
}

.option-row{
  display: block;
  background: rgba(255,255,255,0.07);
  color: #e5e7eb;
  padding: 14px;
}

```

```

        margin: 10px 0;
        border-radius: 14px;
        cursor: pointer;
        border: 1px solid rgba(255,255,255,0.10);
        transition: 0.25s ease;
    }

    .option-row:hover{
        background: rgba(56,189,248,0.12);
        border-color: rgba(125,211,252,0.30);
        transform: translateX(4px);
    }

    .option-row input{
        margin-right: 9px;
        accent-color: #38bdf8;
    }

    .option-row span{
        font-weight: 900;
        color: #7dd3fc;
    }

    .submit-btn{
        display: block;
        width: 240px;
        margin: 36px auto 15px auto;
        padding: 15px 22px;
        background: linear-gradient(135deg, #38bdf8, #0ea5e9);
        color: #082f49;
        border: none;
        cursor: pointer;
        border-radius: 14px;
        font-size: 16px;
        font-weight: 900;
        transition: 0.3s ease;
        box-shadow: 0 12px 25px rgba(56,189,248,0.25);
    }

    .submit-btn:hover{
        background: linear-gradient(135deg, #0ea5e9, #0284c7);
        transform: translateY(-2px);
        box-shadow: 0 15px 30px rgba(56,189,248,0.35);
    }

    .back-link{
        display: inline-block;
        margin-top: 15px;
        text-decoration: none;
        color: #ddd6fe;
        background: rgba(167,139,250,0.15);
        border: 1px solid rgba(196,181,253,0.28);
        padding: 12px 18px;
        border-radius: 12px;
        font-weight: 800;
        transition: 0.3s;
    }

    .back-link:hover{
        background: rgba(167,139,250,0.25);
        transform: translateY(-2px);
    }

```

```

}

.popup-overlay{
  display: none;
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: rgba(15,23,42,0.72);
  backdrop-filter: blur(6px);
  z-index: 9999;
}

.popup-box{
  width: 430px;
  background: #111827;
  color: #f8fafc;
  padding: 30px;
  border-radius: 22px;
  text-align: center;
  box-shadow: 0 28px 70px rgba(0,0,0,0.45);
  border: 1px solid rgba(255,255,255,0.12);
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
}

.popup-box h2{
  margin-bottom: 12px;
  color: #7dd3fc;
  font-size: 25px;
}

.popup-box p{
  font-size: 16px;
  margin-bottom: 24px;
  color: #cbd5e1;
  line-height: 1.6;
}

.popup-buttons{
  display: flex;
  justify-content: center;
  gap: 15px;
}

.popup-buttons button{
  width: auto;
  padding: 12px 20px;
  border: none;
  border-radius: 12px;
  cursor: pointer;
  font-weight: 900;
  transition: 0.3s ease;
}

.yes-btn{
  background: linear-gradient(135deg, #38bdf8, #0ea5e9);
  color: #082f49;
}

```

```

    }

    .yes-btn:hover{
        transform: translateY(-2px);
    }

    .cancel-btn{
        background: rgba(248,113,113,0.16);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.28) !important;
    }

    .cancel-btn:hover{
        background: rgba(248,113,113,0.25);
        transform: translateY(-2px);
    }

    @media (max-width: 768px){
        .topbar{
            padding: 20px 30px;
            flex-direction: column;
            gap: 14px;
        }

        .container{
            width: 94%;
        }

        .exam-header h1{
            font-size: 28px;
        }

        .question-title{
            flex-direction: column;
            align-items: flex-start;
        }

        .popup-box{
            width: 90%;
        }
    }
</style>
</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <div class="portal-badge">Live Exam Mode</div>
</div>

<div class="container">

    <div class="exam-header">
        <h1><?php echo $exam['exam_title']; ?></h1>

        <div class="exam-meta">
            <span>Duration: <?php echo $exam['duration']; ?> minutes</span>
            <span>Total Marks: <?php echo $exam['total_marks']; ?></span>
        </div>
    </div>
</div>

```

```

<div id="timer" class="timer-box">Time Left: Loading...</div>

<form method="POST" id="examForm" action="start_exam.php?exam_id=<?php
echo $exam_id; ?>">

    <?php
    $count = 1;

    if (mysqli_num_rows($question_result) > 0) {

        while ($row = mysqli_fetch_assoc($question_result)) {

            $marks = 1;
            if (isset($row['marks']) && is_numeric($row['marks'])) {
                $marks = intval($row['marks']);
            }

            echo "<div class='question-box'>";

            echo "<div class='question-title'>";
            echo "<span><b>Q". $count. ".
".$row['question_text']. "</b></span>";
            echo "<span class='marks-badge'>".$marks. " Mark(s)</span>";
            echo "</div>";

            echo "<label class='option-row'><input type='radio'
name='answer[".$row['question_id']."]' value='A'> <span>A.</span>
".$row['option1']. "</label>";

            echo "<label class='option-row'><input type='radio'
name='answer[".$row['question_id']."]' value='B'> <span>B.</span>
".$row['option2']. "</label>";

            echo "<label class='option-row'><input type='radio'
name='answer[".$row['question_id']."]' value='C'> <span>C.</span>
".$row['option3']. "</label>";

            echo "<label class='option-row'><input type='radio'
name='answer[".$row['question_id']."]' value='D'> <span>D.</span>
".$row['option4']. "</label>";

            echo "</div>";

            $count++;
        }

        echo "<button type='button' class='submit-btn'
onclick='openSubmitPopup()'>Submit Exam</button>";

    } else {
        echo "<p>No questions found for this exam.</p>";
    }
?>

</form>

<div id="confirmPopup" class="popup-overlay">
    <div class="popup-box">
        <h2>Confirm Submission</h2>
        <p>Are you sure you want to submit your exam?</p>
    </div>
</div>

```

```

        <div class="popup-buttons">
            <button type="button" class="yes-btn"
onclick="submitExamFinal()">Yes, Submit</button>
            <button type="button" class="cancel-btn"
onclick="closeSubmitPopup()">Cancel</button>
        </div>
    </div>
</div>

<a class="back-link" href="student_dashboard.php">Back to Dashboard</a>

</div>

<script>
    let duration = <?php echo $exam['duration']; ?>;
    let timeLeft = duration * 60;

    let timerDisplay = document.getElementById("timer");
    let examForm = document.getElementById("examForm");
    let confirmPopup = document.getElementById("confirmPopup");

    let isSubmitting = false;

    function openSubmitPopup() {
        confirmPopup.style.display = "block";
    }

    function closeSubmitPopup() {
        confirmPopup.style.display = "none";
    }

    function beforeUnloadHandler(e) {
        if (!isSubmitting) {
            e.preventDefault();
            e.returnValue = "";
        }
    }

    function submitExamFinal() {
        isSubmitting = true;
        window.removeEventListener("beforeunload", beforeUnloadHandler);
        examForm.submit();
    }

    let countdown = setInterval(function() {

        let minutes = Math.floor(timeLeft / 60);
        let seconds = timeLeft % 60;

        if (seconds < 10) {
            seconds = "0" + seconds;
        }

        timerDisplay.innerHTML = "Time Left: " + minutes + ":" + seconds;

        if (timeLeft <= 0) {
            clearInterval(countdown);

            confirmPopup.style.display = "none";
        }
    }, 1000);

```

```

        alert("Time is over! Your exam will be submitted
automatically.");

        isSubmitting = true;
        window.removeEventListener("beforeunload", beforeUnloadHandler);

        examForm.submit();
    }

    timeLeft--;

}, 1000);

history.pushState(null, null, location.href);

window.onpopstate = function () {
    history.pushState(null, null, location.href);
    alert("You cannot go back during the exam. Please submit your exam
first.");
};

window.addEventListener("beforeunload", beforeUnloadHandler);
</script>

</body>
</html>

```

view_results.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

/* Fetch results in ascending order */
$query = "SELECT
    r.result_id,
    r.score,
    r.status,
    r.result_date,
    s.full_name,
    s.email,
    s.course,
    e.exam_title
FROM results r
INNER JOIN students s ON r.student_id = s.student_id
INNER JOIN exams e ON r.exam_id = e.exam_id
ORDER BY r.result_id ASC";

$result = mysqli_query($conn, $query);

if (!$result) {

```

```

        die("Result Query Error: " . mysqli_error($conn));
    }
    ?>

<!DOCTYPE html>
<html>
<head>
    <title>View Results - ExamSphere</title>

    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;

        }

        body{
            font-family: "Segoe UI", Arial, sans-serif;
            min-height: 100vh;
            background:
                radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
                radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
                #0f172a;
            color: #f8fafc;
        }

        .topbar{
            width: 100%;
            padding: 22px 70px;
            background: #111827;
            display: flex;
            justify-content: space-between;
            align-items: center;
            border-bottom: 1px solid rgba(255,255,255,0.08);
        }

        .brand{
            font-size: 26px;
            font-weight: 800;
            color: #f8fafc;
            letter-spacing: 0.5px;
        }

        .brand span{
            color: #38bdf8;
        }

        .topbar a{
            color: #7dd3fc;
            text-decoration: none;
            background: rgba(56,189,248,0.12);
            border: 1px solid rgba(125,211,252,0.25);
            padding: 10px 16px;
            border-radius: 30px;
            font-weight: 700;
            font-size: 14px;
            transition: 0.3s;
        }
    </style>

```

```

.topbar a:hover{
    background: rgba(56,189,248,0.20);
    transform: translateY(-2px);
}

.page-section{
    width: 94%;
    max-width: 1300px;
    margin: 45px auto;
}

.page-heading{
    text-align: center;
    margin-bottom: 35px;
}

.page-heading h1{
    font-size: 42px;
    color: #ffffff;
    margin-bottom: 12px;
}

.page-heading p{
    color: #cbd5e1;
    font-size: 16px;
    line-height: 1.6;
}

.table-card{
    background: rgba(255,255,255,0.06);
    border: 1px solid rgba(255,255,255,0.10);
    border-radius: 24px;
    padding: 30px;
    box-shadow: 0 28px 70px rgba(0,0,0,0.30);
    backdrop-filter: blur(10px);
    overflow-x: auto;
}

table{
    width: 100%;
    border-collapse: separate;
    border-spacing: 0 12px;
    margin-top: 5px;
}

th{
    background: rgba(56,189,248,0.14);
    color: #7dd3fc;
    padding: 14px 12px;
    text-align: center;
    font-size: 14px;
    border-top: 1px solid rgba(125,211,252,0.18);
    border-bottom: 1px solid rgba(125,211,252,0.18);
}

th:first-child{
    border-radius: 12px 0 0 12px;
    border-left: 1px solid rgba(125,211,252,0.18);
}

th:last-child{

```

```

border-radius: 0 12px 12px 0;
border-right: 1px solid rgba(125,211,252,0.18);
}

td{
background: rgba(255,255,255,0.07);
color: #e5e7eb;
padding: 15px 12px;
text-align: center;
font-size: 14px;
border-top: 1px solid rgba(255,255,255,0.08);
border-bottom: 1px solid rgba(255,255,255,0.08);
}

td:first-child{
border-radius: 12px 0 0 12px;
border-left: 1px solid rgba(255,255,255,0.08);
color: #7dd3fc;
font-weight: 800;
}

td:last-child{
border-radius: 0 12px 12px 0;
border-right: 1px solid rgba(255,255,255,0.08);
}

tr:hover td{
background: rgba(255,255,255,0.11);
}

.student-name{
color: #f8fafc;
font-weight: 700;
}

.email-cell{
color: #ddd6fe;
font-weight: 600;
}

.course-badge{
display: inline-block;
padding: 7px 12px;
border-radius: 20px;
background: rgba(56,189,248,0.14);
color: #7dd3fc;
border: 1px solid rgba(125,211,252,0.25);
font-weight: 800;
}

.exam-cell{
color: #ffffff;
font-weight: 700;
}

.score-badge{
display: inline-block;
padding: 7px 13px;
border-radius: 20px;
background: rgba(167,139,250,0.15);
color: #ddd6fe;
}

```

```

        border: 1px solid rgba(196,181,253,0.28);
        font-weight: 800;
    }

    .pass{
        display: inline-block;
        padding: 7px 13px;
        border-radius: 20px;
        background: rgba(34,197,94,0.14);
        color: #86efac;
        border: 1px solid rgba(134,239,172,0.25);
        font-weight: 800;
    }

    .fail{
        display: inline-block;
        padding: 7px 13px;
        border-radius: 20px;
        background: rgba(248,113,113,0.14);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        font-weight: 800;
    }

    .back-btn{
        display: inline-block;
        margin-top: 25px;
        text-decoration: none;
        background: rgba(167,139,250,0.15);
        color: #ddd6fe;
        border: 1px solid rgba(196,181,253,0.28);
        padding: 12px 18px;
        border-radius: 12px;
        font-weight: 800;
        transition: 0.3s ease;
    }

    .back-btn:hover{
        background: rgba(167,139,250,0.25);
        transform: translateY(-2px);
    }

    .empty-row{
        color: #cbd5e1;
        font-weight: 600;
    }

    @media (max-width: 850px) {
        .topbar{
            padding: 20px 30px;
            flex-direction: column;
            gap: 14px;
        }

        .page-heading h1{
            font-size: 34px;
        }

        .table-card{
            padding: 22px;
        }
    }

```

```

        table{
            min-width: 1050px;
        }
    }
</style>
</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="dashboard.php">Admin Dashboard</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>Student Exam Results</h1>
        <p>View student performance records, scores, status, and result dates
in one place.</p>
    </div>

    <div class="table-card">

        <table>
            <tr>
                <th>S/N</th>
                <th>Student Name</th>
                <th>Email</th>
                <th>Course</th>
                <th>Exam</th>
                <th>Score</th>
                <th>Status</th>
                <th>Result Date</th>
            </tr>

            <?php
            if (mysqli_num_rows($result) > 0) {

                $sn = 1;

                while ($row = mysqli_fetch_assoc($result)) {

                    echo "<tr>";
                    echo "<td>".$sn++."</td>";
                    echo "<td
class='student-name'>".$row['full_name']."</td>";
                    echo "<td class='email-cell'>".$row['email']."</td>";
                    echo "<td><span
class='course-badge'>".$row['course']."</span></td>";
                    echo "<td class='exam-cell'>".$row['exam_title']."</td>";
                    echo "<td><span
class='score-badge'>".$row['score']."</span></td>";

                    if ($row['status'] == "Pass") {
                        echo "<td><span
class='pass'>".$row['status']."</span></td>";
                    } else {
                        echo "<td><span
class='fail'>".$row['status']."</span></td>";
                    }
                }
            }
        </table>
    </div>
</div>

```

```

        }

        echo "<td>".$row['result_date']."</td>";
        echo "</tr>";
    }

    } else {
        echo "<tr><td colspan='8' class='empty-row'>No results
found</td></tr>";
    }
    ?>

</table>

<a class="back-btn" href="dashboard.php">Back to Dashboard</a>

</div>

</div>

</body>
</html>

```

view_students.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

session_start();
include("db.php");

if (!isset($_SESSION['admin'])) {
    header("Location: login.php");
    exit();
}

/* Delete student logic */
if (isset($_GET['delete_id'])) {

    $delete_id = $_GET['delete_id'];

    $delete_query = "DELETE FROM students WHERE student_id='$delete_id'";
    $delete_result = mysqli_query($conn, $delete_query);

    if ($delete_result) {
        $success = "Student deleted successfully!";
    } else {
        $error = "Error deleting student: " . mysqli_error($conn);
    }
}

/* Fetch students in ascending order */
$query = "SELECT * FROM students ORDER BY student_id ASC";
$result = mysqli_query($conn, $query);

if (!$result) {
    die("Student Query Error: " . mysqli_error($conn));
}

```

?>

<!DOCTYPE html>

<html>

<head>

<title>View Students - ExamSphere</title>

<style>

```
*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
```

```
body{
    font-family: "Segoe UI", Arial, sans-serif;
    min-height: 100vh;
    background:
        radial-gradient(circle at top right, rgba(56,189,248,0.20),
transparent 30%),
        radial-gradient(circle at bottom left, rgba(168,85,247,0.18),
transparent 32%),
        #0f172a;
    color: #f8fafc;
```

```
.topbar{
    width: 100%;
    padding: 22px 70px;
    background: #111827;
    display: flex;
    justify-content: space-between;
    align-items: center;
    border-bottom: 1px solid rgba(255,255,255,0.08);
}
```

```
.brand{
    font-size: 26px;
    font-weight: 800;
    color: #f8fafc;
    letter-spacing: 0.5px;
}
```

```
.brand span{
    color: #38bdf8;
}
```

```
.topbar a{
    color: #7dd3fc;
    text-decoration: none;
    background: rgba(56,189,248,0.12);
    border: 1px solid rgba(125,211,252,0.25);
    padding: 10px 16px;
    border-radius: 30px;
    font-weight: 700;
    font-size: 14px;
    transition: 0.3s;
}
```

```
.topbar a:hover{
    background: rgba(56,189,248,0.20);
}
```

```

        transform: translateY(-2px);
    }

    .page-section{
        width: 94%;
        max-width: 1250px;
        margin: 45px auto;
    }

    .page-heading{
        text-align: center;
        margin-bottom: 35px;
    }

    .page-heading h1{
        font-size: 42px;
        color: #ffffff;
        margin-bottom: 12px;
    }

    .page-heading p{
        color: #cbd5e1;
        font-size: 16px;
        line-height: 1.6;
    }

    .table-card{
        background: rgba(255,255,255,0.06);
        border: 1px solid rgba(255,255,255,0.10);
        border-radius: 24px;
        padding: 30px;
        box-shadow: 0 28px 70px rgba(0,0,0,0.30);
        backdrop-filter: blur(10px);
        overflow-x: auto;
    }

    .success{
        background: rgba(34,197,94,0.14);
        color: #86efac;
        border: 1px solid rgba(134,239,172,0.25);
        padding: 12px;
        text-align: center;
        border-radius: 12px;
        margin-bottom: 20px;
        font-weight: 700;
        font-size: 14px;
    }

    .error{
        background: rgba(248,113,113,0.14);
        color: #fca5a5;
        border: 1px solid rgba(252,165,165,0.25);
        padding: 12px;
        text-align: center;
        border-radius: 12px;
        margin-bottom: 20px;
        font-weight: 700;
        font-size: 14px;
    }

    table{

```

```

        width: 100%;
        border-collapse: separate;
        border-spacing: 0 12px;
        margin-top: 5px;
    }

    th{
        background: rgba(56,189,248,0.14);
        color: #7dd3fc;
        padding: 14px 12px;
        text-align: center;
        font-size: 14px;
        border-top: 1px solid rgba(125,211,252,0.18);
        border-bottom: 1px solid rgba(125,211,252,0.18);
    }

    th:first-child{
        border-radius: 12px 0 0 12px;
        border-left: 1px solid rgba(125,211,252,0.18);
    }

    th:last-child{
        border-radius: 0 12px 12px 0;
        border-right: 1px solid rgba(125,211,252,0.18);
    }

    td{
        background: rgba(255,255,255,0.07);
        color: #e5e7eb;
        padding: 15px 12px;
        text-align: center;
        font-size: 14px;
        border-top: 1px solid rgba(255,255,255,0.08);
        border-bottom: 1px solid rgba(255,255,255,0.08);
    }

    td:first-child{
        border-radius: 12px 0 0 12px;
        border-left: 1px solid rgba(255,255,255,0.08);
        color: #7dd3fc;
        font-weight: 800;
    }

    td:last-child{
        border-radius: 0 12px 12px 0;
        border-right: 1px solid rgba(255,255,255,0.08);
    }

    tr:hover td{
        background: rgba(255,255,255,0.11);
    }

    .name-cell{
        color: #f8fafc;
        font-weight: 700;
    }

    .email-cell{
        color: #ddd6fe;
        font-weight: 600;
    }

```

```

.course-badge{
  display: inline-block;
  padding: 7px 12px;
  border-radius: 20px;
  background: rgba(56,189,248,0.14);
  color: #7dd3fc;
  border: 1px solid rgba(125,211,252,0.25);
  font-weight: 800;
}

.delete-btn{
  display: inline-block;
  text-decoration: none;
  padding: 9px 13px;
  border-radius: 10px;
  color: #fca5a5;
  background: rgba(248,113,113,0.15);
  border: 1px solid rgba(252,165,165,0.28);
  font-size: 13px;
  font-weight: 800;
  transition: 0.3s ease;
}

.delete-btn:hover{
  background: rgba(248,113,113,0.25);
  transform: translateY(-2px);
}

.back-btn{
  display: inline-block;
  margin-top: 25px;
  text-decoration: none;
  background: rgba(167,139,250,0.15);
  color: #ddd6fe;
  border: 1px solid rgba(196,181,253,0.28);
  padding: 12px 18px;
  border-radius: 12px;
  font-weight: 800;
  transition: 0.3s ease;
}

.back-btn:hover{
  background: rgba(167,139,250,0.25);
  transform: translateY(-2px);
}

.empty-row{
  color: #cbd5e1;
  font-weight: 600;
}

@media (max-width: 800px) {
  .topbar{
    padding: 20px 30px;
    flex-direction: column;
    gap: 14px;
  }

  .page-heading h1{
    font-size: 34px;
  }
}

```

```

    }

    .table-card{
        padding: 22px;
    }

    table{
        min-width: 850px;
    }
}
</style>
</head>

<body>

<div class="topbar">
    <div class="brand">Exam<span>Sphere</span></div>
    <a href="dashboard.php">Admin Dashboard</a>
</div>

<div class="page-section">

    <div class="page-heading">
        <h1>Registered Students</h1>
        <p>View all student accounts registered in the online examination
system.</p>
    </div>

    <div class="table-card">

        <?php
        if (isset($success)) {
            echo "<div class='success'>$success</div>";
        }

        if (isset($error)) {
            echo "<div class='error'>$error</div>";
        }
        ?>

        <table>
            <tr>
                <th>S/N</th>
                <th>Full Name</th>
                <th>Email</th>
                <th>Course</th>
                <th>Created At</th>
                <th>Action</th>
            </tr>

            <?php
            if (mysqli_num_rows($result) > 0) {

                $sn = 1;

                while ($row = mysqli_fetch_assoc($result)) {

                    echo "<tr>";
                    echo "<td>".$sn++."</td>";
                    echo "<td class='name-cell'>".$row['full_name']."</td>";
                    echo "<td class='email-cell'>".$row['email']."</td>";

```

```

        echo "<td><span
class='course-badge'>".$row['course'].</span></td>";
        echo "<td>".$row['created_at'].</td>";

        echo "<td>
            <a class='delete-btn'

href='view_students.php?delete_id=".$row['student_id']."'
            onclick=\"return confirm('Are you sure you
want to delete this student? This will also delete the student responses and
results.');

```

logout.php

```

<?php

session_start();

session_destroy();

header("Location: login.php");

exit();

?>

```

student_logout.php

```

<?php

session_start();

unset($_SESSION['student_id']);

unset($_SESSION['student_name']);


header("Location: student_login.php");

```


```
exit();  
?>
```

OUTPUT


Home Page



Admin Login



Admin Dashboard



Create Exam

ExamSphere

Admin Dashboard

Create Exam

Set up a new online exam by entering title, date, duration, and total marks.

Exam Details

Enter exam information carefully before adding questions.

Exam Title

Example: BCA Java Test

Exam Date

dd - mm - yyyy

Duration

Duration in minutes

Total Marks

Enter total marks

Create Exam

Back to Dashboard

Exam Setup Guide

After creating an exam, go to the Add Questions page and attach questions to this exam.

Step 01: Create exam with proper title and date.

Step 02: Add multiple-choice questions for this exam.

Step 03: Students can attempt the exam from their dashboard.

Step 04: Results will be generated automatically after submission.

Add Questions

ExamSphere

Admin Dashboard

Add Questions

Upload questions using a CSV file or add questions manually for any created exam.

Upload Questions Using CSV File

Select Exam

Choose File | No file chosen

CSV Format:
question_text, option1, option2, option3, option4, correct_option, Marks

Example
Which keyword is used to create a class in Java? class, function, method, object, option1

Correct Option Allowed Values:
option1 / option 1 / 1 / a
option2 / option 2 / 2 / b
option3 / option 3 / 3 / c
option4 / option 4 / 4 / d

Upload CSV Questions

Manually Add Question

Select Exam

Enter Question

Enter Option A

Enter Option B

Enter Option C

Enter Option D

Select Correct Option

Add Question Manually

Back to Dashboard

View Exams

ExamSphere

Admin Dashboard


View Exams

Review all created exams, view their questions, or delete exam records when required.


| S/N | Exam Title | Exam Date | Duration | Total Marks | Created At | Actions | |
|-----|-------------|------------|------------|-------------|---------------------|--------------------------------|-----------------------------|
| 1 | Mathematics | 2026-05-10 | 2 minutes | 10 | 2026-05-10 19:36:01 | View Questions | Delete Exam |
| 2 | maths | 2026-05-15 | 30 minutes | 10 | 2026-05-10 22:47:12 | View Questions | Delete Exam |

Back to Dashboard

View Questions



Delete Questions



Student Registration

ExamSphere

Create your student account to access online exams, attempt available tests, and view your results instantly after submission.

[Student Registration | Secure Login | Instant Result Access](#)

[Quick student account creation](#)

[Access to online examination panel](#)

[Result viewing after exam submission](#)

Student Registration

Fill in your details to create a new student account

Full Name

Jesika Sharma

Email Address

jesikasharma202@gmail.com

Password

Course

BCA

Register

Already registered? [Login Here](#)

Are you an admin? [Admin Login](#)

[Back to Home](#)

Student Login

ExamSphere

Access your student portal to attempt available exams, submit answers securely, and view your result instantly after evaluation.

[Student Portal | Timer-Based Exams | Instant Results](#)

[Secure student authentication](#)

[Online exam attempt panel](#)

[Automatic result generation](#)

Student Login

Enter your registered email and password to continue

Email Address

jesikasharma202@gmail.com

Password


Login

New student? [Register Here](#)


Are you an admin? [Admin Login](#)

[Back to Home](#)


Student Dashboard




Start Exam




Submit Confirmation Popup




Result Page





Already Attempted



View Students

ExamSphere

Admin Dashboard

Registered Students

View all student accounts registered in the online examination system.

| S/N | Full Name | Email | Course | Created At | Action |
|-----|---------------|---------------------------|--------|---------------------|----------------|
| 1 | Jesika Sharma | jesikasharma202@gmail.com | BCA | 2026-05-17 10:37:23 | Delete Student |
| 2 | Jenish Sharma | jenishsharma17@gmail.com | BBA | 2026-05-24 12:19:58 | Delete Student |

Back to Dashboard

View Results

ExamSphere

Admin Dashboard

Student Exam Results

View student performance records, scores, status, and result dates in one place.

| S/N | Student Name | Email | Course | Exam | Score | Status | Result Date |
|-----|---------------|---------------------------|--------|-------|-------|--------|---------------------|
| 1 | Jesika Sharma | jesikasharma202@gmail.com | BCA | maths | 9 | Pass | 2026-05-24 11:22:21 |

Back to Dashboard

Database Tables

| | Table  | Action | Rows  | Type | Collation | Size | Overhead |
|--------------------------|---|---|--|--------|--------------------|----------|----------|
| ☐ | admin |   Browse  Structure  Search  Insert  Empty  Drop | 1 | InnoDB | utf8mb4_general_ci | 16.0 KiB | - |
| ☐ | exams |   Browse  Structure  Search  Insert  Empty  Drop | 2 | InnoDB | utf8mb4_general_ci | 16.0 KiB | - |
| ☐ | questions |   Browse  Structure  Search  Insert  Empty  Drop | 13 | InnoDB | utf8mb4_general_ci | 32.0 KiB | - |
| ☐ | results |   Browse  Structure  Search  Insert  Empty  Drop | 2 | InnoDB | utf8mb4_general_ci | 48.0 KiB | - |
| ☐ | students |   Browse  Structure  Search  Insert  Empty  Drop | 1 | InnoDB | utf8mb4_general_ci | 32.0 KiB | - |
| ☐ | student_responses |   Browse  Structure  Search  Insert  Empty  Drop | 13 | InnoDB | utf8mb4_general_ci | 64.0 KiB | - |