

Use ChatGPT to generate a SQL test scenario where a trigger incorrectly updates a user's balance after an expense entry. Paste the scenario and your corrected trigger code, explaining how you fixed the error.

Hint: Ask ChatGPT for a buggy trigger example and a test case that exposes the bug.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

1_question 2_question 3_question 4_question SQL File 7* x

Limit to 1000 rows

SCHEMAS

Filter objects

- emp
- instacalone
 - Tables
 - cart
 - foodorder
 - influencers
 - movies
 - orderitems
 - orders
 - payments
 - pl
 - playlist
 - playlists
 - posts
 - products
 - restaurant
 - restaurants
 - spotifyuser
 - users
 - Views
 - Stored Procedures
 - Functions
- phpmyadmin
- study
- test
- test

Administration Schemas

```
38 -- 4. Initial Data (User 1 1000 બેલેન્સ)
39 INSERT INTO wallet (user_id, balance)
40 VALUES (1, 1000.00);
41
42 -- 5. વર્ગ (Expense) બેલેન્સ (User 1 - 150 ટ્રાન્સ)
43 INSERT INTO expenses (user_id, amount, description)
44 VALUES (1, 150.00, 'Groceries');
45
46 -- 6. બેલેન્સ રીસલ્ટ (Output 850.00 અપડેટ થી)
47 SELECT * FROM wallet WHERE user_id = 1;
48 SELECT * FROM expenses;
```

Result Grid

	expense_id	user_id	amount	description	created_at
▶	1	1	150.00	Groceries	2026-08-22 12:39:02
*	NULL	NULL	NULL	NULL	NULL

wallet 1 expenses 2 x

Output

Action Output